

A reconstruction of
Merritt's table of "useful numbers"
(1947)

Denis Roegel

9 October 2011

1 Introduction

Henry Edward Merritt (1899–1974), M.B.E., D.Sc (Eng), M.I.Mech.E., was a British engineer from Warwickshire who published a number of books on gear engineering [6, 7, 8].

In the 1930s, he was director and technical manager of David Brown Tractors, Limited, Mekham, Huddersfield. After 1945, Merritt was employed by the Nuffield Organization and in 1949 he became Chief Research Officer to the British Transport Commission. His task was to supervise and co-ordinate both technical and operational research work for the whole of nationalised transport [4, p. 53]. In 1951 he was appointed chief administrative engineer to the Rootes Group at their Coventry factories. In 1962, Merritt received the James Clayton Prize, awarded every year since 1945 by the Institution of mechanical engineers.¹

2 Merritt’s table of “useful” numbers

In 1947, Merritt published a book on the calculation of gear trains in which he gave a table of “useful” numbers, as well as a Brocot table [6]. The present document is a reconstruction of the first table, whereas the second is described in a separate document [10].

For the computation of practical gear trains, Merritt considered only wheels with at most 127 teeth, and his aim was therefore to provide a table of factors for those numbers which have factors not exceeding 127. Moreover, in order to save space, Merritt did not list the integers with factors 2, 3, and 5, as these can readily be identified. The remaining numbers, from 7 to 200000, form Merritt’s table of “useful” numbers.

Merritt’s table is in fact based on Kavan’s table [5] published in 1937. This table gave the factors of all integers up to 256000.

Merritt’s table therefore appears as a specialized table of factors, constructed for a specific purpose. There are in fact many other table of factors, and we refer the reader to our other reconstructions and in particular to Glaisher and Bullynck’s articles for a survey of the history of factor tables [2, 1].

3 Table errors

A cursory examination of Merritt’s table reveals many errors, and it remains to be seen if these errors are also in Kavan’s table.

We confine ourselves here to errors affecting the layout of the tables. These errors were spotted during the reconstruction of the table, since they change the range given on each page. It is however possible that some errors cancel each other out, and our list does not pretend to be exhaustive.

¹A biographical notice of Merritt was presumably published in the *Journal of automotive engineering*, volume 4, 5, or 6, 1974?, page 85, but we have not consulted it.

3.1 Extra values

We have only found two extra values, namely integers given by Merritt, but which should not have been given, as they violate his restrictions. The first such error is that of $381 = 3 \cdot 127$. It should have been left out, as it is divisible by 3. The second such error is that of $97681 = 23 \cdot 31 \cdot 137$, which should have been left out as it has a factor greater than 127.

3.2 Omissions

There is a much longer list of omissions, namely numbers which should have been given by Merritt, but have been left out. The following omissions were found during our reconstruction: 3721, 3959, 16159, 17303, 28037, 30889, 31117, 32129, 33553, 35557, 39767, 44573, 45167, 45917, 47357, 47879, 50653, 50933, 51301, 51359, 53371, 62923, 73573, 84323, 84941, 85963, 89311, 138269, 145079, 146329, 158171, 161713, 165731, 169037, 171749, 174173, 183229, and 197617.

4 The reconstruction

Although Merritt's table contains errors, it may contain other errors not reported here, and in the interest of further comparison, it seems useful to provide two reconstructions. The first reconstruction gives the complete list of "useful" numbers, except for the extra values and omissions. Each page of this list does therefore have the same range as the original table, and comparisons are therefore facilitated.

The second reconstruction is that of the correct table, but since it does not contain the above errors, the range of each page is different and comparing the correct table with the original one is more difficult.

References

The following list covers the most important references² related to Merritt’s table. Not all items of this list are mentioned in the text, and the sources which have not been seen are marked so. We have added notes about the contents of the articles in certain cases.

- [1] Maarten Bullynck. Factor tables 1657–1817, with notes on the birth of number theory. *Revue d’histoire des mathématiques*, 16(2):133–216, 2010.
- [2] James Whitbread Lee Glaisher. *Report of the committee on mathematical tables*. London: Taylor and Francis, 1873. [Also published as part of the “Report of the forty-third meeting of the British Association for the advancement of science,” London: John Murray, 1874. A review by R. Radau was published in the *Bulletin des sciences mathématiques et astronomiques*, volume 11, 1876, pp. 7–27]
- [3] James Whitbread Lee Glaisher. Table, mathematical. In Hugh Chisholm, editor, *The Encyclopædia Britannica, 11th edition*, volume 26, pages 325–336. Cambridge, England: at the University Press, 1911.
- [4] Terence Richard Gourvish. *British railways 1948–73: A business history*. Cambridge: Cambridge University Press, 1986.
- [5] Jiří Kaván. *Factor tables giving the complete decomposition into prime factors of all numbers up to 256,000*. London: Macmillan and co., 1937. [This table was reconstructed in [9].]
- [6] Henry Edward Merritt. *Gear trains, including a Brocot table of decimal equivalents and a table of factors of all useful numbers up to 200,000*. London: Sir Isaac Pitman & Sons, Ltd., 1947. [Brocot’s table is reconstructed in [10].]
- [7] Henry Edward Merritt. *Gears*. London: Sir Isaac Pitman & Sons, Ltd., 1955. [3rd edition]
- [8] Henry Edward Merritt. *Gear engineering*. London: Sir Isaac Pitman & Sons, Ltd., 1971.
- [9] Denis Roegel. A reconstruction of Kaván’s table of factors (1937). Technical report, LORIA, 2011. [This is a reconstruction of [5].]
- [10] Denis Roegel. A reconstruction of Merritt’s Brocot table (1947). Technical report, LORIA, 2011. [This is a reconstruction of the table given in [6].]

²**Note on the titles of the works:** Original titles come with many idiosyncrasies and features (line splitting, size, fonts, etc.) which can often not be reproduced in a list of references. It has therefore seemed pointless to capitalize works according to conventions which not only have no relation with the original work, but also do not restore the title entirely. In the following list of references, most title words (except in German) will therefore be left uncapitalized. The names of the authors have also been homogenized and initials expanded, as much as possible.

The reader should keep in mind that this list is not meant as a facsimile of the original works. The original style information could no doubt have been added as a note, but we have not done it here.

- [11] Paul Peter Heinrich Seelhoff. Geschichte der Factorentafeln. *Archiv der Mathematik und Physik*, 70:413–426, 1884.

The table of useful numbers

(version with errors)

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
7	Prime	67	Prime	127	Prime	301	7.43
11	"	71	"	133	7.19	319	11.29
13	"	73	"	143	11.13	323	17.19
17	"	77	7.11	161	7.23	329	7.47
19	"	79	Prime	169	13 ²	341	11.31
23	"	83	"	187	11.17	343	7 ³
29	"	89	"	203	7.29	361	19 ²
31	"	91	7.13	209	11.19	371	7.53
37	"	97	Prime	217	7.31	377	13.29
41	"	101	"	221	13.17	381	3.127
43	"	103	"	247	13.19	391	17.23
47	"	107	"	253	11.23	403	13.31
49	7 ²	109	"	259	7.37	407	11.37
53	Prime	113	"	287	7.41	413	7.59
59	"	119	7.17	289	17 ²	427	7.61
61	"	121	11 ²	299	13.23	437	19.23

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
451	11.41	703	19.37	931	7 ² .19	1207	17.71
469	7.67	707	7.101	943	23.41	1219	23.53
473	11.43	713	23.31	949	13.73	1241	17.73
481	13.37	721	7.103	961	31 ²	1243	11.113
493	17.29	731	17.43	979	11.89	1247	29.43
497	7.71	737	11.67	989	23.43	1261	13.97
511	7.73	749	7.107	1000		1271	31.41
517	11.47	763	7.109	1001	7.11.13	1273	19.67
527	17.31	767	13.59	1003	17.59	1309	7.11.17
529	23 ²	779	19.41	1007	19.53	1313	13.101
533	13.41	781	11.71	1027	13.79	1331	11 ³
539	7 ² .11	791	7.113	1037	17.61	1333	31.43
551	19.29	793	13.61	1067	11.97	1339	13.103
553	7.79	799	17.47	1073	29.37	1343	17.79
559	13.43	803	11.73	1079	13.83	1349	19.71
581	7.83	817	19.43	1081	23.47	1357	23.59
583	11.53	833	7 ² .17	1111	11.101	1363	29.47
589	19.31	841	29 ²	1121	19.59	1369	37 ²
611	13.47	847	7.11 ²	1127	7 ² .23	1387	19.73
623	7.89	851	23.37	1133	11.103	1391	13.107
629	17.37	869	11.79	1139	17.67	1397	11.127
637	7 ² .13	871	13.67	1147	31.37	1403	23.61
649	11.59	889	7.127	1157	13.89	1411	17.83
667	23.29	893	19.47	1159	19.61	1417	13.109
671	11.61	899	29.31	1177	11.107	1421	7 ² .29
679	7.97	901	17.53	1183	7.13 ²	1457	31.47
689	13.53	913	11.83	1189	29.41	1463	7.11.19
697	17.41	923	13.71	1199	11.109	1469	13.113

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
1501	19.79	1829	31.59	2173	41.53	2527	7.19 ²
1513	17.89	1843	19.97	2183	37.59	2537	43.59
1517	37.41	1849	43 ²	2197	13 ³	2573	31.83
1519	7 ² .31	1853	17.109	2201	31.71	2581	29.89
1537	29.53	1859	11.13 ²	2209	47 ²	2597	7 ² .53
1541	23.67	1891	31.61	2231	23.97	2599	23.113
1547	7.13.17	1909	23.83	2233	7.11.29	2623	43.61
1573	11 ² .13	1919	19.101	2257	37.61	2627	37.71
1577	19.83	1921	17.113	2261	7.17.19	2639	7.13.29
1591	37.43	1927	41.47	2263	31.73	2701	37.73
1633	23.71	1943	29.67	2279	43.53	2717	11.13.19
1643	31.53	1957	19.103	2291	29.79	2737	7.17.23
1649	17.97	1961	37.53	2299	11 ² .19	2747	41.67
1651	13.127	2000		2303	7 ² .47	2759	31.89
1679	23.73	2009	7 ² .41	2323	23.101	2773	47.59
1681	41 ²	2021	43.47	2369	23.103	2783	11 ² .23
1691	19.89	2023	7.17 ²	2387	7.11.31	2809	53 ²
1711	29.59	2033	19.107	2401	7 ⁴	2813	29.97
1717	17.101	2047	23.89	2407	29.83	2821	7.13.31
1729	7.13.19	2057	11 ² .17	2413	19.127	2849	7.11.37
1739	37.47	2059	29.71	2419	41.59	2867	47.61
1751	17.103	2071	19.109	2431	11.13.17	2873	13 ² .17
1763	41.43	2077	31.67	2449	31.79	2881	43.67
1769	29.61	2093	7.13.23	2461	23.107	2891	7 ² .59
1771	7.11.23	2107	7 ² .43	2479	37.67	2911	41.71
1813	7 ² .37	2117	29.73	2491	47.53	2921	23.127
1817	23.79	2147	19.113	2501	41.61	2923	37.79
1819	17.107	2159	17.127	2507	23.109	2929	29.101

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
2987	29.103	3379	31.109	3827	43.89	4307	59.73
2989	7 ² .61	3397	43.79	3857	7.19.29	4331	61.71
2993	41.73	3403	41.83	3869	53.73	4343	43.101
3000		3431	47.73	3871	7 ² .79	4361	7 ² .89
3007	31.97	3451	7.17.29	3887	13 ² .23	4387	41.107
3053	43.71	3479	7 ² .71	3901	47.83	4399	53.83
3059	7.19.23	3481	59 ²	3913	7.13.43	4403	7.17.37
3071	37.83	3503	31.113	3937	31.127	4429	43.103
3103	29.107	3509	11 ² .29	3953	59.67	4433	11.13.31
3127	53.59	3551	53.67	3971	11.19 ²	4453	61.73
3131	31.101	3553	11.17.19	3977	41.97	4459	7 ³ .13
3139	43.73	3569	43.83	4000		4469	41.109
3149	47.67	3577	7 ² .73	4033	37.109	4477	11 ² .37
3157	7.11.41	3589	37.97	4067	7 ² .83	4489	67 ²
3161	29.109	3599	59.61	4081	7.11.53	4543	7.11.59
3179	11.17 ²	3619	7.11.47	4087	61.67	4559	47.97
3193	31.103	3649	41.89	4123	7.19.31	4601	43.107
3211	13 ² .19	3683	29.127	4141	41.101	4633	41.113
3233	53.61	3689	7.17.31	4147	11.13.29	4661	59.79
3239	41.79	3703	7.23 ²	4171	43.97	4669	7.23.29
3277	29.113	3713	47.79	4181	37.113	4687	43.109
3283	7 ² .67	3731	7.13.41	4183	47.89	4693	13.19 ²
3289	11.13.23	3737	37.101	4187	53.79	4697	7.11.61
3293	37.89	3751	11 ² .31	4189	59.71	4699	37.127
3311	7.11.43	3757	13.17 ²	4199	13.17.19	4717	53.89
3317	31.107	3763	53.71	4223	41.103	4747	47.101
3337	47.71	3773	7 ³ .11	4277	7.13.47	4753	7 ² .97
3367	7.13.37	3811	37.103	4301	11.17.23	4757	67.71

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
4807	11.19.23	5243	7 ² .107	5777	53.109	6293	7.29.31
4819	61.79	5251	59.89	5797	11.17.31	6307	7.17.53
4823	7.13.53	5291	11.13.37	5819	11.23 ²	6313	59.107
4841	47.103	5293	67.79	5831	7 ³ .17	6319	71.89
4859	43.113	5311	47.113	5863	11.13.41	6391	7.11.83
4879	7.17.41	5329	73 ²	5887	7.29 ²	6409	13.17.29
4891	67.73	5341	7 ² .109	5893	71.83	6413	11 ² .53
4897	59.83	5353	53.101	5917	61.97	6431	59.109
4901	13 ² .29	5369	7.13.59	5929	7 ² .11 ²	6461	7.13.71
4913	17 ³	5423	11.17.29	5957	7.23.37	6479	11.19.31
4921	7.19.37	5429	61.89	5959	59.101	6497	73.89
4949	7 ² .101	5453	7.19.41	5963	67.89	6499	67.97
4961	11 ² .41	5459	53.103	5969	47.127	6517	7 ³ .19
4991	7.23.31	5461	43.127	5989	53.113	6527	61.107
5000		5467	7.11.71	6000		6557	79.83
5029	47.107	5491	17 ² .19	6059	73.83	6601	7.23.41
5041	71 ²	5537	7 ² .113	6061	11.19.29	6643	7.13.73
5047	7 ² .103	5551	7.13.61	6077	59.103	6647	17 ² .23
5063	61.83	5561	67.83	6083	7.11.79	6649	61.109
5083	13.17.23	5593	7.17.47	6097	7.13.67	6667	59.113
5117	7.17.43	5609	71.79	6137	17.19 ²	6721	11.13.47
5123	47.109	5621	7.11.73	6149	11.13.43	6727	7.31 ²
5141	53.97	5671	53.107	6161	61.101	6731	53.127
5159	7.11.67	5681	13.19.23	6223	7 ² .127	6767	67.101
5183	71.73	5687	11 ² .47	6241	79 ²	6851	13.17.31
5203	11 ² .43	5719	7.19.43	6251	7.19.47	6853	7.11.89
5207	41.127	5723	59.97	6253	13 ² .37	6859	19 ³
5239	13 ² .31	5767	73.79	6283	61.103	6877	13.23 ²

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
6887	71.97	7493	59.127	8041	11.17.43	8723	11.13.61
6889	83 ²	7511	7.29.37	8051	83.97	8729	7.29.43
6893	61.113	7519	73.103	8099	7.13.89	8789	11.17.47
6901	67.103	7553	7.13.83	8107	11 ² .67	8827	7.13.97
6919	11.17.37	7567	7.23.47	8113	7.19.61	8833	11 ² .73
6923	7.23.43	7571	67.113	8137	79.103	8881	83.107
6929	13 ² .41	7579	11.13.53	8177	13.17.37	8897	7.31.41
7000		7597	71.107	8239	7.11.107	8911	7.19.67
7007	7 ² .11.13	7657	13.19.31	8249	73.113	8927	79.113
7021	7.17.59	7663	79.97	8281	7 ² .13 ²	8957	13 ² .53
7031	79.89	7667	11.17.41	8303	19 ² .23	8959	17 ² .31
7049	7.19.53	7733	11.19.37	8323	7.29.41	8987	11.19.43
7081	73.97	7739	71.109	8381	17 ² .29	8989	89.101
7139	11 ² .59	7747	61.127	8383	83.101	8993	17.23 ²
7163	13.19.29	7777	7.11.101	8393	7.11.109	9000	
7169	67.107	7811	73.107	8437	11.13.59	9017	71.127
7171	71.101	7843	11.23.31	8449	7.17.71	9047	83.109
7189	7.13.79	7847	7.19.59	8453	79.107	9061	13.17.41
7259	7.17.61	7889	7 ³ .23	8509	67.127	9139	13.19.37
7267	13 ² .43	7921	89 ²	8533	7.23.53	9163	7 ² .11.17
7303	67.109	7931	7.11.103	8549	83.103	9167	89.103
7313	71.103	7943	13 ² .47	8569	11.19.41	9191	7.13.101
7337	11.23.29	7957	73.109	8591	11 ² .71	9251	11.29 ²
7373	73.101	7973	7.17.67	8611	79.109	9269	13.23.31
7381	11 ² .61	7979	79.101	8633	89.97	9271	73.127
7387	83.89	8000		8671	13.23.29	9317	7.11 ³
7429	17.19.23	8023	71.113	8687	7.17.73	9331	7.31.43
7469	7.11.97	8029	7.31.37	8701	7.11.113	9361	11.23.37

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
9367	17.19.29	10013	17.19.31	10759	7.29.53	11543	7.17.97
9373	7.13.103	10033	79.127	10769	11 ² .89	11557	7.13.127
9379	83.113	10043	11 ² .83	10787	7.23.67	11609	13.19.47
9401	7.17.79	10051	19.23 ²	10807	101.107	11639	103.113
9409	97 ²	10057	89.113	10829	7 ² .13.17	11663	107.109
9443	7.19.71	10127	13.19.41	10879	11.23.43	11687	13.29.31
9499	7.23.59	10153	11.13.71	10933	13.29 ²	11713	13.17.53
9503	13.17.43	10199	7.31.47	10961	97.113	11737	11 ² .97
9523	89.107	10201	101 ²	11000		11753	7.23.73
9541	7.29.47	10241	7 ² .11.19	11009	101.109	11767	7.41 ²
9559	11 ² .79	10283	7.13.113	11011	7.11 ² .13	11803	11.29.37
9581	11.13.67	10309	13 ² .61	11021	103.107	11837	7.19.89
9583	7.37 ²	10373	11.23.41	11033	11.17.59	11849	17 ² .41
9701	89.109	10379	97.107	11039	7.19.83	11869	11.13.83
9709	7.19.73	10387	13.17.47	11063	13.23.37	11881	109 ²
9737	7.13.107	10403	101.103	11077	11.19.53	11891	11.23.47
9779	7.11.127	10439	11.13.73	11137	7.37.43	11951	17.19.37
9797	97.101	10469	19 ² .29	11191	19 ² .31	11977	7.29.59
9821	7.23.61	10507	7.19.79	11227	103.109	11999	13 ² .71
9823	11.19.47	10541	83.127	11297	11.13.79	12000	
9877	7.17.83	10571	11.31 ²	11303	89.127	12019	7.17.101
9889	11.29.31	10573	97.109	11323	13 ² .67	12091	107.113
9911	11.17.53	10591	7.17.89	11339	17.23.29	12103	7 ² .13.19
9919	7.13.109	10609	103 ²	11407	11.17.61	12121	17.23.31
9947	7 ³ .29	10619	7.37.41	11413	101.113	12167	23 ³
9971	13 ² .59	10621	13.19.43	11431	7.23.71	12173	7.37.47
9991	97.103	10633	7 ³ .31	11449	107 ²	12221	11 ² .101
10000		10693	17 ² .37	11501	7.31.53	12257	7.17.103

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
12259	13.23.41	13013	7.11.13 ²	13889	17.19.43	14807	13.17.67
12317	109.113	13039	13.17.59	13949	13.29.37	14819	7.29.73
12319	97.127	13079	11.29.41	13981	11.31.41	14839	11.19.71
12331	11.19.59	13081	103.127	14000		14911	13.31.37
12337	13 ² .73	13091	13.19.53	14003	11.19.67	14927	11.23.59
12341	7.41.43	13189	11 ² .109	14027	13 ² .83	14993	11.29.47
12383	7.29.61	13237	7.31.61	14053	13.23.47	15000	
12397	7 ² .11.23	13243	17.19.41	14063	7 ³ .41	15029	7.19.113
12427	17 ² .43	13277	11.17.71	14147	7.43.47	15041	13 ² .89
12463	11 ² .103	13351	13 ² .79	14161	7 ² .17 ²	15059	11.37 ²
12493	13.31 ²	13357	19 ² .37	14231	7.19.107	15067	13.19.61
12529	11.17.67	13363	7.23.83	14297	17.29 ²	15113	7.17.127
12617	11.31.37	13409	11.23.53	14329	7.23.89	15181	17.19.47
12673	19.23.29	13433	7.19.101	14351	113.127	15211	7.41.53
12691	7 ³ .37	13447	7.17.113	14399	7.11 ² .17	15257	11.19.73
12719	7.23.79	13481	13.17.61	14413	7.29.71	15281	7.37.59
12727	11.13.89	13489	7.41.47	14443	11.13.101	15283	17.29.31
12733	7.17.107	13547	19.23.31	14467	17.23.37	15301	11.13.107
12749	11.19.61	13583	17 ² .47	14497	7.19.109	15317	17 ² .53
12769	113 ²	13589	107.127	14539	7.31.67	15341	23 ² .29
12803	7.31.59	13601	7.29.67	14573	13.19.59	15367	11 ² .127
12827	101.127	13651	11.17.73	14641	11 ⁴	15379	7.13 ³
12857	13.23.43	13673	11 ² .113	14651	7 ² .13.23	15407	7.31.71
12901	7.19.97	13699	7.19.103	14663	11.31.43	15433	11.23.61
12943	7.43 ²	13717	11.29.43	14729	11.13.103	15457	13.29.41
12947	11 ² .107	13727	7.37.53	14749	7 ³ .43	15463	7.47 ²
12971	7.17.109	13843	109.127	14773	11.17.79	15521	11.17.83
13000		13871	11.13.97	14801	19 ² .41	15523	19 ² .43

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
15587	11.13.109	16643	11.17.89	17549	7.23.109	18473	7 ² .13.29
15617	7.23.97	16687	11.37.41	17629	17 ² .61	18491	11.41 ²
15631	7 ² .11.29	16709	7 ² .11.31	17641	13.23.59	18601	11.19.89
15691	13.17.71	16807	7 ⁵	17689	7 ² .19 ²	18791	19.23.43
15799	7.37.61	16813	17.23.43	17719	13.29.47	18821	11.29.59
15827	7 ² .17.19	16849	7.29.83	17759	7.43.59	18887	11.17.101
15841	7.31.73	16891	7.19.127	17797	13.37 ²	18907	7.37.73
15847	13.23.53	16907	11.29.53	17917	19.23.41	18941	13.31.47
15953	7.43.53	16933	7.41.59	17963	11.23.71	19000	
15979	19.29 ²	16951	11.23.67	18000		19019	7.11.13.19
16000		16967	19 ² .47	18011	7.31.83	19057	17.19.59
16027	11.31.47	17000		18031	13.19.73	19097	13 ² .113
16031	17.23.41	17017	7.11.13.17	18067	7.29.89	19129	11.37.47
16037	7.29.79	17051	17 ² .59	18073	11.31.53	19133	19 ² .53
16093	7.11 ² .19	17069	13 ² .101	18083	13 ² .107	19159	7 ² .17.23
16121	7 ³ .47	17081	19.29.31	18139	11.17.97	19229	7.41.67
16129	127 ²	17119	17.19.53	18161	11.13.127	19261	11.17.103
16133	13.17.73	17143	7.31.79	18179	7 ³ .53	19313	7.31.89
16169	19.23.37	17227	7.23.107	18193	7.23.113	19343	23.29 ²
16211	13.29.43	17329	13.31.43	18239	13.23.61	19363	17 ² .67
16261	7.23.101	17347	11.19.83	18241	17.29.37	19393	11.41.43
16337	17.31 ²	17353	7.37.67	18259	19.31 ²	19411	7.47.59
16393	13 ² .97	17407	13 ² .103	18343	13.17.83	19459	11.29.61
16399	23 ² .31	17437	7.47.53	18361	7.43.61	19481	7.11 ² .23
16511	11.19.79	17459	13.17.79	18377	17.23.47	19499	17.31.37
16523	13.31.41	17501	11.37.43	18389	7.37.71	19513	13.19.79
16549	13.19.67	17507	7.41.61	18421	13 ² .109	19573	23 ² .37
16583	7.23.103	17537	13.19.71	18469	11.23.73	19663	7.53 ²

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
19669	13.17.89	20539	19.23.47	21641	17.19.67	22649	11.29.71
19691	7.29.97	20677	23.29.31	21689	23 ² .41	22661	17.31.43
19703	17.19.61	20683	13.37.43	21721	7.29.107	22673	7.41.79
19721	13.37.41	20723	17.23.53	21793	19.31.37	22747	23 ² .43
19747	7 ² .13.31	20801	11.31.61	21827	13.23.73	22763	13.17.103
19943	7 ² .11.37	20909	7.29.103	21853	13.41 ²	22781	11.19.109
19981	13.29.53	20923	7 ³ .61	21889	7.53.59	22831	17 ² .79
19987	11.23.79	20951	7.41.73	21917	7.31.101	22847	11.31.67
20000		20999	11.23.83	21973	7.43.73	22919	13.41.43
20009	11.17.107	21000		21983	13.19.89	22933	17.19.71
20033	13.23.67	21049	7.31.97	22000		22939	7.29.113
20069	7.47.61	21097	17 ² .73	22021	19 ² .61	22981	7 ³ .67
20111	7.13 ² .17	21109	11.19.101	22043	7.47.67	22997	13.29.61
20119	11.31.59	21131	11.17.113	22099	7 ² .11.41	23000	
20167	7.43.67	21197	11.41.47	22103	23.31 ²	23023	7.11.13.23
20213	17.29.41	21199	17.29.43	22127	7.29.109	23051	7.37.89
20237	7 ³ .59	21229	13.23.71	22231	11.43.47	23069	17.23.59
20273	11.19.97	21299	19 ² .59	22243	13.29.59	23161	19.23.53
20339	11.43 ²	21359	13.31.53	22253	7.11.17 ²	23171	17.29.47
20377	7.41.71	21371	7.43.71	22321	13.17.101	23177	7 ² .11.43
20383	11.17.109	21373	11.29.67	22351	7.31.103	23219	7.31.107
20387	19.29.37	21413	7 ² .19.23	22363	11.19.107	23273	17.37 ²
20447	7.23.127	21437	13.17.97	22477	7.13 ² .19	23287	11.29.73
20449	11 ² .13 ²	21463	13 ² .127	22517	11.23.89	23359	7.47.71
20461	7.37.79	21497	7.37.83	22591	19.29.41	23569	7 ² .13.37
20501	13.19.83	21527	11.19.103	22607	13.37.47	23579	17.19.73
20503	7.29.101	21571	11.37.53	22627	11 ³ .17	23617	11.19.113
20519	17 ² .71	21607	17.31.41	22631	7.53.61	23621	13.23.79

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
23647	13.17.107	24583	13.31.61	25631	19 ² .71	26609	11.41.59
23653	7.31.109	24679	23.29.37	25721	17 ² .89	26611	13.23.89
23693	19.29.43	24769	17.31.47	25781	7.29.127	26657	19.23.61
23749	11.17.127	24817	13.23.83	25783	19.23.59	26677	7.37.103
23777	13.31.59	24827	11.37.61	25789	17.37.41	26741	11 ² .13.17
23779	7.43.79	24857	7.53.67	25823	7 ² .17.31	26767	13.29.71
23821	7.41.83	24863	23 ² .47	25897	19.29.47	26789	7.43.89
23851	17.23.61	24871	7.11.17.19	25921	7 ² .23 ²	26809	17.19.83
23903	11.41.53	24893	11.31.73	25991	7.47.79	26923	13.19.109
23959	13.19.97	24947	13.19.101	26000		26939	11.31.79
23987	17 ² .83	24973	13.17.113	26011	19.37 ²	26999	7 ² .19.29
24000		24983	7.43.83	26047	7.61 ²	27000	
24013	11.37.59	25000		26059	11.23.103	27001	13.31.67
24017	7.47.73	25039	7 ³ .73	26071	29 ² .31	27047	17.37.43
24037	13.43 ²	25051	13.41.47	26117	7 ² .13.41	27071	11.23.107
24089	13.17.109	25069	11.43.53	26129	17.29.53	27083	7.53.73
24149	19.31.41	25123	7.37.97	26159	7.37.101	27097	7 ³ .79
24157	7 ² .17.29	25193	7.59.61	26197	17.23.67	27209	7.13 ² .23
24167	11.13 ³	25201	11.29.79	26257	7.11 ² .31	27269	11.37.67
24187	19 ² .67	25259	13.29.67	26273	13.43.47	27307	7.47.83
24211	11.31.71	25289	11 ³ .19	26299	7.13.17 ²	27347	23.29.41
24299	11.47 ²	25327	19.31.43	26341	7.53.71	27391	7 ² .13.43
24353	7 ³ .71	25333	7 ² .11.47	26353	19 ² .73	27401	11.47.53
24367	7.59 ²	25441	13.19.103	26381	23.31.37	27511	11.41.61
24389	29 ³	25493	13.37.53	26411	7 ⁴ .11	27521	13.29.73
24521	7.31.113	25517	17.19.79	26429	13.19.107	27559	7.31.127
24541	11.23.97	25543	7.41.89	26477	11.29.83	27577	11.23.109
24563	7.11 ² .29	25553	11.23.101	26543	11.19.127	27671	7.59.67

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
27683	19.31.47	28747	17.19.89	29791	31 ³	31027	19.23.71
27713	7.37.107	28823	19.37.41	29887	11 ² .13.19	31031	7.11.13.31
27761	17.23.71	28853	11.43.61	29939	7 ² .13.47	31093	17.31.59
27797	7.11.19 ²	28861	7 ² .19.31	29963	19 ² .83	31171	7.61.73
27839	7.41.97	28897	11.37.71	29971	17.41.43	31211	23 ² .59
27869	29.31 ²	28987	7.41.101	30000		31213	7 ⁴ .13
27907	11.43.59	29000		30073	17.29.61	31217	19.31.53
27911	13.19.113	29003	13.23.97	30107	7.11.17.23	31283	7.41.109
27931	17.31.53	29029	7.11.13.29	30149	7.59.73	31291	13.29.83
28000		29087	17.29.59	30199	13.23.101	31331	17.19.97
28033	17 ² .97	29189	17 ² .101	30217	11.41.67	31339	7.11 ² .37
28067	13.17.127	29197	7.43.97	30229	19.37.43	31349	23.29.47
28231	7.37.109	29203	19.29.53	30317	7.61.71	31369	13.19.127
28249	13.41.53	29233	23.31.41	30349	11.31.89	31423	7.67 ²
28303	11.31.83	29267	7.37.113	30401	7.43.101	31433	17.43 ²
28379	13.37.59	29279	19.23.67	30503	11.47.59	31447	13.41.59
28391	11.29.89	29281	7.47.89	30527	7 ³ .89	31487	23.37 ²
28469	7 ³ .83	29309	7.53.79	30613	11 ³ .23	31501	17 ² .109
28519	19 ² .79	29323	7.59.71	30659	23.31.43	31537	11.47.61
28543	17.23.73	29341	13.37.61	30709	7.41.107	31603	11.13 ² .17
28561	13 ⁴	29393	7.13.17.19	30793	7.53.83	31691	11.43.67
28567	7 ² .11.53	29419	13.31.73	30797	13.23.103	31801	7 ² .11.59
28577	17.41 ²	29561	7.41.103	30821	7 ² .17.37	31837	13.31.79
28589	11.23.113	29563	17.37.47	30899	11.53 ²	31901	19.23.73
28609	7.61.67	29627	13.43.53	30923	17 ² .107	31913	7.47.97
28613	13.31.71	29711	11.37.73	30943	11.29.97	31939	19.41 ²
28681	23.29.43	29767	17 ² .103	31000		31993	13.23.107
28717	13.47 ²	29783	13.29.79	31003	7.43.103	32000	

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
32021	11.41.71	33031	17.29.67	34307	7.13 ² .29	35309	17.31.67
32131	11.23.127	33041	19.37.47	34357	17.43.47	35321	11.13 ² .19
32147	17.31.61	33077	11.31.97	34391	7.17 ³	35329	7 ³ .103
32153	11.37.79	33229	7.47.101	34397	11.53.59	35351	23.29.53
32207	7.43.107	33263	29.31.37	34441	11.31.101	35441	7.61.83
32219	11.29.101	33269	17.19.103	34447	7 ² .19.37	35443	23 ² .67
32227	13.37.67	33271	7 ³ .97	34481	29 ² .41	35563	11.53.61
32269	23 ² .61	33299	7.67.71	34523	19.23.79	35581	7.13.17.23
32383	13.47.53	33337	17.37.53	34529	11.43.73	35629	11.41.79
32431	7.41.113	33449	13.31.83	34561	17.19.107	35711	13.41.67
32453	17.23.83	33497	19.41.43	34639	11.47.67	35819	7 ² .17.43
32509	19.29.59	33511	23.31.47	34643	7 ³ .101	35861	7.47.109
32513	13.41.61	33583	11.43.71	34727	7.11 ² .41	35867	13.31.89
32591	13.23.109	33611	19.29.61	34751	19.31.59	35929	19.31.61
32623	17.19.101	33649	7.11.19.23	34771	11.29.109	35987	7.53.97
32627	7.59.79	33733	7.61.79	34799	17.23.89	35989	17.29.73
32657	17 ² .113	33761	7 ² .13.53	34891	23.37.41	36000	
32683	7 ² .23.29	33781	11.37.83	34937	7 ² .23.31	36047	11.29.113
32759	17.41.47	33787	13.23.113	34969	11 ² .17 ²	36049	13.47.59
32809	7.43.109	33887	7.47.103	35000		36113	7 ² .11.67
32851	7.13.19 ²	34000		35003	17.29.71	36163	29 ² .43
32857	11.29.103	34013	7.43.113	35017	19 ² .97	36179	11 ² .13.23
32879	7 ² .11.61	34099	13.43.61	35113	13.37.73	36223	11.37.89
32893	7.37.127	34133	11.29.107	35123	11.31.103	36271	19.23.83
32923	11.41.73	34151	13.37.71	35131	19.43 ²	36281	7.71.73
32981	13.43.59	34153	7 ² .17.41	35203	7.47.107	36421	7.11 ² .43
33000		34237	7.67.73	35207	17.19.109	36449	7.41.127
33019	7.53.89	34279	7.59.83	35287	7.71 ²	36461	19 ² .101

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
36487	11.31.107	37433	11.41.83	38627	19 ² .107	39689	13.43.71
36499	17.19.113	37453	13.43.67	38657	29.31.43	39697	7.53.107
36517	13.53 ²	37471	7.53.101	38663	23.41 ²	39701	29.37 ²
36569	13.29.97	37553	17.47 ²	38743	17.43.53	39809	7.11 ² .47
36593	23.37.43	37559	23 ² .71	38759	7 ³ .113	39923	13.37.83
36613	19.41.47	37583	7 ² .13.59	38831	13.29.103	39997	23.37.47
36673	7.13 ² .31	37741	11.47.73	38857	7 ² .13.61	40000	
36701	7 ³ .107	37789	23.31.53	38893	19.23.89	40033	7 ² .19.43
36703	17 ² .127	37843	13.41.71	38909	13.41.73	40061	7.59.97
36707	11.47.71	37927	17.23.97	38927	7.67.83	40139	11.41.89
36757	7.59.89	37961	7.11.17.29	38947	17.29.79	40223	19.29.73
36859	29.31.41	37973	13.23.127	39000		40273	17.23.103
36917	19.29.67	37999	13.37.79	39061	11.53.67	40339	13.29.107
36941	17.41.53	38000		39083	11 ² .17.19	40369	7.73.79
37000		38003	7.61.89	39091	13.31.97	40439	7.53.109
37037	7.11.13.37	38077	13.29.101	39121	19.29.71	40513	11.29.127
37051	7.67.79	38171	7 ² .19.41	39151	7 ² .17.47	40549	23.41.43
37111	17.37.59	38213	7.53.103	39259	11.43.83	40579	7.11.17.31
37169	11.31.109	38227	7.43.127	39263	7.71.79	40651	13.53.59
37177	7.47.113	38269	7 ² .11.71	39347	7 ² .11.73	40687	23.29.61
37183	19 ² .103	38291	11.59 ²	39349	19 ² .109	40703	13.31.101
37259	19.37.53	38369	17.37.61	39353	23.29.59	40733	7.11.23 ²
37271	13.47.61	38399	19.43.47	39401	31 ² .41	40793	19 ² .113
37303	7.73 ²	38437	7.17 ² .19	39463	19.31.67	40807	13.43.73
37349	13 ³ .17	38471	17.31.73	39479	11.37.97	40817	7 ⁴ .17
37367	11.43.79	38533	11.31.113	39491	17.23.101	40843	11.47.79
37387	7 ³ .109	38599	11 ³ .29	39527	29 ² .47	40919	17.29.83
37417	17.31.71	38617	23 ² .73	39589	11.59.61	40931	11.61 ²

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
40937	13.47.67	41923	7.53.113	43000		44161	13.43.79
41000		41971	19.47 ²	43043	7.11.13.43	44183	17.23.113
41021	17.19.127	42000		43121	13.31.107	44191	7.59.107
41041	7.11.13.41	42029	13.53.61	43127	7.61.101	44233	7.71.89
41093	13.29.109	42067	23.31.59	43129	17.43.59	44239	13.41.83
41107	11.37.101	42097	11.43.89	43301	19.43.53	44321	23.41.47
41123	17.41.59	42107	13.41.79	43307	11.31.127	44363	11.37.109
41209	7 ² .29 ²	42143	17.37.67	43381	13.47.71	44591	17.43.61
41251	7.71.83	42253	29.31.47	43483	11.59.67	44603	13.47.73
41261	11 ³ .31	42347	17.47.53	43493	23.31.61	44659	17.37.71
41287	19.41.53	42389	19.23.97	43529	19.29.79	44689	23.29.67
41323	31 ² .43	42413	7.73.83	43549	11.37.107	44737	7 ² .11.83
41327	11.13.17 ²	42427	7.11.19.29	43561	7 ³ .127	44863	7.13.17.29
41393	11.53.71	42439	31.37 ²	43681	11 ² .19 ²	44891	7.11 ² .53
41419	7.61.97	42517	17.41.61	43687	7.79 ²	44957	11.61.67
41477	19.37.59	42527	23.43 ²	43741	17.31.83	45000	
41503	7 ³ .11 ²	42539	7.59.103	43747	11.41.97	45011	19.23.103
41509	13.31.103	42559	11.53.73	43757	7 ² .19.47	45017	7.59.109
41633	17.31.79	42581	7 ² .11.79	43771	7.13 ² .37	45103	23.37.53
41699	7 ² .23.37	42601	13.29.113	43877	17.29.89	45227	7 ² .13.71
41713	7.59.101	42619	17.23.109	43907	23 ² .83	45253	13.59 ²
41741	7.67.89	42679	7 ² .13.67	43927	13.31.109	45353	7.11.19.31
41743	13 ³ .19	42757	11.13 ² .23	43981	7.61.103	45479	7.73.89
41783	7.47.127	42809	13.37.89	43993	29.37.41	45493	7.67.97
41791	23 ² .79	42883	19.37.61	44000		45539	13.31.113
41819	19.31.71	42911	11.47.83	44051	7 ² .29.31	45551	11.41.101
41837	17.23.107	42959	7.17.19 ²	44137	19.23.101	45617	11 ² .13.29
41921	11.37.103	42997	19.31.73	44149	7 ² .17.53	45619	7 ⁴ .19

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
45689	7.61.107	47000		48223	7.83 ²	49321	31.37.43
45733	19.29.83	47027	31.37.41	48251	7.61.113	49343	7 ² .19.53
45847	19 ² .127	47047	7.11.13.47	48257	11.41.107	49379	11.67 ²
45881	11.43.97	47081	23 ² .89	48269	13.47.79	49381	19.23.113
45899	7.79.83	47089	7 ² .31 ²	48307	7.67.103	49487	17.41.71
45961	19.41.59	47101	19.37.67	48373	13.61 ²	49543	13.37.103
45991	11.37.113	47117	7.53.127	48389	11.53.83	49567	7.73.97
46000		47141	17.47.59	48433	7.11.17.37	49619	29 ² .59
46013	11.47.89	47311	11 ² .17.23	48461	7 ² .23.43	49657	17.23.127
46057	11.53.79	47329	19.47.53	48503	7.13 ² .41	49691	17.37.79
46079	11.59.71	47369	7.67.101	48581	13.37.101	49751	13.43.89
46139	29.37.43	47377	11.59.73	48691	23.29.73	49793	17.29.101
46163	13.53.67	47437	13.41.89	48719	11.43.103	49837	19.43.61
46189	11.13.17.19	47519	19.41.61	48739	17.47.61	49913	19.37.71
46207	7 ² .23.41	47633	19.23.109	48749	29.41 ²	49973	7.11 ² .59
46397	13.43.83	47641	11.61.71	48763	11 ² .13.31	49979	23.41.53
46453	11.41.103	47647	29.31.53	48841	13 ² .17 ²	50000	
46483	23.43.47	47753	17.53 ²	48887	19.31.83	50141	7.13.19.29
46501	7 ² .13.73	47771	23.31.67	48919	13.53.71	50149	11.47.97
46529	7.17 ² .23	47773	11.43.101	48977	17.43.67	50183	7.67.107
46531	19.31.79	47821	17.29.97	48983	11.61.73	50197	7.71.101
46543	7.61.109	47957	7.13.17.31	49000		50209	23.37.59
46657	13.37.97	47971	7 ² .11.89	49039	19.29.89	50297	13.53.73
46669	7.59.113	48000		49049	7 ³ .11.13	50323	7 ² .13.79
46699	17.41.67	48013	7.19 ³	49147	7 ² .17.59	50431	29.37.47
46759	19.23.107	48139	7.13.23 ²	49159	11.41.109	50531	13 ³ .23
46787	13.59.61	48203	19.43.59	49217	7.79.89	50611	11.43.107
46903	17.31.89	48209	7.71.97	49247	11 ³ .37	50623	23.31.71

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
50713	13.47.83	52000		53179	7.71.107	54439	7 ² .11.101
50779	17.29.103	52003	7.17.19.23	53227	17.31.101	54457	13.59.71
50807	23.47 ²	52049	23.31.73	53251	11.47.103	54473	19.47.61
50813	7 ² .17.61	52111	31.41 ²	53363	17.43.73	54487	23 ² .103
50869	7.13 ² .43	52193	19.41.67	53429	23 ² .101	54571	11 ³ .41
50881	17.41.73	52207	17.37.83	53447	19.29.97	54587	13 ² .17.19
50963	11.41.113	52217	11.47.101	53449	11.43.113	54653	31.41.43
51000		52283	7 ² .11.97	53533	17.47.67	54677	7.73.107
51119	17.31.97	52327	11.67.71	53599	7.13.19.31	54739	19.43.67
51121	7.67.109	52417	23.43.53	53621	29.43 ²	54839	29.31.61
51127	29.41.43	52421	19.31.89	53641	7.79.97	54899	13.41.103
51181	13.31.127	52429	13.37.109	53669	7.11.17.41	54901	7.11.23.31
51191	7.71.103	52451	7.59.127	53737	17.29.109	54929	7 ² .19.59
51271	11.59.79	52577	7 ² .29.37	53801	11.67.73	54961	17.53.61
51313	23 ² .97	52633	7.73.103	53833	13.41.101	55000	
51319	19.37.73	52687	19.47.59	53867	11.59.83	55063	17.41.79
51389	13.59.67	52693	23.29.79	53909	31.37.47	55223	7 ⁴ .23
51467	13.37.107	52751	17.29.107	53911	11.13 ² .29	55309	19.41.71
51557	11.43.109	52871	7 ² .13.83	54000		55319	11.47.107
51611	7.73.101	52877	11 ² .19.23	54043	11.17 ³	55361	23.29.83
51623	11.13.19 ²	52969	7 ² .23.47	54131	7.11.19.37	55447	7.89 ²
51667	7.11 ² .61	52997	7.67.113	54173	7.71.109	55451	11.71 ²
51689	11.37.127	53000		54223	13.43.97	55499	19.23.127
51701	13.41.97	53009	11.61.79	54229	7.61.127	55517	7 ² .11.103
51709	7.83.89	53041	29.31.59	54281	17.31.103	55537	19.37.79
51887	11.53.89	53053	7.11.13.53	54353	13.37.113	55601	7.13 ² .47
51901	17.43.71	53131	13.61.67	54379	13.47.89	55637	23.41.59
51911	23.37.61	53159	17.53.59	54431	13.53.79	55651	19.29.101

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
55693	11.61.83	56791	7 ² .19.61	58007	19.43.71	59413	19.53.59
55699	7.73.109	56867	19.41.73	58097	13.41.109	59489	19.31.101
55709	17.29.113	56869	29.37.53	58121	7.19 ² .23	59551	17.31.113
55811	7 ² .17.67	56959	7.79.103	58201	11 ² .13.37	59563	7.67.127
55853	7.79.101	57000		58223	11.67.79	59641	19.43.73
55883	29.41.47	57013	11.71.73	58261	7 ² .29.41	59653	11 ² .17.29
55913	11.13.17.23	57017	23.37.67	58327	17.47.73	59711	29 ² .71
55981	17.37.89	57031	13.41.107	58349	19.37.83	59719	11.61.89
55991	13.59.73	57133	19.31.97	58351	23.43.59	59731	7 ² .23.53
56000		57187	13.53.83	58357	13.67 ²	59737	31.41.47
56129	37 ² .41	57233	11 ³ .43	58421	11.47.113	59777	23 ² .113
56161	7.71.113	57239	7.13.17.37	58609	29.43.47	59813	13.43.107
56203	7 ² .31.37	57277	11.41.127	58619	11.73 ²	59831	19.47.67
56287	7.11.17.43	57293	23.47.53	58621	31 ² .61	59843	7.83.103
56303	13.61.71	57319	31.43 ²	58667	7.17 ² .29	59983	7.11.19.41
56327	23.31.79	57443	17.31.109	58681	7.83.101	60000	
56347	29 ² .67	57523	23.41.61	58751	7 ² .11.109	60049	11.53.103
56353	11.47.109	57577	13.43.103	58867	37 ² .43	60059	19.29.109
56357	7.83.97	57629	11.13 ² .31	58883	11.53.101	60071	11.43.127
56389	17.31.107	57661	23 ² .109	58957	19.29.107	60137	7.11 ² .71
56459	13.43.101	57673	7 ² .11.107	59000		60229	13.41.113
56551	11.53.97	57743	7.73.113	59059	7.11.13.59	60233	29.31.67
56603	23 ² .107	57749	17.43.79	59143	7 ² .17.71	60277	7.79.109
56693	7 ² .13.89	57761	11.59.89	59171	7.79.107	60329	23.43.61
56699	31 ² .59	57851	17.41.83	59177	17.59 ²	60367	17.53.67
56729	17.47.71	57889	13.61.73	59179	23.31.83	60401	11.17 ² .19
56749	7.11 ² .67	57967	7 ³ .13 ²	59267	13.47.97	60421	23.37.71
56753	19.29.103	58000		59363	23.29.89	60431	7.89.97

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
60593	13.59.79	62123	23.37.73	63307	29.37.59	64607	23.53 ²
60667	19.31.103	62167	7.83.107	63329	7.83.109	64657	19.41.83
60673	17.43.83	62197	37.41 ²	63403	19.47.71	64699	23.29.97
60697	7.13.23.29	62263	19.29.113	63427	7.13.17.41	64757	7.11.29 ²
60791	31.37.53	62279	7 ² .31.41	63437	11.73.79	64787	17.37.103
60809	7 ² .17.73	62377	7 ² .19.67	63457	23.31.89	64823	11.71.83
60907	7 ² .11.113	62381	11.53.107	63529	17.37.101	64883	7.13.23.31
60931	13.43.109	62489	7.79.113	63547	11.53.109	64897	7.73.127
61000		62491	11.13.19.23	63583	13.67.73	65000	
61009	13 ² .19 ²	62557	11 ³ .47	63661	13.59.83	65059	17.43.89
61013	17.37.97	62567	19.37.89	63713	13 ³ .29	65087	11.61.97
61061	7.11.13.61	62611	17.29.127	63767	11 ² .17.31	65189	19.47.73
61087	13.37.127	62647	13.61.79	63779	23.47.59	65219	7 ² .11 ³
61103	7 ² .29.43	62651	31.43.47	63829	29.31.71	65231	37.41.43
61171	11.67.83	62699	7.13 ² .53	63869	13.17 ³	65317	7 ² .31.43
61183	17.59.61	62713	7.17 ² .31	63971	17.53.71	65377	13.47.107
61321	13.53.89	62909	7.11.19.43	63973	7.13.19.37	65453	29.37.61
61393	29 ² .73	62933	13.47.103	64000		65527	7.11.23.37
61427	19.53.61	62951	7.17.23 ²	64009	11 ² .23 ²	65533	13.71 ²
61523	7.11.17.47	62953	11.59.97	64061	29.47 ²	65549	11.59.101
61541	19.41.79	63000		64141	7 ³ .11.17	65569	7.17.19.29
61699	11.71.79	63017	29.41.53	64169	7.89.103	65593	11.67.89
61711	13.47.101	63023	19.31.107	64201	19.31.109	65611	7 ² .13.103
61789	7 ² .13.97	63119	7.71.127	64337	7 ² .13.101	65627	29.31.73
61831	7.11 ² .73	63121	17.47.79	64343	37 ² .47	65653	7.83.113
61841	13.67.71	63167	13.43.113	64387	31 ² .67	65659	11.47.127
62000		63181	23.41.67	64493	11 ² .13.41	65773	17.53.73
62033	17.41.89	63257	17.61 ²	64543	19.43.79	65807	7 ² .17.79

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
65819	13.61.83	67183	23 ² .127	68579	7.97.101	69977	19.29.127
65863	7.97 ²	67201	17.59.67	68651	11.79 ²	70000	
65879	11.53.113	67229	23.37.79	68701	23.29.103	70091	7.17.19.31
65941	23.47.61	67303	17.37.107	68747	7 ² .23.61	70151	29.41.59
66000		67363	31.41.53	68761	7.11.19.47	70153	31 ² .73
66079	13 ² .17.23	67367	23.29.101	68783	11.13 ² .37	70219	23.43.71
66091	29.43.53	67379	13.71.73	68809	13.67.79	70231	7.79.127
66101	7 ² .19.71	67469	19.53.67	68839	23.41.73	70301	7.11 ² .83
66139	19.59 ²	67507	11.17.19 ²	68921	41 ³	70357	7.19.23 ²
66263	23.43.67	67609	17.41.97	69000		70397	17.41.101
66317	17.47.83	67639	11 ² .13.43	69043	13.47.113	70399	7.89.113
66439	29 ² .79	67673	31.37.59	69113	11.61.103	70499	11.13.17.29
66493	7 ² .23.59	67691	13.41.127	69139	7 ² .17.83	70543	11 ³ .53
66521	7.13.17.43	67771	11.61.101	69161	23.31.97	70547	19.47.79
66557	19.31.113	67811	19.43.83	69223	7.11.29.31	70577	13.61.89
66599	13.47.109	67907	7.89.109	69277	13.73 ²	70633	23.37.83
66649	11.73.83	67963	7 ² .19.73	69331	19.41.89	70649	31.43.53
66661	7.89.107	68000		69377	7.11.17.53	70699	19.61 ²
66671	11 ² .19.29	68107	13 ³ .31	69433	7 ² .13.109	70741	11.59.109
66787	7 ² .29.47	68159	7 ² .13.107	69443	11.59.107	70889	7.13.19.41
66833	13.53.97	68191	19.37.97	69479	17.61.67	70907	17.43.97
66847	11.59.103	68231	31 ² .71	69509	11.71.89	70967	13.53.103
66913	7.11 ² .79	68263	13.59.89	69589	13.53.101	70993	13.43.127
66929	17.31.127	68381	19.59.61	69629	7 ⁴ .29	71000	
66953	23.41.71	68413	37.43 ²	69797	7.13 ² .59	71003	19.37.101
67000		68453	7 ² .11.127	69803	29 ² .83	71021	29.31.79
67067	7.11.13.67	68479	31.47 ²	69937	7.97.103	71071	7.11.13.71
67081	7 ² .37 ²	68561	17.37.109	69967	31.37.61	71077	17.37.113

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
71111	17.47.89	72529	29.41.61	74041	11.53.127	75383	7.11 ² .89
71179	17.53.79	72557	37 ² .53	74119	19.47.83	75449	11.19 ³
71213	17.59.71	72611	7.11.23.41	74137	7 ² .17.89	75509	7 ² .23.67
71269	11 ² .19.31	72653	7.97.107	74263	7.103 ²	75563	19.41.97
71299	37.41.47	72703	23.29.109	74333	7 ² .37.41	75647	11.13.23 ²
71369	23.29.107	72709	7.13.17.47	74347	7.13.19.43	75649	7.101.107
71383	13.17 ² .19	72713	19.43.89	74359	23.53.61	75701	17.61.73
71393	7 ² .31.47	72821	7.101.103	74399	13.59.97	75739	23.37.89
71407	7.101 ²	72917	13.71.79	74431	7 ⁴ .31	75757	11.71.97
71467	11.73.89	73000		74437	11.67.101	75779	11.83 ²
71489	11.67.97	73073	7.11.13.73	74497	23.41.79	75803	7 ³ .13.17
71497	19.53.71	73117	11.17 ² .23	74579	17.41.107	75809	41.43 ²
71687	7 ³ .11.19	73139	11.61.109	74617	29.31.83	75823	11.61.113
71791	17.41.103	73219	17.59.73	74777	37.43.47	75911	11.67.103
71797	11.61.107	73283	7.19 ² .29	74783	17.53.83	75919	31 ² .79
71891	29.37.67	73337	11.59.113	74803	19.31.127	75973	17.41.109
71921	23.53.59	73439	23.31.103	74849	29 ² .89	76000	
71981	7 ² .13.113	73511	19.53.73	74851	7.17 ² .37	76067	29.43.61
72000		73549	7 ² .19.79	74971	13.73.79	76109	11 ² .17.37
72013	23.31.101	73627	17.61.71	74989	31.41.59	76153	7.11.23.43
72127	11.79.83	73723	13.53.107	75000		76183	29.37.71
72163	7.13 ² .61	73787	7.83.127	75101	13.53.109	76219	11.13 ² .41
72197	23.43.73	73831	17.43.101	75107	19.59.67	76291	23.31.107
72239	29.47.53	73853	13 ² .19.23	75221	19.37.107	76313	17.67 ²
72283	41 ² .43	73931	11 ² .13.47	75293	17.43.103	76531	7.13.29 ²
72293	13.67.83	73997	7.11.31 ²	75313	7 ² .29.53	76609	13.71.83
72409	19.37.103	74000		75361	11.13.17.31	76627	19.37.109
72427	23.47.67	74011	7.97.109	75371	23.29.113	76727	7.97.113

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
76751	23.47.71	78337	7.19 ² .31	79781	13.17.19 ²	81191	11 ³ .61
76849	31.37.67	78529	11 ³ .59	79849	7.11.17.61	81257	11.83.89
76921	13.61.97	78589	7.103.109	79883	17.37.127	81263	7.13.19.47
77000		78647	31.43.59	79891	7.101.113	81289	13 ³ .37
77063	7.101.109	78679	19.41.101	79937	11.13 ² .43	81313	31.43.61
77077	7 ² .11 ² .13	78761	17.41.113	80000		81437	31.37.71
77147	7.103.107	78767	13.73.83	80011	29.31.89	81461	29.53 ²
77221	31.47.53	78793	11.13.19.29	80017	7 ² .23.71	81473	7.103.113
77231	7.11.17.59	78859	11.67.107	80063	23.59 ²	81577	29 ² .97
77273	7 ² .19.83	78881	11.71.101	80093	13.61.101	81641	7.107.109
77341	11.79.89	78913	23.47.73	80143	7.107 ²	81673	23.53.67
77441	7.13.23.37	79000		80189	17.53.89	81679	13.61.103
77467	13.59.101	79001	13.59.103	80237	19.41.103	81719	11.17.19.23
77503	17.47.97	79007	41 ² .47	80333	11.67.109	81733	37.47 ²
77519	13.67.89	79079	7.11.13.79	80401	37.41.53	81809	7.13.29.31
77531	31.41.61	79121	7.89.127	80417	29.47.59	81833	19.59.73
77539	7.11.19.53	79237	17.59.79	80443	11.71.103	81923	17.61.79
77597	13.47.127	79249	19.43.97	80507	7 ² .31.53	81991	7.13.17.53
77653	19.61.67	79261	7.13 ² .67	80569	23.31.113	82000	
77717	23.31.109	79373	7.17.23.29	80699	17.47.101	82069	13.59.107
77857	13.53.113	79439	19.37.113	80707	11 ² .23.29	82087	23.43.83
77891	11.73.97	79477	19.47.89	80771	37 ² .59	82147	13.71.89
77959	7 ² .37.43	79507	43 ³	80801	7 ² .17.97	82159	7.11 ² .97
78000		79553	19.53.79	80869	17.67.71	82271	7 ² .23.73
78131	23.43.79	79591	19.59.71	80899	7 ² .13.127	82289	19.61.71
78217	17.43.107	79663	29.41.67	81000		82297	17.47.103
78269	23.41.83	79679	17.43.109	81103	11.73.101	82369	7 ² .41 ²
78329	29.37.73	79763	31 ² .83	81133	13.79 ²	82423	11.59.127

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
82517	19.43.101	83839	7 ² .29.59	85291	19.67 ²	86903	43 ² .47
82547	23.37.97	83927	23.41.89	85399	23.47.79	86989	7.17 ² .43
82603	17.43.113	83993	7.13 ² .71	85493	17.47.107	87000	
82621	7.11.29.37	84000		85529	31 ² .89	87079	31.53 ²
82709	11.73.103	84133	7 ² .17.101	85547	7.11 ² .101	87091	17.47.109
82777	23.59.61	84151	19.43.103	85583	23.61 ²	87131	11.89 ²
82859	7 ² .19.89	84227	11.13.19.31	85697	17.71 ²	87203	29.31.97
82861	41.43.47	84293	11.79.97	85799	7 ² .17.103	87241	7.11 ² .103
82943	7.17 ² .41	84337	11 ² .17.41	85813	7.13.23.41	87373	11.13 ² .47
83000		84419	29.41.71	85921	11.73.107	87397	17.53.97
83083	7.11.13.83	84461	13.73.89	85951	23.37.101	87419	19.43.107
83143	29.47.61	84487	13.67.97	86000		87451	7.13.31 ²
83147	17.67.73	84607	19.61.73	86071	17.61.83	87503	13.53.127
83167	7.109 ²	84637	7.107.113	86219	7.109.113	87527	11.73.109
83237	7.11.23.47	84709	23.29.127	86233	7.97.127	87653	23.37.103
83249	17.59.83	84721	7 ³ .13.19	86273	11 ² .23.31	87703	7.11.17.67
83281	11.67.113	84767	29.37.79	86317	7.11.19.59	87769	11.79.101
83317	13 ² .17.29	84847	7.17.23.31	86359	7.13 ² .73	87971	13.67.101
83353	19.41.107	84851	13.61.107	86387	7 ² .41.43	88000	
83369	11 ² .13.53	84911	19.41.109	86411	13.17 ² .23	88021	23.43.89
83509	37 ² .61	85000		86437	13.61.109	88027	19.41.113
83521	17 ⁴	85063	11 ² .19.37	86549	23.53.71	88111	17.71.73
83549	29.43.67	85129	11.71.109	86621	19.47.97	88253	11.71.113
83567	11.71.107	85157	31.41.67	86623	29 ² .103	88319	7.11.31.37
83581	19.53.83	85169	7.23 ³	86671	13.59.113	88451	11 ² .17.43
83603	13.59.109	85211	7 ² .37.47	86681	7 ² .29.61	88519	17.41.127
83657	7.17.19.37	85217	11.61.127	86779	7 ³ .11.23	88537	29.43.71
83731	31.37.73	85241	13.79.83	86797	29.41.73	88559	19.59.79

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
88561	11.83.97	89723	23.47.83	91091	7 ² .11.13 ²	92807	11 ² .13.59
88711	7.19.23.29	89789	7.101.127	91273	7.13.17.59	92837	17.43.127
88837	7 ⁴ .37	89947	11.13.17.37	91321	29.47.67	92929	19.67.73
88877	31.47.61	89981	17.67.79	91333	11.19 ² .23	92939	7.11.17.71
88987	23.53.73	89987	29 ² .107	91403	13.79.89	92983	11.79.107
89000		89999	7.13.23.43	91471	23.41.97	93000	
89033	7 ² .23.79	90000		91553	7.11.29.41	93043	19.59.83
89053	19.43.109	90077	13 ³ .41	91561	19.61.79	93119	13 ² .19.29
89059	29.37.83	90193	19.47.101	91567	7.103.127	93197	13.67.107
89063	13 ² .17.31	90241	31.41.71	91637	7.13.19.53	93217	31 ² .97
89089	7.11.13.89	90287	17.47.113	91669	29 ² .109	93223	13.71.101
89093	41 ² .53	90307	7 ² .19.97	91723	37 ² .67	93347	17 ³ .19
89131	7 ² .17.107	90383	19.67.71	91979	19.47.103	93439	41.43.53
89167	13.19 ³	90551	23.31.127	92000		93457	7.13 ² .79
89177	11 ³ .67	90569	41.47 ²	92053	13.73.97	93499	7.19 ² .37
89243	7.11.19.61	90593	17.73 ²	92167	37.47.53	93541	7 ² .23.83
89267	17.59.89	90601	7 ² .43 ²	92191	11.17 ² .29	93599	11.67.127
89281	19.37.127	90613	31.37.79	92213	11.83.101	93757	29.53.61
89383	7.113 ²	90629	7.11 ² .107	92293	17.61.89	93863	7.11.23.53
89401	13 ² .23 ²	90683	29.53.59	92321	19.43.113	93869	37.43.59
89503	37.41.59	90739	11.73.113	92323	7.11 ² .109	93931	29.41.79
89507	11.79.103	90797	7 ² .17.109	92537	37.41.61	94000	
89531	13.71.97	90799	29.31.101	92597	29.31.103	94001	23.61.67
89557	13.83 ²	90919	23.59.67	92659	7 ² .31.61	94031	7 ² .19.101
89609	13.61.113	91000		92701	7.17.19.41	94039	11.83.103
89621	7 ² .31.59	91001	17.53.101	92759	23.37.109	94129	7 ² .17.113
89623	19.53.89	91031	29.43.73	92783	31.41.73	94259	11 ² .19.41
89713	13.67.103	91057	23.37.107	92803	17.53.103	94367	7.13.17.61

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
94423	$7^2.41.47$	95953	$11^2.13.61$	97409	13.59.127	98933	19.41.127
94471	$13^3.43$	96000		97619	31.47.67	98983	$31^2.103$
94501	$11^3.71$	96019	7.11.29.43	97643	7.13.29.37	99000	
94537	17.67.83	96031	13.83.89	97679	19.53.97	99029	$7^2.43.47$
94643	31.43.71	96089	$7^2.37.53$	97681	23.31.137	99061	23.59.73
94721	11.79.109	96163	23.37.113	97691	11.83.107	99127	$7^3.17^2$
94829	7.19.23.31	96193	29.31.107	97747	13.73.103	99179	$41^2.59$
94939	13.67.109	96197	19.61.83	97867	7.11.31.41	99187	11.71.127
94963	11.89.97	96209	23.47.89	97991	29.31.109	99499	29.47.73
94987	43.47^2	96301	23.53.79	97997	$43^2.53$	99517	11.83.109
95000		96347	23.59.71	98000		99541	$13^2.19.31$
95033	$29^2.113$	96407	17.53.107	98021	7.11.19.67	99613	23.61.71
95069	13.71.103	96577	13.17.19.23	98039	17.73.79	99617	$7^2.19.107$
95081	$7.17^2.47$	96679	$11^2.17.47$	98189	$7.13^2.83$	99619	13.79.97
95123	7.107.127	96773	29.47.71	98197	11.79.113	99671	11.13.17.41
95201	31.37.83	96901	7.109.127	98209	17.53.109	99769	19.59.89
95207	$7^2.29.67$	96937	31.53.59	98371	7.13.23.47	99889	23.43.101
95243	23.41.101	97000		98423	13.67.113	99937	$37^2.73$
95353	17.71.79	97051	37.43.61	98441	$7^4.41$	100000	
95381	11.13.23.29	97061	$31^2.101$	98477	19.71.73	100079	$7.17.29^2$
95497	29.37.89	97097	7.11.13.97	98513	29.43.79	100181	17.71.83
95551	19.47.107	97129	23.41.103	98527	$11.13^2.53$	100223	31.53.61
95557	7.11.17.73	97163	$11^3.73$	98549	$11.17^2.31$	100303	$7^2.23.89$
95711	$7.11^2.113$	97199	$37^2.71$	98687	29.41.83	100409	31.41.79
95779	19.71^2	97223	7.17.19.43	98761	13.71.107	100457	7.113.127
95849	13.73.101	97291	17.59.97	98857	$11^2.19.43$	100529	11.13.19.37
95893	$7^2.19.103$	97309	31.43.73	98879	11.89.101	100567	19.67.79
95933	23.43.97	97337	19.47.109	98923	$11.17.23^2$	100589	17.61.97

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
100607	13.71.109	102011	7.13.19.59	103501	29.43.83	105287	7.13 ² .89
100711	13.61.127	102083	31.37.89	103607	7.19 ² .41	105307	31.43.79
100793	7 ² .11 ² .17	102131	41.47.53	103649	7.13.17.67	105391	11 ² .13.67
100837	11.89.103	102419	23.61.73	103721	19.53.103	105413	7.11.37 ²
100891	7 ² .29.71	102487	7.11 ⁴	103727	13.79.101	105469	7.13.19.61
100901	23.41.107	102541	41 ² .61	103733	7 ² .29.73	105493	31.41.83
100909	19.47.113	102557	7 ³ .13.23	103759	19.43.127	105659	19.67.83
100949	29.59 ²	102601	37.47.59	103823	47 ³	105781	13.79.103
101000		102641	7.11.31.43	103873	7.11.19.71	105791	7 ² .17.127
101101	7.11.13.101	102787	23.41.109	103933	37.53 ²	105821	29.41.89
101177	23.53.83	102827	31 ² .107	104000		105823	23.43.107
101251	19.73 ²	102971	11 ² .23.37	104017	41.43.59	106000	
101269	7.17.23.37	102973	13.89 ²	104081	29.37.97	106079	37.47.61
101303	17.59.101	102979	29.53.67	104299	13.71.113	106097	17.79 ²
101371	17.67.89	103000		104329	17 ² .19 ²	106267	7.17.19.47
101473	17.47.127	103003	17.73.83	104371	29.59.61	106301	13 ² .17.37
101479	7 ² .19.109	103037	11.17.19.29	104377	7.13.31.37	106361	31.47.73
101543	13.73.107	103103	7.11.13.103	104489	7.11.23.59	106477	7 ² .41.53
101587	29.31.113	103151	19.61.89	104533	11.13.17.43	106559	23.41.113
101639	37.41.67	103169	11.83.113	104663	13.83.97	106571	19.71.79
101707	19.53.101	103243	7 ⁴ .43	104737	17.61.101	106597	37.43.67
101761	11 ² .29 ²	103247	23.67 ²	104749	31 ² .109	106711	11.89.109
101773	7 ² .31.67	103259	13 ³ .47	104753	11.89.107	106799	7.11.19.73
101813	17.53.113	103309	17.59.103	104857	23.47.97	106807	29 ² .127
101867	23.43.103	103411	7.11.17.79	104951	7.11.29.47	106811	17.61.103
101959	11.13.23.31	103441	13.73.109	105000		106967	7 ² .37.59
101981	11.73.127	103447	31.47.71	105149	11 ³ .79	106981	7.17.29.31
102000		103499	11.97 ²	105203	7 ² .19.113	107000	

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
107107	7.11.13.107	108491	23.53.89	110449	17.73.89	111967	19.71.83
107113	43.47.53	108593	31 ² .113	110473	11 ³ .83	112000	
107203	23.59.79	108647	7.11.17.83	110483	17.67.97	112189	7.11.31.47
107219	7.17 ² .53	108661	7.19 ² .43	110519	29.37.103	112201	29.53.73
107237	13.73.113	108737	19.59.97	110561	11.19.23 ²	112211	11.101 ²
107321	17.59.107	108779	11 ² .29.31	110593	7 ² .37.61	112217	7.17.23.41
107387	7.23 ² .29	108953	13.17 ² .29	110617	13.67.127	112229	13.89.97
107423	17.71.89	108979	13.83.101	110627	11.89.113	112259	7 ² .29.79
107543	41.43.61	109000		110639	31.43.83	112423	19.61.97
107569	7.11 ² .127	109021	11 ² .17.53	110741	37.41.73	112493	23.67.73
107653	7 ² .13 ³	109091	43 ² .59	110789	7 ³ .17.19	112627	41 ² .67
107677	29.47.79	109109	7.11.13.109	110837	23.61.79	112631	23.59.83
107707	37.41.71	109127	29.53.71	110887	7 ² .31.73	112651	7 ² .11 ² .19
107749	19.53.107	109181	23.47.101	110929	7.13.23.53	112723	13 ² .23.29
107767	11.97.101	109319	7 ² .23.97	110959	17.61.107	112789	43 ² .61
107801	23.43.109	109327	17.59.109	110983	29.43.89	112847	7 ⁴ .47
107849	7 ² .31.71	109411	23.67.71	111000		112903	7.127 ²
107909	29.61 ²	109417	7 ³ .11.29	111137	13.83.103	112931	7.13.17.73
107911	31.59 ²	109573	19.73.79	111259	31.37.97	112961	37.43.71
107939	13.19 ² .23	109681	11.13 ² .59	111343	23.47.103	112999	17 ³ .23
108000		109763	19.53.109	111397	11.13.19.41	113000	
108031	7.11.23.61	109837	7.13.17.71	111469	17.79.83	113033	17.61.109
108053	11 ² .19.47	109889	13.79.107	111569	31.59.61	113113	7.11.13.113
108077	23.37.127	109901	11.97.103	111671	7 ² .43.53	113119	31.41.89
108151	37 ² .79	110000		111683	11 ² .13.71	113129	29.47.83
108199	7.13.29.41	110081	31.53.67	111757	23.43.113	113183	7.19.23.37
108241	7 ² .47 ²	110143	11.17.19.31	111853	7.19.29 ²	113221	19.59.101
108373	29.37.101	110363	11.79.127	111943	13.79.109	113297	19.67.89

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
113339	17.59.113	115351	31.61 ²	116909	13.17.23 ²	118579	19.79 ²
113399	11.13 ² .61	115453	13.83.107	116957	29.37.109	118637	31.43.89
113411	19.47.127	115463	19.59.103	116963	7 ³ .11.31	118657	7.11.23.67
113477	7.13.29.43	115577	7.11.19.79	117000		118769	7.19 ² .47
113627	37 ² .83	115661	7.13.31.41	117059	19.61.101	118807	13 ² .19.37
113693	41.47.59	115667	23.47.107	117077	47 ² .53	118877	11.101.107
113791	19.53.113	115699	37.53.59	117079	17.71.97	119000	
113827	7 ² .23.101	115843	7.13.19.67	117113	17.83 ²	119119	7 ² .11.13.17
114000		115847	31.37.101	117181	17.61.113	119171	13.89.103
114103	11 ² .23.41	115943	23.71 ²	117221	13.71.127	119209	23.71.73
114169	11.97.107	115951	11.83.127	117317	17.67.103	119239	43.47.59
114173	29.31.127	116000		117547	41.47.61	119351	41 ² .71
114257	11.13.17.47	116051	13.79.113	117611	13.83.109	119357	7.17 ² .59
114359	7.17.31 ²	116081	7 ² .23.103	117623	11.17 ² .37	119377	19.61.103
114427	17.53.127	116143	37.43.73	117649	7 ⁶	119483	7.13 ² .101
114433	11.101.103	116281	11 ² .31 ²	117691	7.17.23.43	119527	17.79.89
114637	29.59.67	116303	11.97.109	117793	13 ² .17.41	119567	7.19.29.31
114751	7.13 ² .97	116441	13 ³ .53	117829	23.47.109	119621	37.53.61
114793	7.23 ² .31	116449	23.61.83	117943	7 ² .29.83	119669	11 ² .23.43
114811	29.37.107	116467	13.17 ² .31	118000		119761	23.41.127
114829	11 ² .13.73	116501	7.11.17.89	118121	41.43.67	119833	7.17.19.53
115000		116513	37.47.67	118141	31.37.103	119843	37.41.79
115039	17.67.101	116603	17.19 ³	118237	7 ² .19.127	119939	31.53.73
115103	31.47.79	116653	31.53.71	118243	23.53.97	119947	19.59.107
115121	19.73.83	116699	11.103 ²	118349	7.11.29.53	120000	
115159	11.19 ² .29	116809	7.11.37.41	118459	11 ³ .89	120001	7 ² .31.79
115169	41.53 ²	116831	11.13.19.43	118523	29.61.67	120061	19.71.89
115333	29.41.97	116857	13.89.101	118531	7 ² .41.59	120089	29.41.101

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
120263	11.13.29 ²	121873	17.67.107	123487	7.13.23.59	125579	17.83.89
120377	17.73.97	121907	17.71.101	123497	11.103.109	125599	29.61.71
120497	13 ² .23.31	121927	13.83.113	123539	13 ² .17.43	125603	23.43.127
120523	13.73.127	122000		123799	13.89.107	125689	37.43.79
120571	11.97.113	122047	31 ² .127	123823	7 ³ .19 ²	125741	7.11.23.71
120589	7 ² .23.107	122059	7 ² .47.53	123883	43 ² .67	125911	37.41.83
120773	23.59.89	122153	23.47.113	124000		125939	11.107 ²
120787	43.53 ²	122189	19.59.109	124013	19.61.107	125947	29.43.101
120931	31.47.83	122213	7.13.17.79	124033	7.13.29.47	126000	
120959	29.43.97	122317	13.97 ²	124151	17.67.109	126077	7 ² .31.83
121000		122467	29.41.103	124267	11 ² .13.79	126113	13.89.109
121099	11.101.109	122507	7.11.37.43	124313	7 ² .43.59	126217	7.13.19.73
121121	7.11 ³ .13	122543	31.59.67	124321	17.71.103	126293	17 ² .19.23
121231	11.103.107	122549	7 ² .41.61	124333	11.89.127	126331	19.61.109
121249	29.37.113	122567	23.73 ²	124553	11.13 ² .67	126469	7 ² .29.89
121303	7.13.31.43	122713	41 ² .73	124579	7.13.37 ²	126511	7.11.31.53
121307	29.47.89	122729	31.37.107	124583	19.79.83	126581	7.13 ² .107
121363	11 ² .17.59	122759	7.13.19.71	124729	11.17.23.29	126673	19.59.113
121423	29.53.79	122843	7 ² .23.109	124867	23.61.89	126697	31.61.67
121429	7.11.19.83	123000		124903	29.59.73	126947	37.47.73
121471	7 ² .37.67	123101	11.19 ² .31	125000		126973	7.11.17.97
121481	29.59.71	123119	23.53.101	125023	31.37.109	127000	
121693	11.13.23.37	123281	43.47.61	125173	41.43.71	127127	7.11.13.127
121739	23.67.79	123287	31.41.97	125341	17.73.101	127223	29.41.107
121771	13.17.19.29	123403	7.17 ² .61	125419	7.19.23.41	127253	7 ⁴ .53
121841	37 ² .89	123443	19.73.89	125477	11 ² .17.61	127351	7 ² .23.113
121847	11 ² .19.53	123469	37.47.71	125543	11.101.113	127361	13.97.101
121849	7.13 ² .103	123481	19.67.97	125557	23.53.103	127381	17.59.127

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
127571	29.53.83	129109	41.47.67	130741	13.89.113	132787	17.73.107
127673	7.13.23.61	129137	29.61.73	130801	11 ² .23.47	132793	37 ² .97
127687	7.17.29.37	129149	17.71.107	130853	19.71.97	132799	41 ² .79
127699	11.13.19.47	129283	7.11.23.73	130891	19.83 ²	132871	23.53.109
127813	7.19.31 ²	129301	31.43.97	130913	31.41.103	133000	
127823	17.73.103	129311	7 ³ .13.29	130967	19.61.113	133001	11.107.113
127889	19.53.127	129437	7.11.41 ²	131000		133133	7 ² .11.13.19
127903	23.67.83	129601	29.41.109	131119	19.67.103	133163	37.59.61
128000		129611	31.37.113	131279	43 ² .71	133331	11.17.23.31
128029	11.103.113	129623	13 ³ .59	131387	37.53.67	133399	7.17.19.59
128207	41.53.59	129673	31.47.89	131461	11.17.19.37	133429	29.43.107
128293	11.107.109	129797	31.53.79	131537	7.19.23.43	133517	31.59.73
128371	31.41.101	129833	11 ² .29.37	131563	17.71.109	133589	19.79.89
128401	7.13.17.83	129859	31.59.71	131629	23.59.97	133679	7.13 ² .113
128441	29.43.103	129883	13.97.103	131651	13 ² .19.41	133837	11.23 ³
128527	7 ² .43.61	130000		131699	17.61.127	133903	7.11.37.47
128557	11.13.29.31	130169	13.17.19.31	131747	7.11.29.59	133931	7.19 ² .53
128573	19.67.101	130181	29.67 ²	131989	11.13 ² .71	134000	
128639	7.17.23.47	130207	7.11.19.89	132000		134017	13 ³ .61
128699	41.43.73	130271	17.79.97	132023	47.53 ²	134113	7 ³ .17.23
128707	17.67.113	130321	19 ⁴	132053	37.43.83	134261	31.61.71
128723	7 ² .37.71	130331	47 ² .59	132209	7.11.17.101	134357	29.41.113
128797	37.59 ²	130339	11.17 ² .41	132211	29.47.97	134431	11 ³ .101
128843	11.13.17.53	130429	13.79.127	132349	7 ² .37.73	134461	43.53.59
128947	7.13 ² .109	130433	23.53.107	132553	41.53.61	134539	19.73.97
129000		130559	11 ² .13.83	132587	7.13.31.47	134603	7 ² .41.67
129007	23.71.79	130663	13.19.23 ²	132613	13.101 ²	134633	31.43.101
129107	11 ³ .97	130691	11.109 ²	132641	23.73.79	134657	17.89 ²

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
134749	47 ² .61	136211	19.67.107	137747	23.53.113	139867	7.13.29.53
134827	7.11.17.103	136213	7.11.29.61	137819	11 ² .17.67	139909	7.11.23.79
134849	11.13.23.41	136249	19.71.101	137837	7 ² .29.97	139997	11 ² .13.89
134927	13.97.107	136271	29.37.127	137917	13.103 ²	140000	
134977	43 ² .73	136367	7 ² .11 ² .23	137921	7.17.19.61	140063	7.11.17.107
135000		136369	31.53.83	137953	29.67.71	140087	19.73.101
135013	37.41.89	136391	17.71.113	138000		140231	7.13.23.67
135031	13 ² .17.47	136493	7.17.31.37	138043	31.61.73	140233	17.73.113
135169	29.59.79	136591	7.13.19.79	138047	7.13.37.41	140239	11 ² .19.61
135191	7 ² .31.89	136697	11.17 ² .43	138073	13 ² .19.43	140353	19.83.89
135239	13.101.103	136793	29.53.89	138229	7 ³ .13.31	140389	29.47.103
135269	17.73.109	136817	41.47.71	138329	17.79.103	140459	11.113 ²
135401	7.23.29 ²	136867	17.83.97	138539	31.41.109	140483	7 ² .47.61
135407	43.47.67	137000		138757	19.67.109	140491	13.101.107
135487	11.109.113	137011	7.23 ² .37	138787	11 ² .31.37	140671	41.47.73
135509	11.97.127	137033	13.83.127	138947	19.71.103	140777	7 ² .13 ² .17
135539	23.71.83	137057	23.59.101	139000		140833	7.11.31.59
135541	7.17 ² .67	137093	11 ³ .103	139009	13.17 ² .37	140911	29.43.113
135641	11 ² .19.59	137149	23.67.89	139019	43.53.61	141000	
135643	17.79.101	137287	23.47.127	139159	31.67 ²	141007	37 ² .103
135707	11.13 ² .73	137299	31.43.103	139231	37.53.71	141097	11.101.127
135751	7.11.41.43	137381	37.47.79	139277	41.43.79	141151	17.19 ² .23
135877	7 ² .47.59	137423	11.13.31 ²	139357	23.73.83	141169	7 ² .43.67
135923	29.43.109	137449	13.97.109	139403	11.19.23.29	141329	31.47.97
135997	31.41.107	137641	7 ² .53 ²	139523	41 ² .83	141427	11.13.23.43
136000		137663	29.47.101	139601	7 ³ .11.37	141491	7.17.29.41
136091	23.61.97	137677	37.61 ²	139751	29.61.79	141599	37.43.89
136097	13.19 ² .29	137683	7.13.17.89	139771	23.59.103	141659	7 ⁴ .59

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
141703	23.61.101	143521	7 ² .29.101	145607	7.11.31.61	147199	13 ³ .67
141839	29.67.73	143543	23.79 ²	145669	31.37.127	147343	7 ² .31.97
141911	7.11.19.97	143623	31.41.113	145673	11.17.19.41	147407	13.17.23.29
142000		143633	7.17 ² .71	145841	29.47.107	147467	31.67.71
142013	29.59.83	143701	17.79.107	145951	13.103.109	147499	11 ² .23.53
142129	13 ² .29 ²	143773	7.19.23.47	146000		147533	43.47.73
142367	19.59.127	143819	13 ² .23.37	146047	11 ² .17.71	147559	41.59.61
142373	7.11.43 ²	143849	19.67.113	146071	43 ² .79	147679	7.17 ² .73
142417	11 ³ .107	143869	11 ² .29.41	146189	29.71 ²	147763	7.11.19.101
142477	17 ³ .29	143891	11.103.127	146227	31.53.89	147913	23.59.109
142493	13.97.113	144000		146261	37.59.67	147917	7.11.17.113
142511	17.83.101	144001	11.13.19.53	146363	7 ² .29.103	148000	
142631	31.43.107	144337	37.47.83	146387	17.79.109	148003	47 ² .67
142639	7 ² .41.71	144343	19.71.107	146461	7 ⁴ .61	148291	11.13.17.61
142681	7.11.17.109	144491	31.59.79	146483	37 ² .107	148369	13.101.113
142709	7.19.29.37	144509	23.61.103	146657	7 ² .41.73	148379	7.11.41.47
142721	41.59 ²	144653	17.67.127	146761	17.89.97	148393	7.17.29.43
142861	19.73.103	144739	7.23.29.31	146827	29.61.83	148409	19.73.107
143000		144781	7.13.37.43	146861	11.13 ² .79	148567	29.47.109
143117	13.101.109	145000		146927	11.19 ² .37	148603	7.13.23.71
143129	7 ² .23.127	145061	7.17.23.53	146939	13.89.127	148837	13.107 ²
143143	7.11 ² .13 ²	145199	23.59.107	146969	47.53.59	148877	53 ³
143153	37.53.73	145297	31.43.109	146993	7.11.23.83	149000	
143227	7 ² .37.79	145333	17.83.103	147000		149017	11.19.23.31
143273	13.103.107	145337	23.71.89	147041	19.71.109	149089	29.53.97
143429	11.13.17.59	145483	13.19 ² .31	147149	37.41.97	149093	7.19 ² .59
143491	43.47.71	145591	41.53.67	147157	31.47.101	149221	37 ² .109
143507	7.13.19.83	145597	19.79.97	147193	19.61.127	149389	31.61.79

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
149413	11.17 ² .47	151003	29.41.127	152813	17.89.101	154541	29.73 ²
149431	23.73.89	151183	19.73.109	152881	17 ² .23 ²	154583	11.13.23.47
149477	23.67.97	151219	37.61.67	152927	23.61.109	154603	19.79.103
149479	11.107.127	151249	7.17.31.41	152969	19.83.97	154693	7 ³ .11.41
149513	7.13.31.53	151307	13.103.113	152971	7.13.41 ²	154697	37 ² .113
149597	7 ² .43.71	151487	7.17.19.67	153000		154721	7.23.31 ²
149609	41 ² .89	151601	19.79.101	153217	37.41.101	154757	43.59.61
149611	7.11.29.67	151619	13.107.109	153223	7 ² .53.59	154771	37.47.89
149683	43.59 ²	151621	31.67.73	153289	17.71.127	154813	23.53.127
149891	7 ³ .19.23	151759	17.79.113	153341	23.59.113	154889	7 ² .29.109
150000		151807	31.59.83	153419	7 ² .31.101	154919	37.53.79
150059	7.13.17.97	151823	7.23 ² .41	153439	11.13.29.37	154993	37.59.71
150071	31.47.103	151931	13 ² .29.31	153467	43 ² .83	155000	
150121	23.61.107	151951	47.53.61	153497	29.67.79	155237	29.53.101
150161	11 ² .17.73	152000		153791	11 ² .31.41	155363	13.17.19.37
150241	7.13 ² .127	152047	7 ² .29.107	153799	17.83.109	155617	7.11.43.47
150307	29.71.73	152233	41.47.79	153811	7 ² .43.73	155641	23.67.101
150403	11 ³ .113	152269	13 ² .17.53	153881	7.13.19.89	155701	7.13.29.59
150479	7 ² .37.83	152273	11.109.127	154000		155771	7 ² .11.17 ²
150499	19.89 ²	152279	29.59.89	154019	29.47.113	155839	17.89.103
150629	31.43.113	152303	17 ³ .31	154033	11 ² .19.67	155899	31.47.107
150689	7.11.19.103	152437	19.71.113	154037	13.17 ² .41	155987	13 ³ .71
150811	23.79.83	152551	7.19.31.37	154147	7.19 ² .61	156000	
150887	11 ² .29.43	152561	41.61 ²	154283	41.53.71	156247	7.13.17.101
150917	13 ² .19.47	152581	11 ² .13.97	154297	11.13 ² .83	156251	37.41.103
150977	17.83.107	152693	43.53.67	154301	7 ² .47.67	156271	31.71 ²
150997	7.11.37.53	152779	11.17.19.43	154327	37.43.97	156457	7 ² .31.103
151000		152789	7.13.23.73	154453	13.109 ²	156541	7.11.19.107

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
156731	19.73.113	158723	23.67.103	160573	7 ² .29.113	162503	11 ² .17.79
156839	47 ² .71	158813	31.47.109	160607	19.79.107	162533	7 ² .31.107
156907	41.43.89	158873	11 ² .13.101	160673	31.71.73	162661	29.71.79
156953	31.61.83	159000		160691	37.43.101	162763	37.53.83
157000		159137	11.17.23.37	160867	7 ⁴ .67	162781	31.59.89
157183	13.107.113	159229	7.23 ² .43	160979	7.13.29.61	162811	11.19 ² .41
157267	11.17.29 ²	159239	17 ² .19.29	161000		162863	23.73.97
157339	7 ² .13 ² .19	159277	19.83.101	161051	11 ⁵	162877	11.13.17.67
157441	29.61.89	159341	7.13.17.103	161161	7 ² .11.13.23	162911	7.17.37 ²
157573	13.17.23.31	159359	37.59.73	161257	47 ² .73	163000	
157607	17.73.127	159367	13 ² .23.41	161269	29.67.83	163009	7.11.29.73
157619	7.11.23.89	159371	31.53.97	161293	11 ² .31.43	163057	41 ² .97
157757	19 ³ .23	159443	17.83.113	161357	7 ² .37.89	163229	11 ² .19.71
157861	11.113.127	159467	7.11.19.109	161417	31.41.127	163513	7 ² .47.71
158000		159659	43.47.79	161483	7.17.23.59	163607	47.59 ²
158137	7.19.29.41	159817	7.17 ² .79	161551	13.17 ² .43	163609	19.79.109
158249	7.13.37.47	159929	7.11.31.67	161671	19.67.127	163873	37.43.103
158311	29.53.103	159941	41.47.83	161809	43.53.71	164000	
158369	29.43.127	159953	17.97 ²	161891	17.89.107	164021	11.13.31.37
158389	7.11 ³ .17	160000		162000		164027	19.89.97
158401	23.71.97	160003	43.61 ²	162019	11 ² .13.103	164083	31.67.79
158417	7 ² .53.61	160121	13.109.113	162073	41.59.67	164197	11 ² .23.59
158447	23.83 ²	160147	13.97.127	162127	7.19.23.53	164459	29.53.107
158539	23.61.113	160247	37.61.71	162197	7.17.29.47	164561	43 ² .89
158543	7.11.29.71	160303	11.13.19.59	162239	7 ³ .11.43	164641	31.47.113
158627	7.17.31.43	160381	13 ³ .73	162319	37.41.107	164749	13.19.23.29
158629	41.53.73	160433	7.13.41.43	162409	13 ² .31 ²	164761	37.61.73
158711	7 ² .41.79	160531	7.17.19.71	162431	19.83.103	164887	23.67.107

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
164917	17.89.109	166897	47.53.67	169043	7.19.31.41	170753	11.19 ² .43
164923	11 ² .29.47	166957	7.17.23.61	169099	7 ³ .17.29	170791	19.89.101
164933	23.71.101	166991	11.17.19.47	169153	47.59.61	170867	17.19.23 ²
164983	7 ³ .13.37	167000		169169	7.11.13 ³	170897	29.71.83
165000		167141	13 ² .23.43	169229	31.53.103	170969	17.89.113
165053	7.17.19.73	167243	29.73.79	169291	31.43.127	171000	
165199	31.73 ²	167321	7.11.41.53	169309	7.19 ² .67	171011	41.43.97
165319	7.11.19.113	167533	29.53.109	169477	7.11.31.71	171323	19.71.127
165347	7.13.23.79	167567	41.61.67	169507	13 ² .17.59	171349	53 ² .61
165353	37.41.109	167713	7.13.19.97	169579	23.73.101	171421	37.41.113
165451	11.13 ² .89	167743	43.47.83	169613	19.79.113	171457	11 ² .13.109
165529	7.13.17.107	167827	11 ² .19.73	169763	11 ² .23.61	171503	41.47.89
165571	7 ² .31.109	167909	7.17 ² .83	169781	41 ² .101	171593	29.61.97
165649	11 ² .37 ²	167969	23.67.109	169847	17.97.103	171647	7 ² .31.113
165737	11.13.19.61	168000		169901	23.83.89	171667	41.53.79
165851	7.19.29.43	168091	7.11.37.59	169979	43.59.67	171787	7.11.23.97
165943	31.53.101	168113	11.17.29.31	170000		171893	19.83.109
165967	29.59.97	168119	7 ² .47.73	170027	11.13.29.41	171941	7 ² .11 ² .29
165997	13.113 ²	168199	23.71.103	170053	13.103.127	172000	
166000		168259	7.13.43 ²	170093	7.11.47 ²	172081	7.13.31.61
166093	37.67 ²	168299	31.61.89	170183	13 ² .19.53	172159	13.17.19.41
166243	7.11.17.127	168311	11 ² .13.107	170221	17 ² .19.31	172339	23.59.127
166367	43.53.73	168487	11.17 ² .53	170237	37.43.107	172391	31.67.83
166439	7.13.31.59	168623	7.13.17.109	170471	7 ⁴ .71	172457	37.59.79
166453	7 ² .43.79	168683	37.47.97	170561	17.79.127	172601	11.13.17.71
166549	17.97.101	168739	19.83.107	170569	7 ² .59 ²	172753	7.23.29.37
166747	7 ² .41.83	168751	11.23 ² .29	170723	7.29 ³	172811	29.59.101
166751	13.101.127	169000		170731	11 ² .17.83	172927	29.67.89

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
172937	23.73.103	175000		177000		179117	37.47.103
173000		175253	13 ² .17.61	177023	7.11 ³ .19	179197	17.83.127
173101	29.47.127	175273	7 ⁴ .73	177289	7.19.31.43	179353	43 ² .97
173143	41 ² .103	175357	7.13.41.47	177331	7 ³ .11.47	179417	7.19 ² .71
173383	7.17.31.47	175483	7.11.43.53	177413	31.59.97	179653	23.73.107
173417	17.101 ²	175639	37.47.101	177419	11.127 ²	179707	11.17.31 ²
173419	37.43.109	175711	29.73.83	177463	11.13.17.73	179741	17.97.109
173563	13 ³ .79	175741	43.61.67	177571	41.61.71	179783	37.43.113
173641	13.19 ² .37	175769	11.19.29 ²	177749	11 ² .13.113	179867	41 ² .107
173681	29.53.113	175801	31.53.107	177859	11.19.23.37	179869	43.47.89
173719	7.13.23.83	175861	7 ² .37.97	177973	17.19 ² .29	179959	13.109.127
173789	7.11.37.61	176000		177997	23.71.109	180000	
173863	37 ² .127	176009	37.67.71	178000		180041	43.53.79
173879	31.71.79	176111	13.19.23.31	178063	41.43.101	180047	7.17 ² .89
173999	7 ² .53.67	176149	19.73.127	178087	7.13.19.103	180127	43.59.71
174000		176233	29.59.103	178181	23.61.127	180323	11.13 ² .97
174041	7.23 ² .47	176249	23.79.97	178201	19.83.113	180353	17.103 ²
174097	7 ² .11.17.19	176297	11 ² .31.47	178303	37.61.79	180359	41.53.83
174133	23.67.113	176341	11.17.23.41	178321	11.13.29.43	180389	11.23 ² .31
174251	7.11.31.73	176351	7 ² .59.61	178451	7.13.37.53	180467	7 ² .29.127
174317	11.13.23.53	176407	7.11.29.79	178619	7.17.19.79	180481	7.19.23.59
174511	47 ² .79	176443	17.97.107	178669	29.61.101	180523	7.17.37.41
174529	37.53.89	176579	13.17 ² .47	178771	19.97 ²	180557	13.17.19.43
174629	7.13.19.101	176587	41.59.73	178777	31.73.79	180761	7 ³ .17.31
174731	23.71.107	176657	13.107.127	178801	7 ² .41.89	180937	19.89.107
174811	7.13.17.113	176813	7.13.29.67	178871	7.11.23.101	180967	37.67.73
174881	7 ² .43.83	176851	17.101.103	179000		180989	29.79 ²
174887	47.61 ²	176861	47.53.71	179087	31.53.109	181000	

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
181189	37.59.83	183113	7 ² .37.101	185339	7.11.29.83	187369	7.13.29.71
181279	7.19.29.47	183251	29.71.89	185659	31.53.113	187523	7 ² .43.89
181337	13 ² .29.37	183347	47 ² .83	185791	47.59.67	187561	11.17 ² .59
181447	7 ³ .23 ²	183379	7.17.23.67	185801	7.11.19.127	187663	7.17.19.83
181589	41.43.103	183427	31.61.97	185861	13.17.29 ²	187759	11.13 ² .101
181621	11 ² .19.79	183517	23.79.101	185977	11 ² .29.53	187829	31.73.83
181753	11.13.31.41	183557	11 ² .37.41	186000		187891	11.19.29.31
181781	17 ³ .37	183719	17.101.107	186073	37.47.107	188000	
181843	47.53.73	183799	7 ² .11 ² .31	186143	19.97.101	188071	13.17.23.37
181937	7 ² .47.79	183911	7.13.43.47	186233	43.61.71	188203	53 ² .67
182000		184000		186263	7.11.41.59	188309	11.17.19.53
182039	11.13.19.67	184049	41.67 ²	186277	7.13.23.89	188387	31.59.103
182077	7.19.37 ²	184093	7 ² .13.17 ²	186337	17.97.113	188413	29.73.89
182183	23.89 ²	184319	19.89.109	186461	11 ² .23.67	188461	7.13.19.109
182207	29.61.103	184387	7 ² .53.71	186499	29.59.109	188471	29.67.97
182329	7 ² .61 ²	184471	7.19 ² .73	186517	37.71 ²	188573	7.11.31.79
182351	13 ³ .83	184493	53.59 ²	186563	13.113.127	188641	41.43.107
182413	7.11.23.103	184529	23.71.113	186599	7.19.23.61	188993	7 ³ .19.29
182497	7.29 ² .31	184667	7.23.31.37	186637	11.19 ² .47	189000	
182573	41.61.73	184729	31.59.101	186739	7 ² .37.103	189007	7.13.31.67
182683	31.71.83	184853	31.67.89	186749	43 ² .101	189157	43.53.83
182689	13 ² .23.47	184877	7 ⁵ .11	186919	41.47.97	189283	29.61.107
182819	7 ³ .13.41	184943	11.17.23.43	187000		189329	7.17.37.43
182903	7.17.29.53	185000		187151	23.79.103	189449	13 ² .19.59
183000		185003	7.13.19.107	187153	17.101.109	189497	7.11.23.107
183011	23.73.109	185039	31.47.127	187187	7.11 ² .13.17	189551	37.47.109
183073	11 ² .17.89	185173	23.83.97	187331	37.61.83	189581	7 ² .53.73
183077	29.59.107	185201	43.59.73	187357	17.103.107	189679	7 ⁴ .79

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
189727	23.73.113	192000		194000		196231	7.17 ² .97
189829	19.97.103	192049	11.13.17.79	194021	17.101.113	196243	29.67.101
189953	41 ² .113	192089	47.61.67	194051	11.13.23.59	196259	7.23 ² .53
190000		192151	17.89.127	194287	37.59.89	196469	7.13.17.127
190153	29.79.83	192167	41.43.109	194327	7.17.23.71	196507	37.47.113
190217	37.53.97	192413	13.19 ² .41	194419	23.79.107	196601	47 ² .89
190247	17.19 ² .31	192491	13 ² .17.67	194579	7 ² .11.19 ²	196627	23.83.103
190333	11 ⁴ .13	192511	11 ² .37.43	194627	41.47.101	196789	47.53.79
190447	43 ² .103	192577	7.11.41.61	194633	17.107 ²	196883	47.59.71
190463	7 ² .13 ² .23	192647	7.13.29.73	194773	31.61.103	197000	
190619	11.13.31.43	192659	37.41.127	194873	7 ² .41.97	197087	11.19.23.41
190627	19.79.127	192763	17 ² .23.29	194909	11.13.29.47	197173	37.73 ²
190747	53.59.61	192809	23.83.101	195000		197201	19.97.107
190817	11 ² .19.83	192821	29.61.109	195037	41.67.71	197213	53.61 ²
190859	17.103.109	192907	11.13.19.71	195083	7.29.31 ²	197353	13.17.19.47
190883	7.11.37.67	192913	7 ² .31.127	195199	29.53.127	197579	41.61.79
190969	19 ² .23 ²	193000		195349	7.11.43.59	197593	11 ² .23.71
190991	31.61.101	193027	43.67 ²	195377	7.13.19.113	197657	19.101.103
191000		193039	7.11.23.109	195517	7.17.31.53	197743	7.13.41.53
191083	19.89.113	193343	29.59.113	195533	13 ³ .89	197843	43 ² .107
191101	41.59.79	193397	41.53.89	195703	31.59.107	197863	17.103.113
191149	7 ² .47.83	193471	31.79 ²	195707	23.67.127	198000	
191429	7.23.29.41	193697	7 ² .59.67	195767	11.13.37 ²	198053	23.79.109
191477	11.13 ² .103	193781	7.19.31.47	195841	37.67.79	198061	37.53.101
191479	43.61.73	193819	19.101 ²	195871	13 ² .19.61	198121	7.11.31.83
191737	7 ³ .13.43	193843	13 ² .31.37	195889	31.71.89	198271	17.107.109
191771	37.71.73	193919	11.17 ² .61	196000		198341	11.13.19.73
191807	7.11.47.53	193991	7 ² .37.107	196037	43.47.97	198481	41.47.103

Merritt's table of "useful numbers" (with errors) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
198559	23.89.97	198913	11.13 ² .107	199433	13.23 ² .29	199781	29.83 ²
198653	7.13.37.59	199000		199439	53 ² .71	199801	7.17.23.73
198679	13.17.29.31	199121	13.17 ² .53	199529	11 ² .17.97	199897	29.61.113
198737	7.11.29.89	199219	41.43.113	199633	7.19 ² .79	199927	7.13 ⁴
198803	11 ² .31.53	199283	7 ⁴ .83	199723	29.71.97	199969	7 ³ .11.53
198911	19 ³ .29	199361	31.59.109	199771	11 ² .13.127	200000	

The table of useful numbers
(correct version)

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
7	Prime	67	Prime	127	Prime	301	7.43
11	"	71	"	133	7.19	319	11.29
13	"	73	"	143	11.13	323	17.19
17	"	77	7.11	161	7.23	329	7.47
19	"	79	Prime	169	13 ²	341	11.31
23	"	83	"	187	11.17	343	7 ³
29	"	89	"	203	7.29	361	19 ²
31	"	91	7.13	209	11.19	371	7.53
37	"	97	Prime	217	7.31	377	13.29
41	"	101	"	221	13.17	391	17.23
43	"	103	"	247	13.19	403	13.31
47	"	107	"	253	11.23	407	11.37
49	7 ²	109	"	259	7.37	413	7.59
53	Prime	113	"	287	7.41	427	7.61
59	"	119	7.17	289	17 ²	437	19.23
61	"	121	11 ²	299	13.23	451	11.41

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
469	7.67	707	7.101	943	23.41	1219	23.53
473	11.43	713	23.31	949	13.73	1241	17.73
481	13.37	721	7.103	961	31 ²	1243	11.113
493	17.29	731	17.43	979	11.89	1247	29.43
497	7.71	737	11.67	989	23.43	1261	13.97
511	7.73	749	7.107	1000		1271	31.41
517	11.47	763	7.109	1001	7.11.13	1273	19.67
527	17.31	767	13.59	1003	17.59	1309	7.11.17
529	23 ²	779	19.41	1007	19.53	1313	13.101
533	13.41	781	11.71	1027	13.79	1331	11 ³
539	7 ² .11	791	7.113	1037	17.61	1333	31.43
551	19.29	793	13.61	1067	11.97	1339	13.103
553	7.79	799	17.47	1073	29.37	1343	17.79
559	13.43	803	11.73	1079	13.83	1349	19.71
581	7.83	817	19.43	1081	23.47	1357	23.59
583	11.53	833	7 ² .17	1111	11.101	1363	29.47
589	19.31	841	29 ²	1121	19.59	1369	37 ²
611	13.47	847	7.11 ²	1127	7 ² .23	1387	19.73
623	7.89	851	23.37	1133	11.103	1391	13.107
629	17.37	869	11.79	1139	17.67	1397	11.127
637	7 ² .13	871	13.67	1147	31.37	1403	23.61
649	11.59	889	7.127	1157	13.89	1411	17.83
667	23.29	893	19.47	1159	19.61	1417	13.109
671	11.61	899	29.31	1177	11.107	1421	7 ² .29
679	7.97	901	17.53	1183	7.13 ²	1457	31.47
689	13.53	913	11.83	1189	29.41	1463	7.11.19
697	17.41	923	13.71	1199	11.109	1469	13.113
703	19.37	931	7 ² .19	1207	17.71	1501	19.79

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
1513	17.89	1843	19.97	2183	37.59	2537	43.59
1517	37.41	1849	43 ²	2197	13 ³	2573	31.83
1519	7 ² .31	1853	17.109	2201	31.71	2581	29.89
1537	29.53	1859	11.13 ²	2209	47 ²	2597	7 ² .53
1541	23.67	1891	31.61	2231	23.97	2599	23.113
1547	7.13.17	1909	23.83	2233	7.11.29	2623	43.61
1573	11 ² .13	1919	19.101	2257	37.61	2627	37.71
1577	19.83	1921	17.113	2261	7.17.19	2639	7.13.29
1591	37.43	1927	41.47	2263	31.73	2701	37.73
1633	23.71	1943	29.67	2279	43.53	2717	11.13.19
1643	31.53	1957	19.103	2291	29.79	2737	7.17.23
1649	17.97	1961	37.53	2299	11 ² .19	2747	41.67
1651	13.127	2000		2303	7 ² .47	2759	31.89
1679	23.73	2009	7 ² .41	2323	23.101	2773	47.59
1681	41 ²	2021	43.47	2369	23.103	2783	11 ² .23
1691	19.89	2023	7.17 ²	2387	7.11.31	2809	53 ²
1711	29.59	2033	19.107	2401	7 ⁴	2813	29.97
1717	17.101	2047	23.89	2407	29.83	2821	7.13.31
1729	7.13.19	2057	11 ² .17	2413	19.127	2849	7.11.37
1739	37.47	2059	29.71	2419	41.59	2867	47.61
1751	17.103	2071	19.109	2431	11.13.17	2873	13 ² .17
1763	41.43	2077	31.67	2449	31.79	2881	43.67
1769	29.61	2093	7.13.23	2461	23.107	2891	7 ² .59
1771	7.11.23	2107	7 ² .43	2479	37.67	2911	41.71
1813	7 ² .37	2117	29.73	2491	47.53	2921	23.127
1817	23.79	2147	19.113	2501	41.61	2923	37.79
1819	17.107	2159	17.127	2507	23.109	2929	29.101
1829	31.59	2173	41.53	2527	7.19 ²	2987	29.103

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
2989	7 ² .61	3397	43.79	3827	43.89	4301	11.17.23
2993	41.73	3403	41.83	3857	7.19.29	4307	59.73
3000		3431	47.73	3869	53.73	4331	61.71
3007	31.97	3451	7.17.29	3871	7 ² .79	4343	43.101
3053	43.71	3479	7 ² .71	3887	13 ² .23	4361	7 ² .89
3059	7.19.23	3481	59 ²	3901	47.83	4387	41.107
3071	37.83	3503	31.113	3913	7.13.43	4399	53.83
3103	29.107	3509	11 ² .29	3937	31.127	4403	7.17.37
3127	53.59	3551	53.67	3953	59.67	4429	43.103
3131	31.101	3553	11.17.19	3959	37.107	4433	11.13.31
3139	43.73	3569	43.83	3971	11.19 ²	4453	61.73
3149	47.67	3577	7 ² .73	3977	41.97	4459	7 ³ .13
3157	7.11.41	3589	37.97	4000		4469	41.109
3161	29.109	3599	59.61	4033	37.109	4477	11 ² .37
3179	11.17 ²	3619	7.11.47	4067	7 ² .83	4489	67 ²
3193	31.103	3649	41.89	4081	7.11.53	4543	7.11.59
3211	13 ² .19	3683	29.127	4087	61.67	4559	47.97
3233	53.61	3689	7.17.31	4123	7.19.31	4601	43.107
3239	41.79	3703	7.23 ²	4141	41.101	4633	41.113
3277	29.113	3713	47.79	4147	11.13.29	4661	59.79
3283	7 ² .67	3721	61 ²	4171	43.97	4669	7.23.29
3289	11.13.23	3731	7.13.41	4181	37.113	4687	43.109
3293	37.89	3737	37.101	4183	47.89	4693	13.19 ²
3311	7.11.43	3751	11 ² .31	4187	53.79	4697	7.11.61
3317	31.107	3757	13.17 ²	4189	59.71	4699	37.127
3337	47.71	3763	53.71	4199	13.17.19	4717	53.89
3367	7.13.37	3773	7 ³ .11	4223	41.103	4747	47.101
3379	31.109	3811	37.103	4277	7.13.47	4753	7 ² .97

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
4757	67.71	5239	13 ² .31	5767	73.79	6283	61.103
4807	11.19.23	5243	7 ² .107	5777	53.109	6293	7.29.31
4819	61.79	5251	59.89	5797	11.17.31	6307	7.17.53
4823	7.13.53	5291	11.13.37	5819	11.23 ²	6313	59.107
4841	47.103	5293	67.79	5831	7 ³ .17	6319	71.89
4859	43.113	5311	47.113	5863	11.13.41	6391	7.11.83
4879	7.17.41	5329	73 ²	5887	7.29 ²	6409	13.17.29
4891	67.73	5341	7 ² .109	5893	71.83	6413	11 ² .53
4897	59.83	5353	53.101	5917	61.97	6431	59.109
4901	13 ² .29	5369	7.13.59	5929	7 ² .11 ²	6461	7.13.71
4913	17 ³	5423	11.17.29	5957	7.23.37	6479	11.19.31
4921	7.19.37	5429	61.89	5959	59.101	6497	73.89
4949	7 ² .101	5453	7.19.41	5963	67.89	6499	67.97
4961	11 ² .41	5459	53.103	5969	47.127	6517	7 ³ .19
4991	7.23.31	5461	43.127	5989	53.113	6527	61.107
5000		5467	7.11.71	6000		6557	79.83
5029	47.107	5491	17 ² .19	6059	73.83	6601	7.23.41
5041	71 ²	5537	7 ² .113	6061	11.19.29	6643	7.13.73
5047	7 ² .103	5551	7.13.61	6077	59.103	6647	17 ² .23
5063	61.83	5561	67.83	6083	7.11.79	6649	61.109
5083	13.17.23	5593	7.17.47	6097	7.13.67	6667	59.113
5117	7.17.43	5609	71.79	6137	17.19 ²	6721	11.13.47
5123	47.109	5621	7.11.73	6149	11.13.43	6727	7.31 ²
5141	53.97	5671	53.107	6161	61.101	6731	53.127
5159	7.11.67	5681	13.19.23	6223	7 ² .127	6767	67.101
5183	71.73	5687	11 ² .47	6241	79 ²	6851	13.17.31
5203	11 ² .43	5719	7.19.43	6251	7.19.47	6853	7.11.89
5207	41.127	5723	59.97	6253	13 ² .37	6859	19 ³

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
6877	13.23 ²	7469	7.11.97	8029	7.31.37	8701	7.11.113
6887	71.97	7493	59.127	8041	11.17.43	8723	11.13.61
6889	83 ²	7511	7.29.37	8051	83.97	8729	7.29.43
6893	61.113	7519	73.103	8099	7.13.89	8789	11.17.47
6901	67.103	7553	7.13.83	8107	11 ² .67	8827	7.13.97
6919	11.17.37	7567	7.23.47	8113	7.19.61	8833	11 ² .73
6923	7.23.43	7571	67.113	8137	79.103	8881	83.107
6929	13 ² .41	7579	11.13.53	8177	13.17.37	8897	7.31.41
7000		7597	71.107	8239	7.11.107	8911	7.19.67
7007	7 ² .11.13	7657	13.19.31	8249	73.113	8927	79.113
7021	7.17.59	7663	79.97	8281	7 ² .13 ²	8957	13 ² .53
7031	79.89	7667	11.17.41	8303	19 ² .23	8959	17 ² .31
7049	7.19.53	7733	11.19.37	8323	7.29.41	8987	11.19.43
7081	73.97	7739	71.109	8381	17 ² .29	8989	89.101
7139	11 ² .59	7747	61.127	8383	83.101	8993	17.23 ²
7163	13.19.29	7777	7.11.101	8393	7.11.109	9000	
7169	67.107	7811	73.107	8437	11.13.59	9017	71.127
7171	71.101	7843	11.23.31	8449	7.17.71	9047	83.109
7189	7.13.79	7847	7.19.59	8453	79.107	9061	13.17.41
7259	7.17.61	7889	7 ³ .23	8509	67.127	9139	13.19.37
7267	13 ² .43	7921	89 ²	8533	7.23.53	9163	7 ² .11.17
7303	67.109	7931	7.11.103	8549	83.103	9167	89.103
7313	71.103	7943	13 ² .47	8569	11.19.41	9191	7.13.101
7337	11.23.29	7957	73.109	8591	11 ² .71	9251	11.29 ²
7373	73.101	7973	7.17.67	8611	79.109	9269	13.23.31
7381	11 ² .61	7979	79.101	8633	89.97	9271	73.127
7387	83.89	8000		8671	13.23.29	9317	7.11 ³
7429	17.19.23	8023	71.113	8687	7.17.73	9331	7.31.43

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
9361	11.23.37	10000		10693	17 ² .37	11501	7.31.53
9367	17.19.29	10013	17.19.31	10759	7.29.53	11543	7.17.97
9373	7.13.103	10033	79.127	10769	11 ² .89	11557	7.13.127
9379	83.113	10043	11 ² .83	10787	7.23.67	11609	13.19.47
9401	7.17.79	10051	19.23 ²	10807	101.107	11639	103.113
9409	97 ²	10057	89.113	10829	7 ² .13.17	11663	107.109
9443	7.19.71	10127	13.19.41	10879	11.23.43	11687	13.29.31
9499	7.23.59	10153	11.13.71	10933	13.29 ²	11713	13.17.53
9503	13.17.43	10199	7.31.47	10961	97.113	11737	11 ² .97
9523	89.107	10201	101 ²	11000		11753	7.23.73
9541	7.29.47	10241	7 ² .11.19	11009	101.109	11767	7.41 ²
9559	11 ² .79	10283	7.13.113	11011	7.11 ² .13	11803	11.29.37
9581	11.13.67	10309	13 ² .61	11021	103.107	11837	7.19.89
9583	7.37 ²	10373	11.23.41	11033	11.17.59	11849	17 ² .41
9701	89.109	10379	97.107	11039	7.19.83	11869	11.13.83
9709	7.19.73	10387	13.17.47	11063	13.23.37	11881	109 ²
9737	7.13.107	10403	101.103	11077	11.19.53	11891	11.23.47
9779	7.11.127	10439	11.13.73	11137	7.37.43	11951	17.19.37
9797	97.101	10469	19 ² .29	11191	19 ² .31	11977	7.29.59
9821	7.23.61	10507	7.19.79	11227	103.109	11999	13 ² .71
9823	11.19.47	10541	83.127	11297	11.13.79	12000	
9877	7.17.83	10571	11.31 ²	11303	89.127	12019	7.17.101
9889	11.29.31	10573	97.109	11323	13 ² .67	12091	107.113
9911	11.17.53	10591	7.17.89	11339	17.23.29	12103	7 ² .13.19
9919	7.13.109	10609	103 ²	11407	11.17.61	12121	17.23.31
9947	7 ³ .29	10619	7.37.41	11413	101.113	12167	23 ³
9971	13 ² .59	10621	13.19.43	11431	7.23.71	12173	7.37.47
9991	97.103	10633	7 ³ .31	11449	107 ²	12221	11 ² .101

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
12257	7.17.103	13000		13871	11.13.97	14801	19 ² .41
12259	13.23.41	13013	7.11.13 ²	13889	17.19.43	14807	13.17.67
12317	109.113	13039	13.17.59	13949	13.29.37	14819	7.29.73
12319	97.127	13079	11.29.41	13981	11.31.41	14839	11.19.71
12331	11.19.59	13081	103.127	14000		14911	13.31.37
12337	13 ² .73	13091	13.19.53	14003	11.19.67	14927	11.23.59
12341	7.41.43	13189	11 ² .109	14027	13 ² .83	14993	11.29.47
12383	7.29.61	13237	7.31.61	14053	13.23.47	15000	
12397	7 ² .11.23	13243	17.19.41	14063	7 ³ .41	15029	7.19.113
12427	17 ² .43	13277	11.17.71	14147	7.43.47	15041	13 ² .89
12463	11 ² .103	13351	13 ² .79	14161	7 ² .17 ²	15059	11.37 ²
12493	13.31 ²	13357	19 ² .37	14231	7.19.107	15067	13.19.61
12529	11.17.67	13363	7.23.83	14297	17.29 ²	15113	7.17.127
12617	11.31.37	13409	11.23.53	14329	7.23.89	15181	17.19.47
12673	19.23.29	13433	7.19.101	14351	113.127	15211	7.41.53
12691	7 ³ .37	13447	7.17.113	14399	7.11 ² .17	15257	11.19.73
12719	7.23.79	13481	13.17.61	14413	7.29.71	15281	7.37.59
12727	11.13.89	13489	7.41.47	14443	11.13.101	15283	17.29.31
12733	7.17.107	13547	19.23.31	14467	17.23.37	15301	11.13.107
12749	11.19.61	13583	17 ² .47	14497	7.19.109	15317	17 ² .53
12769	113 ²	13589	107.127	14539	7.31.67	15341	23 ² .29
12803	7.31.59	13601	7.29.67	14573	13.19.59	15367	11 ² .127
12827	101.127	13651	11.17.73	14641	11 ⁴	15379	7.13 ³
12857	13.23.43	13673	11 ² .113	14651	7 ² .13.23	15407	7.31.71
12901	7.19.97	13699	7.19.103	14663	11.31.43	15433	11.23.61
12943	7.43 ²	13717	11.29.43	14729	11.13.103	15457	13.29.41
12947	11 ² .107	13727	7.37.53	14749	7 ³ .43	15463	7.47 ²
12971	7.17.109	13843	109.127	14773	11.17.79	15521	11.17.83

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
15523	19 ² .43	16549	13.19.67	17501	11.37.43	18389	7.37.71
15587	11.13.109	16583	7.23.103	17507	7.41.61	18421	13 ² .109
15617	7.23.97	16643	11.17.89	17537	13.19.71	18469	11.23.73
15631	7 ² .11.29	16687	11.37.41	17549	7.23.109	18473	7 ² .13.29
15691	13.17.71	16709	7 ² .11.31	17629	17 ² .61	18491	11.41 ²
15799	7.37.61	16807	7 ⁵	17641	13.23.59	18601	11.19.89
15827	7 ² .17.19	16813	17.23.43	17689	7 ² .19 ²	18791	19.23.43
15841	7.31.73	16849	7.29.83	17719	13.29.47	18821	11.29.59
15847	13.23.53	16891	7.19.127	17759	7.43.59	18887	11.17.101
15953	7.43.53	16907	11.29.53	17797	13.37 ²	18907	7.37.73
15979	19.29 ²	16933	7.41.59	17917	19.23.41	18941	13.31.47
16000		16951	11.23.67	17963	11.23.71	19000	
16027	11.31.47	16967	19 ² .47	18000		19019	7.11.13.19
16031	17.23.41	17000		18011	7.31.83	19057	17.19.59
16037	7.29.79	17017	7.11.13.17	18031	13.19.73	19097	13 ² .113
16093	7.11 ² .19	17051	17 ² .59	18067	7.29.89	19129	11.37.47
16121	7 ³ .47	17069	13 ² .101	18073	11.31.53	19133	19 ² .53
16129	127 ²	17081	19.29.31	18083	13 ² .107	19159	7 ² .17.23
16133	13.17.73	17119	17.19.53	18139	11.17.97	19229	7.41.67
16159	11.13.113	17143	7.31.79	18161	11.13.127	19261	11.17.103
16169	19.23.37	17227	7.23.107	18179	7 ³ .53	19313	7.31.89
16211	13.29.43	17303	11 ³ .13	18193	7.23.113	19343	23.29 ²
16261	7.23.101	17329	13.31.43	18239	13.23.61	19363	17 ² .67
16337	17.31 ²	17347	11.19.83	18241	17.29.37	19393	11.41.43
16393	13 ² .97	17353	7.37.67	18259	19.31 ²	19411	7.47.59
16399	23 ² .31	17407	13 ² .103	18343	13.17.83	19459	11.29.61
16511	11.19.79	17437	7.47.53	18361	7.43.61	19481	7.11 ² .23
16523	13.31.41	17459	13.17.79	18377	17.23.47	19499	17.31.37

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
19513	13.19.79	20501	13.19.83	21527	11.19.103	22607	13.37.47
19573	23 ² .37	20503	7.29.101	21571	11.37.53	22627	11 ³ .17
19663	7.53 ²	20519	17 ² .71	21607	17.31.41	22631	7.53.61
19669	13.17.89	20539	19.23.47	21641	17.19.67	22649	11.29.71
19691	7.29.97	20677	23.29.31	21689	23 ² .41	22661	17.31.43
19703	17.19.61	20683	13.37.43	21721	7.29.107	22673	7.41.79
19721	13.37.41	20723	17.23.53	21793	19.31.37	22747	23 ² .43
19747	7 ² .13.31	20801	11.31.61	21827	13.23.73	22763	13.17.103
19943	7 ² .11.37	20909	7.29.103	21853	13.41 ²	22781	11.19.109
19981	13.29.53	20923	7 ³ .61	21889	7.53.59	22831	17 ² .79
19987	11.23.79	20951	7.41.73	21917	7.31.101	22847	11.31.67
20000		20999	11.23.83	21973	7.43.73	22919	13.41.43
20009	11.17.107	21000		21983	13.19.89	22933	17.19.71
20033	13.23.67	21049	7.31.97	22000		22939	7.29.113
20069	7.47.61	21097	17 ² .73	22021	19 ² .61	22981	7 ³ .67
20111	7.13 ² .17	21109	11.19.101	22043	7.47.67	22997	13.29.61
20119	11.31.59	21131	11.17.113	22099	7 ² .11.41	23000	
20167	7.43.67	21197	11.41.47	22103	23.31 ²	23023	7.11.13.23
20213	17.29.41	21199	17.29.43	22127	7.29.109	23051	7.37.89
20237	7 ³ .59	21229	13.23.71	22231	11.43.47	23069	17.23.59
20273	11.19.97	21299	19 ² .59	22243	13.29.59	23161	19.23.53
20339	11.43 ²	21359	13.31.53	22253	7.11.17 ²	23171	17.29.47
20377	7.41.71	21371	7.43.71	22321	13.17.101	23177	7 ² .11.43
20383	11.17.109	21373	11.29.67	22351	7.31.103	23219	7.31.107
20387	19.29.37	21413	7 ² .19.23	22363	11.19.107	23273	17.37 ²
20447	7.23.127	21437	13.17.97	22477	7.13 ² .19	23287	11.29.73
20449	11 ² .13 ²	21463	13 ² .127	22517	11.23.89	23359	7.47.71
20461	7.37.79	21497	7.37.83	22591	19.29.41	23569	7 ² .13.37

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
23579	17.19.73	24521	7.31.113	25517	17.19.79	26429	13.19.107
23617	11.19.113	24541	11.23.97	25543	7.41.89	26477	11.29.83
23621	13.23.79	24563	7.11 ² .29	25553	11.23.101	26543	11.19.127
23647	13.17.107	24583	13.31.61	25631	19 ² .71	26609	11.41.59
23653	7.31.109	24679	23.29.37	25721	17 ² .89	26611	13.23.89
23693	19.29.43	24769	17.31.47	25781	7.29.127	26657	19.23.61
23749	11.17.127	24817	13.23.83	25783	19.23.59	26677	7.37.103
23777	13.31.59	24827	11.37.61	25789	17.37.41	26741	11 ² .13.17
23779	7.43.79	24857	7.53.67	25823	7 ² .17.31	26767	13.29.71
23821	7.41.83	24863	23 ² .47	25897	19.29.47	26789	7.43.89
23851	17.23.61	24871	7.11.17.19	25921	7 ² .23 ²	26809	17.19.83
23903	11.41.53	24893	11.31.73	25991	7.47.79	26923	13.19.109
23959	13.19.97	24947	13.19.101	26000		26939	11.31.79
23987	17 ² .83	24973	13.17.113	26011	19.37 ²	26999	7 ² .19.29
24000		24983	7.43.83	26047	7.61 ²	27000	
24013	11.37.59	25000		26059	11.23.103	27001	13.31.67
24017	7.47.73	25039	7 ³ .73	26071	29 ² .31	27047	17.37.43
24037	13.43 ²	25051	13.41.47	26117	7 ² .13.41	27071	11.23.107
24089	13.17.109	25069	11.43.53	26129	17.29.53	27083	7.53.73
24149	19.31.41	25123	7.37.97	26159	7.37.101	27097	7 ³ .79
24157	7 ² .17.29	25193	7.59.61	26197	17.23.67	27209	7.13 ² .23
24167	11.13 ³	25201	11.29.79	26257	7.11 ² .31	27269	11.37.67
24187	19 ² .67	25259	13.29.67	26273	13.43.47	27307	7.47.83
24211	11.31.71	25289	11 ³ .19	26299	7.13.17 ²	27347	23.29.41
24299	11.47 ²	25327	19.31.43	26341	7.53.71	27391	7 ² .13.43
24353	7 ³ .71	25333	7 ² .11.47	26353	19 ² .73	27401	11.47.53
24367	7.59 ²	25441	13.19.103	26381	23.31.37	27511	11.41.61
24389	29 ³	25493	13.37.53	26411	7 ⁴ .11	27521	13.29.73

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
27559	7.31.127	28609	7.61.67	29627	13.43.53	30899	11.53 ²
27577	11.23.109	28613	13.31.71	29711	11.37.73	30923	17 ² .107
27671	7.59.67	28681	23.29.43	29767	17 ² .103	30943	11.29.97
27683	19.31.47	28717	13.47 ²	29783	13.29.79	31000	
27713	7.37.107	28747	17.19.89	29791	31 ³	31003	7.43.103
27761	17.23.71	28823	19.37.41	29887	11 ² .13.19	31027	19.23.71
27797	7.11.19 ²	28853	11.43.61	29939	7 ² .13.47	31031	7.11.13.31
27839	7.41.97	28861	7 ² .19.31	29963	19 ² .83	31093	17.31.59
27869	29.31 ²	28897	11.37.71	29971	17.41.43	31117	29 ² .37
27907	11.43.59	28987	7.41.101	30000		31171	7.61.73
27911	13.19.113	29000		30073	17.29.61	31211	23 ² .59
27931	17.31.53	29003	13.23.97	30107	7.11.17.23	31213	7 ⁴ .13
28000		29029	7.11.13.29	30149	7.59.73	31217	19.31.53
28033	17 ² .97	29087	17.29.59	30199	13.23.101	31283	7.41.109
28037	23 ² .53	29189	17 ² .101	30217	11.41.67	31291	13.29.83
28067	13.17.127	29197	7.43.97	30229	19.37.43	31331	17.19.97
28231	7.37.109	29203	19.29.53	30317	7.61.71	31339	7.11 ² .37
28249	13.41.53	29233	23.31.41	30349	11.31.89	31349	23.29.47
28303	11.31.83	29267	7.37.113	30401	7.43.101	31369	13.19.127
28379	13.37.59	29279	19.23.67	30503	11.47.59	31423	7.67 ²
28391	11.29.89	29281	7.47.89	30527	7 ³ .89	31433	17.43 ²
28469	7 ³ .83	29309	7.53.79	30613	11 ³ .23	31447	13.41.59
28519	19 ² .79	29323	7.59.71	30659	23.31.43	31487	23.37 ²
28543	17.23.73	29341	13.37.61	30709	7.41.107	31501	17 ² .109
28561	13 ⁴	29393	7.13.17.19	30793	7.53.83	31537	11.47.61
28567	7 ² .11.53	29419	13.31.73	30797	13.23.103	31603	11.13 ² .17
28577	17.41 ²	29561	7.41.103	30821	7 ² .17.37	31691	11.43.67
28589	11.23.113	29563	17.37.47	30889	17.23.79	31801	7 ² .11.59

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
31837	13.31.79	32857	11.29.103	34000		35003	17.29.71
31901	19.23.73	32879	7 ² .11.61	34013	7.43.113	35017	19 ² .97
31913	7.47.97	32893	7.37.127	34099	13.43.61	35113	13.37.73
31939	19.41 ²	32923	11.41.73	34133	11.29.107	35123	11.31.103
31993	13.23.107	32981	13.43.59	34151	13.37.71	35131	19.43 ²
32000		33000		34153	7 ² .17.41	35203	7.47.107
32021	11.41.71	33019	7.53.89	34237	7.67.73	35207	17.19.109
32129	19 ² .89	33031	17.29.67	34279	7.59.83	35287	7.71 ²
32131	11.23.127	33041	19.37.47	34307	7.13 ² .29	35309	17.31.67
32147	17.31.61	33077	11.31.97	34357	17.43.47	35321	11.13 ² .19
32153	11.37.79	33229	7.47.101	34391	7.17 ³	35329	7 ³ .103
32207	7.43.107	33263	29.31.37	34397	11.53.59	35351	23.29.53
32219	11.29.101	33269	17.19.103	34441	11.31.101	35441	7.61.83
32227	13.37.67	33271	7 ³ .97	34447	7 ² .19.37	35443	23 ² .67
32269	23 ² .61	33299	7.67.71	34481	29 ² .41	35557	31 ² .37
32383	13.47.53	33337	17.37.53	34523	19.23.79	35563	11.53.61
32431	7.41.113	33449	13.31.83	34529	11.43.73	35581	7.13.17.23
32453	17.23.83	33497	19.41.43	34561	17.19.107	35629	11.41.79
32509	19.29.59	33511	23.31.47	34639	11.47.67	35711	13.41.67
32513	13.41.61	33553	13.29.89	34643	7 ³ .101	35819	7 ² .17.43
32591	13.23.109	33583	11.43.71	34727	7.11 ² .41	35861	7.47.109
32623	17.19.101	33611	19.29.61	34751	19.31.59	35867	13.31.89
32627	7.59.79	33649	7.11.19.23	34771	11.29.109	35929	19.31.61
32657	17 ² .113	33733	7.61.79	34799	17.23.89	35987	7.53.97
32683	7 ² .23.29	33761	7 ² .13.53	34891	23.37.41	35989	17.29.73
32759	17.41.47	33781	11.37.83	34937	7 ² .23.31	36000	
32809	7.43.109	33787	13.23.113	34969	11 ² .17 ²	36047	11.29.113
32851	7.13.19 ²	33887	7.47.103	35000		36049	13.47.59

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
36113	$7^2.11.67$	37177	7.47.113	38269	$7^2.11.71$	39347	$7^2.11.73$
36163	$29^2.43$	37183	$19^2.103$	38291	11.59^2	39349	$19^2.109$
36179	$11^2.13.23$	37259	19.37.53	38369	17.37.61	39353	23.29.59
36223	11.37.89	37271	13.47.61	38399	19.43.47	39401	$31^2.41$
36271	19.23.83	37303	7.73^2	38437	$7.17^2.19$	39463	19.31.67
36281	7.71.73	37349	$13^3.17$	38471	17.31.73	39479	11.37.97
36421	$7.11^2.43$	37367	11.43.79	38533	11.31.113	39491	17.23.101
36449	7.41.127	37387	$7^3.109$	38599	$11^3.29$	39527	$29^2.47$
36461	$19^2.101$	37417	17.31.71	38617	$23^2.73$	39589	11.59.61
36487	11.31.107	37433	11.41.83	38627	$19^2.107$	39689	13.43.71
36499	17.19.113	37453	13.43.67	38657	29.31.43	39697	7.53.107
36517	13.53^2	37471	7.53.101	38663	23.41^2	39701	29.37^2
36569	13.29.97	37553	17.47^2	38743	17.43.53	39767	7.13.19.23
36593	23.37.43	37559	$23^2.71$	38759	$7^3.113$	39809	$7.11^2.47$
36613	19.41.47	37583	$7^2.13.59$	38831	13.29.103	39923	13.37.83
36673	$7.13^2.31$	37741	11.47.73	38857	$7^2.13.61$	39997	23.37.47
36701	$7^3.107$	37789	23.31.53	38893	19.23.89	40000	
36703	$17^2.127$	37843	13.41.71	38909	13.41.73	40033	$7^2.19.43$
36707	11.47.71	37927	17.23.97	38927	7.67.83	40061	7.59.97
36757	7.59.89	37961	7.11.17.29	38947	17.29.79	40139	11.41.89
36859	29.31.41	37973	13.23.127	39000		40223	19.29.73
36917	19.29.67	37999	13.37.79	39061	11.53.67	40273	17.23.103
36941	17.41.53	38000		39083	$11^2.17.19$	40339	13.29.107
37000		38003	7.61.89	39091	13.31.97	40369	7.73.79
37037	7.11.13.37	38077	13.29.101	39121	19.29.71	40439	7.53.109
37051	7.67.79	38171	$7^2.19.41$	39151	$7^2.17.47$	40513	11.29.127
37111	17.37.59	38213	7.53.103	39259	11.43.83	40549	23.41.43
37169	11.31.109	38227	7.43.127	39263	7.71.79	40579	7.11.17.31

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
40651	13.53.59	41633	17.31.79	42581	7 ² .11.79	43771	7.13 ² .37
40687	23.29.61	41699	7 ² .23.37	42601	13.29.113	43877	17.29.89
40703	13.31.101	41713	7.59.101	42619	17.23.109	43907	23 ² .83
40733	7.11.23 ²	41741	7.67.89	42679	7 ² .13.67	43927	13.31.109
40793	19 ² .113	41743	13 ³ .19	42757	11.13 ² .23	43981	7.61.103
40807	13.43.73	41783	7.47.127	42809	13.37.89	43993	29.37.41
40817	7 ⁴ .17	41791	23 ² .79	42883	19.37.61	44000	
40843	11.47.79	41819	19.31.71	42911	11.47.83	44051	7 ² .29.31
40919	17.29.83	41837	17.23.107	42959	7.17.19 ²	44137	19.23.101
40931	11.61 ²	41921	11.37.103	42997	19.31.73	44149	7 ² .17.53
40937	13.47.67	41923	7.53.113	43000		44161	13.43.79
41000		41971	19.47 ²	43043	7.11.13.43	44183	17.23.113
41021	17.19.127	42000		43121	13.31.107	44191	7.59.107
41041	7.11.13.41	42029	13.53.61	43127	7.61.101	44233	7.71.89
41093	13.29.109	42067	23.31.59	43129	17.43.59	44239	13.41.83
41107	11.37.101	42097	11.43.89	43301	19.43.53	44321	23.41.47
41123	17.41.59	42107	13.41.79	43307	11.31.127	44363	11.37.109
41209	7 ² .29 ²	42143	17.37.67	43381	13.47.71	44573	29 ² .53
41251	7.71.83	42253	29.31.47	43483	11.59.67	44591	17.43.61
41261	11 ³ .31	42347	17.47.53	43493	23.31.61	44603	13.47.73
41287	19.41.53	42389	19.23.97	43529	19.29.79	44659	17.37.71
41323	31 ² .43	42413	7.73.83	43549	11.37.107	44689	23.29.67
41327	11.13.17 ²	42427	7.11.19.29	43561	7 ³ .127	44737	7 ² .11.83
41393	11.53.71	42439	31.37 ²	43681	11 ² .19 ²	44863	7.13.17.29
41419	7.61.97	42517	17.41.61	43687	7.79 ²	44891	7.11 ² .53
41477	19.37.59	42527	23.43 ²	43741	17.31.83	44957	11.61.67
41503	7 ³ .11 ²	42539	7.59.103	43747	11.41.97	45000	
41509	13.31.103	42559	11.53.73	43757	7 ² .19.47	45011	19.23.103

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
45017	7.59.109	46397	13.43.83	47633	19.23.109	48739	17.47.61
45103	23.37.53	46453	11.41.103	47641	11.61.71	48749	29.41 ²
45167	31 ² .47	46483	23.43.47	47647	29.31.53	48763	11 ² .13.31
45227	7 ² .13.71	46501	7 ² .13.73	47753	17.53 ²	48841	13 ² .17 ²
45253	13.59 ²	46529	7.17 ² .23	47771	23.31.67	48887	19.31.83
45353	7.11.19.31	46531	19.31.79	47773	11.43.101	48919	13.53.71
45479	7.73.89	46543	7.61.109	47821	17.29.97	48977	17.43.67
45493	7.67.97	46657	13.37.97	47879	13.29.127	48983	11.61.73
45539	13.31.113	46669	7.59.113	47957	7.13.17.31	49000	
45551	11.41.101	46699	17.41.67	47971	7 ² .11.89	49039	19.29.89
45617	11 ² .13.29	46759	19.23.107	48000		49049	7 ³ .11.13
45619	7 ⁴ .19	46787	13.59.61	48013	7.19 ³	49147	7 ² .17.59
45689	7.61.107	46903	17.31.89	48139	7.13.23 ²	49159	11.41.109
45733	19.29.83	47000		48203	19.43.59	49217	7.79.89
45847	19 ² .127	47027	31.37.41	48209	7.71.97	49247	11 ³ .37
45881	11.43.97	47047	7.11.13.47	48223	7.83 ²	49321	31.37.43
45899	7.79.83	47081	23 ² .89	48251	7.61.113	49343	7 ² .19.53
45917	17.37.73	47089	7 ² .31 ²	48257	11.41.107	49379	11.67 ²
45961	19.41.59	47101	19.37.67	48269	13.47.79	49381	19.23.113
45991	11.37.113	47117	7.53.127	48307	7.67.103	49487	17.41.71
46000		47141	17.47.59	48373	13.61 ²	49543	13.37.103
46013	11.47.89	47311	11 ² .17.23	48389	11.53.83	49567	7.73.97
46057	11.53.79	47329	19.47.53	48433	7.11.17.37	49619	29 ² .59
46079	11.59.71	47357	23.29.71	48461	7 ² .23.43	49657	17.23.127
46139	29.37.43	47369	7.67.101	48503	7.13 ² .41	49691	17.37.79
46163	13.53.67	47377	11.59.73	48581	13.37.101	49751	13.43.89
46189	11.13.17.19	47437	13.41.89	48691	23.29.73	49793	17.29.101
46207	7 ² .23.41	47519	19.41.61	48719	11.43.103	49837	19.43.61

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
49913	19.37.71	51181	13.31.127	52417	23.43.53	53599	7.13.19.31
49973	7.11 ² .59	51191	7.71.103	52421	19.31.89	53621	29.43 ²
49979	23.41.53	51271	11.59.79	52429	13.37.109	53641	7.79.97
50000		51301	29 ² .61	52451	7.59.127	53669	7.11.17.41
50141	7.13.19.29	51313	23 ² .97	52577	7 ² .29.37	53737	17.29.109
50149	11.47.97	51319	19.37.73	52633	7.73.103	53801	11.67.73
50183	7.67.107	51359	7.11.23.29	52687	19.47.59	53833	13.41.101
50197	7.71.101	51389	13.59.67	52693	23.29.79	53867	11.59.83
50209	23.37.59	51467	13.37.107	52751	17.29.107	53909	31.37.47
50297	13.53.73	51557	11.43.109	52871	7 ² .13.83	53911	11.13 ² .29
50323	7 ² .13.79	51611	7.73.101	52877	11 ² .19.23	54000	
50431	29.37.47	51623	11.13.19 ²	52969	7 ² .23.47	54043	11.17 ³
50531	13 ³ .23	51667	7.11 ² .61	52997	7.67.113	54131	7.11.19.37
50611	11.43.107	51689	11.37.127	53000		54173	7.71.109
50623	23.31.71	51701	13.41.97	53009	11.61.79	54223	13.43.97
50653	37 ³	51709	7.83.89	53041	29.31.59	54229	7.61.127
50713	13.47.83	51887	11.53.89	53053	7.11.13.53	54281	17.31.103
50779	17.29.103	51901	17.43.71	53131	13.61.67	54353	13.37.113
50807	23.47 ²	51911	23.37.61	53159	17.53.59	54379	13.47.89
50813	7 ² .17.61	52000		53179	7.71.107	54431	13.53.79
50869	7.13 ² .43	52003	7.17.19.23	53227	17.31.101	54439	7 ² .11.101
50881	17.41.73	52049	23.31.73	53251	11.47.103	54457	13.59.71
50933	31 ² .53	52111	31.41 ²	53363	17.43.73	54473	19.47.61
50963	11.41.113	52193	19.41.67	53371	19.53 ²	54487	23 ² .103
51000		52207	17.37.83	53429	23 ² .101	54571	11 ³ .41
51119	17.31.97	52217	11.47.101	53447	19.29.97	54587	13 ² .17.19
51121	7.67.109	52283	7 ² .11.97	53449	11.43.113	54653	31.41.43
51127	29.41.43	52327	11.67.71	53533	17.47.67	54677	7.73.107

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
54739	19.43.67	55991	13.59.73	57133	19.31.97	58351	23.43.59
54839	29.31.61	56000		57187	13.53.83	58357	13.67 ²
54899	13.41.103	56129	37 ² .41	57233	11 ³ .43	58421	11.47.113
54901	7.11.23.31	56161	7.71.113	57239	7.13.17.37	58609	29.43.47
54929	7 ² .19.59	56203	7 ² .31.37	57277	11.41.127	58619	11.73 ²
54961	17.53.61	56287	7.11.17.43	57293	23.47.53	58621	31 ² .61
55000		56303	13.61.71	57319	31.43 ²	58667	7.17 ² .29
55063	17.41.79	56327	23.31.79	57443	17.31.109	58681	7.83.101
55223	7 ⁴ .23	56347	29 ² .67	57523	23.41.61	58751	7 ² .11.109
55309	19.41.71	56353	11.47.109	57577	13.43.103	58867	37 ² .43
55319	11.47.107	56357	7.83.97	57629	11.13 ² .31	58883	11.53.101
55361	23.29.83	56389	17.31.107	57661	23 ² .109	58957	19.29.107
55447	7.89 ²	56459	13.43.101	57673	7 ² .11.107	59000	
55451	11.71 ²	56551	11.53.97	57743	7.73.113	59059	7.11.13.59
55499	19.23.127	56603	23 ² .107	57749	17.43.79	59143	7 ² .17.71
55517	7 ² .11.103	56693	7 ² .13.89	57761	11.59.89	59171	7.79.107
55537	19.37.79	56699	31 ² .59	57851	17.41.83	59177	17.59 ²
55601	7.13 ² .47	56729	17.47.71	57889	13.61.73	59179	23.31.83
55637	23.41.59	56749	7.11 ² .67	57967	7 ³ .13 ²	59267	13.47.97
55651	19.29.101	56753	19.29.103	58000		59363	23.29.89
55693	11.61.83	56791	7 ² .19.61	58007	19.43.71	59413	19.53.59
55699	7.73.109	56867	19.41.73	58097	13.41.109	59489	19.31.101
55709	17.29.113	56869	29.37.53	58121	7.19 ² .23	59551	17.31.113
55811	7 ² .17.67	56959	7.79.103	58201	11 ² .13.37	59563	7.67.127
55853	7.79.101	57000		58223	11.67.79	59641	19.43.73
55883	29.41.47	57013	11.71.73	58261	7 ² .29.41	59653	11 ² .17.29
55913	11.13.17.23	57017	23.37.67	58327	17.47.73	59711	29 ² .71
55981	17.37.89	57031	13.41.107	58349	19.37.83	59719	11.61.89

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
59731	7 ² .23.53	61000		62491	11.13.19.23	63547	11.53.109
59737	31.41.47	61009	13 ² .19 ²	62557	11 ³ .47	63583	13.67.73
59777	23 ² .113	61013	17.37.97	62567	19.37.89	63661	13.59.83
59813	13.43.107	61061	7.11.13.61	62611	17.29.127	63713	13 ³ .29
59831	19.47.67	61087	13.37.127	62647	13.61.79	63767	11 ² .17.31
59843	7.83.103	61103	7 ² .29.43	62651	31.43.47	63779	23.47.59
59983	7.11.19.41	61171	11.67.83	62699	7.13 ² .53	63829	29.31.71
60000		61183	17.59.61	62713	7.17 ² .31	63869	13.17 ³
60049	11.53.103	61321	13.53.89	62909	7.11.19.43	63971	17.53.71
60059	19.29.109	61393	29 ² .73	62923	7.89.101	63973	7.13.19.37
60071	11.43.127	61427	19.53.61	62933	13.47.103	64000	
60137	7.11 ² .71	61523	7.11.17.47	62951	7.17.23 ²	64009	11 ² .23 ²
60229	13.41.113	61541	19.41.79	62953	11.59.97	64061	29.47 ²
60233	29.31.67	61699	11.71.79	63000		64141	7 ³ .11.17
60277	7.79.109	61711	13.47.101	63017	29.41.53	64169	7.89.103
60329	23.43.61	61789	7 ² .13.97	63023	19.31.107	64201	19.31.109
60367	17.53.67	61831	7.11 ² .73	63119	7.71.127	64337	7 ² .13.101
60401	11.17 ² .19	61841	13.67.71	63121	17.47.79	64343	37 ² .47
60421	23.37.71	62000		63167	13.43.113	64387	31 ² .67
60431	7.89.97	62033	17.41.89	63181	23.41.67	64493	11 ² .13.41
60593	13.59.79	62123	23.37.73	63257	17.61 ²	64543	19.43.79
60667	19.31.103	62167	7.83.107	63307	29.37.59	64607	23.53 ²
60673	17.43.83	62197	37.41 ²	63329	7.83.109	64657	19.41.83
60697	7.13.23.29	62263	19.29.113	63403	19.47.71	64699	23.29.97
60791	31.37.53	62279	7 ² .31.41	63427	7.13.17.41	64757	7.11.29 ²
60809	7 ² .17.73	62377	7 ² .19.67	63437	11.73.79	64787	17.37.103
60907	7 ² .11.113	62381	11.53.107	63457	23.31.89	64823	11.71.83
60931	13.43.109	62489	7.79.113	63529	17.37.101	64883	7.13.23.31

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
64897	7.73.127	66101	7 ² .19.71	67469	19.53.67	68839	23.41.73
65000		66139	19.59 ²	67507	11.17.19 ²	68921	41 ³
65059	17.43.89	66263	23.43.67	67609	17.41.97	69000	
65087	11.61.97	66317	17.47.83	67639	11 ² .13.43	69043	13.47.113
65189	19.47.73	66439	29 ² .79	67673	31.37.59	69113	11.61.103
65219	7 ² .11 ³	66493	7 ² .23.59	67691	13.41.127	69139	7 ² .17.83
65231	37.41.43	66521	7.13.17.43	67771	11.61.101	69161	23.31.97
65317	7 ² .31.43	66557	19.31.113	67811	19.43.83	69223	7.11.29.31
65377	13.47.107	66599	13.47.109	67907	7.89.109	69277	13.73 ²
65453	29.37.61	66649	11.73.83	67963	7 ² .19.73	69331	19.41.89
65527	7.11.23.37	66661	7.89.107	68000		69377	7.11.17.53
65533	13.71 ²	66671	11 ² .19.29	68107	13 ³ .31	69433	7 ² .13.109
65549	11.59.101	66787	7 ² .29.47	68159	7 ² .13.107	69443	11.59.107
65569	7.17.19.29	66833	13.53.97	68191	19.37.97	69479	17.61.67
65593	11.67.89	66847	11.59.103	68231	31 ² .71	69509	11.71.89
65611	7 ² .13.103	66913	7.11 ² .79	68263	13.59.89	69589	13.53.101
65627	29.31.73	66929	17.31.127	68381	19.59.61	69629	7 ⁴ .29
65653	7.83.113	66953	23.41.71	68413	37.43 ²	69797	7.13 ² .59
65659	11.47.127	67000		68453	7 ² .11.127	69803	29 ² .83
65773	17.53.73	67067	7.11.13.67	68479	31.47 ²	69937	7.97.103
65807	7 ² .17.79	67081	7 ² .37 ²	68561	17.37.109	69967	31.37.61
65819	13.61.83	67183	23 ² .127	68579	7.97.101	69977	19.29.127
65863	7.97 ²	67201	17.59.67	68651	11.79 ²	70000	
65879	11.53.113	67229	23.37.79	68701	23.29.103	70091	7.17.19.31
65941	23.47.61	67303	17.37.107	68747	7 ² .23.61	70151	29.41.59
66000		67363	31.41.53	68761	7.11.19.47	70153	31 ² .73
66079	13 ² .17.23	67367	23.29.101	68783	11.13 ² .37	70219	23.43.71
66091	29.43.53	67379	13.71.73	68809	13.67.79	70231	7.79.127

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
70301	7.11 ² .83	71393	7 ² .31.47	72821	7.101.103	74359	23.53.61
70357	7.19.23 ²	71407	7.101 ²	72917	13.71.79	74399	13.59.97
70397	17.41.101	71467	11.73.89	73000		74431	7 ⁴ .31
70399	7.89.113	71489	11.67.97	73073	7.11.13.73	74437	11.67.101
70499	11.13.17.29	71497	19.53.71	73117	11.17 ² .23	74497	23.41.79
70543	11 ³ .53	71687	7 ³ .11.19	73139	11.61.109	74579	17.41.107
70547	19.47.79	71791	17.41.103	73219	17.59.73	74617	29.31.83
70577	13.61.89	71797	11.61.107	73283	7.19 ² .29	74777	37.43.47
70633	23.37.83	71891	29.37.67	73337	11.59.113	74783	17.53.83
70649	31.43.53	71921	23.53.59	73439	23.31.103	74803	19.31.127
70699	19.61 ²	71981	7 ² .13.113	73511	19.53.73	74849	29 ² .89
70741	11.59.109	72000		73549	7 ² .19.79	74851	7.17 ² .37
70889	7.13.19.41	72013	23.31.101	73573	29.43.59	74971	13.73.79
70907	17.43.97	72127	11.79.83	73627	17.61.71	74989	31.41.59
70967	13.53.103	72163	7.13 ² .61	73723	13.53.107	75000	
70993	13.43.127	72197	23.43.73	73787	7.83.127	75101	13.53.109
71000		72239	29.47.53	73831	17.43.101	75107	19.59.67
71003	19.37.101	72283	41 ² .43	73853	13 ² .19.23	75221	19.37.107
71021	29.31.79	72293	13.67.83	73931	11 ² .13.47	75293	17.43.103
71071	7.11.13.71	72409	19.37.103	73997	7.11.31 ²	75313	7 ² .29.53
71077	17.37.113	72427	23.47.67	74000		75361	11.13.17.31
71111	17.47.89	72529	29.41.61	74011	7.97.109	75371	23.29.113
71179	17.53.79	72557	37 ² .53	74041	11.53.127	75383	7.11 ² .89
71213	17.59.71	72611	7.11.23.41	74119	19.47.83	75449	11.19 ³
71269	11 ² .19.31	72653	7.97.107	74137	7 ² .17.89	75509	7 ² .23.67
71299	37.41.47	72703	23.29.109	74263	7.103 ²	75563	19.41.97
71369	23.29.107	72709	7.13.17.47	74333	7 ² .37.41	75647	11.13.23 ²
71383	13.17 ² .19	72713	19.43.89	74347	7.13.19.43	75649	7.101.107

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
75701	17.61.73	77147	7.103.107	78767	13.73.83	80011	29.31.89
75739	23.37.89	77221	31.47.53	78793	11.13.19.29	80017	7 ² .23.71
75757	11.71.97	77231	7.11.17.59	78859	11.67.107	80063	23.59 ²
75779	11.83 ²	77273	7 ² .19.83	78881	11.71.101	80093	13.61.101
75803	7 ³ .13.17	77341	11.79.89	78913	23.47.73	80143	7.107 ²
75809	41.43 ²	77441	7.13.23.37	79000		80189	17.53.89
75823	11.61.113	77467	13.59.101	79001	13.59.103	80237	19.41.103
75911	11.67.103	77503	17.47.97	79007	41 ² .47	80333	11.67.109
75919	31 ² .79	77519	13.67.89	79079	7.11.13.79	80401	37.41.53
75973	17.41.109	77531	31.41.61	79121	7.89.127	80417	29.47.59
76000		77539	7.11.19.53	79237	17.59.79	80443	11.71.103
76067	29.43.61	77597	13.47.127	79249	19.43.97	80507	7 ² .31.53
76109	11 ² .17.37	77653	19.61.67	79261	7.13 ² .67	80569	23.31.113
76153	7.11.23.43	77717	23.31.109	79373	7.17.23.29	80699	17.47.101
76183	29.37.71	77857	13.53.113	79439	19.37.113	80707	11 ² .23.29
76219	11.13 ² .41	77891	11.73.97	79477	19.47.89	80771	37 ² .59
76291	23.31.107	77959	7 ² .37.43	79507	43 ³	80801	7 ² .17.97
76313	17.67 ²	78000		79553	19.53.79	80869	17.67.71
76531	7.13.29 ²	78131	23.43.79	79591	19.59.71	80899	7 ² .13.127
76609	13.71.83	78217	17.43.107	79663	29.41.67	81000	
76627	19.37.109	78269	23.41.83	79679	17.43.109	81103	11.73.101
76727	7.97.113	78329	29.37.73	79763	31 ² .83	81133	13.79 ²
76751	23.47.71	78337	7.19 ² .31	79781	13.17.19 ²	81191	11 ³ .61
76849	31.37.67	78529	11 ³ .59	79849	7.11.17.61	81257	11.83.89
76921	13.61.97	78589	7.103.109	79883	17.37.127	81263	7.13.19.47
77000		78647	31.43.59	79891	7.101.113	81289	13 ³ .37
77063	7.101.109	78679	19.41.101	79937	11.13 ² .43	81313	31.43.61
77077	7 ² .11 ² .13	78761	17.41.113	80000		81437	31.37.71

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
81461	29.53 ²	82859	7 ² .19.89	84227	11.13.19.31	85547	7.11 ² .101
81473	7.103.113	82861	41.43.47	84293	11.79.97	85583	23.61 ²
81577	29 ² .97	82943	7.17 ² .41	84323	37.43.53	85697	17.71 ²
81641	7.107.109	83000		84337	11 ² .17.41	85799	7 ² .17.103
81673	23.53.67	83083	7.11.13.83	84419	29.41.71	85813	7.13.23.41
81679	13.61.103	83143	29.47.61	84461	13.73.89	85921	11.73.107
81719	11.17.19.23	83147	17.67.73	84487	13.67.97	85951	23.37.101
81733	37.47 ²	83167	7.109 ²	84607	19.61.73	85963	31.47.59
81809	7.13.29.31	83237	7.11.23.47	84637	7.107.113	86000	
81833	19.59.73	83249	17.59.83	84709	23.29.127	86071	17.61.83
81923	17.61.79	83281	11.67.113	84721	7 ³ .13.19	86219	7.109.113
81991	7.13.17.53	83317	13 ² .17.29	84767	29.37.79	86233	7.97.127
82000		83353	19.41.107	84847	7.17.23.31	86273	11 ² .23.31
82069	13.59.107	83369	11 ² .13.53	84851	13.61.107	86317	7.11.19.59
82087	23.43.83	83509	37 ² .61	84911	19.41.109	86359	7.13 ² .73
82147	13.71.89	83521	17 ⁴	84941	29 ² .101	86387	7 ² .41.43
82159	7.11 ² .97	83549	29.43.67	85000		86411	13.17 ² .23
82271	7 ² .23.73	83567	11.71.107	85063	11 ² .19.37	86437	13.61.109
82289	19.61.71	83581	19.53.83	85129	11.71.109	86549	23.53.71
82297	17.47.103	83603	13.59.109	85157	31.41.67	86621	19.47.97
82369	7 ² .41 ²	83657	7.17.19.37	85169	7.23 ³	86623	29 ² .103
82423	11.59.127	83731	31.37.73	85211	7 ² .37.47	86671	13.59.113
82517	19.43.101	83839	7 ² .29.59	85217	11.61.127	86681	7 ² .29.61
82547	23.37.97	83927	23.41.89	85241	13.79.83	86779	7 ³ .11.23
82603	17.43.113	83993	7.13 ² .71	85291	19.67 ²	86797	29.41.73
82621	7.11.29.37	84000		85399	23.47.79	86903	43 ² .47
82709	11.73.103	84133	7 ² .17.101	85493	17.47.107	86989	7.17 ² .43
82777	23.59.61	84151	19.43.103	85529	31 ² .89	87000	

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
87079	31.53 ²	88877	31.47.61	89947	11.13.17.37	91321	29.47.67
87091	17.47.109	88987	23.53.73	89981	17.67.79	91333	11.19 ² .23
87131	11.89 ²	89000		89987	29 ² .107	91403	13.79.89
87203	29.31.97	89033	7 ² .23.79	89999	7.13.23.43	91471	23.41.97
87241	7.11 ² .103	89053	19.43.109	90000		91553	7.11.29.41
87373	11.13 ² .47	89059	29.37.83	90077	13 ³ .41	91561	19.61.79
87397	17.53.97	89063	13 ² .17.31	90193	19.47.101	91567	7.103.127
87419	19.43.107	89089	7.11.13.89	90241	31.41.71	91637	7.13.19.53
87451	7.13.31 ²	89093	41 ² .53	90287	17.47.113	91669	29 ² .109
87503	13.53.127	89131	7 ² .17.107	90307	7 ² .19.97	91723	37 ² .67
87527	11.73.109	89167	13.19 ³	90383	19.67.71	91979	19.47.103
87653	23.37.103	89177	11 ³ .67	90551	23.31.127	92000	
87703	7.11.17.67	89243	7.11.19.61	90569	41.47 ²	92053	13.73.97
87769	11.79.101	89267	17.59.89	90593	17.73 ²	92167	37.47.53
87971	13.67.101	89281	19.37.127	90601	7 ² .43 ²	92191	11.17 ² .29
88000		89311	31.43.67	90613	31.37.79	92213	11.83.101
88021	23.43.89	89383	7.113 ²	90629	7.11 ² .107	92293	17.61.89
88027	19.41.113	89401	13 ² .23 ²	90683	29.53.59	92321	19.43.113
88111	17.71.73	89503	37.41.59	90739	11.73.113	92323	7.11 ² .109
88253	11.71.113	89507	11.79.103	90797	7 ² .17.109	92537	37.41.61
88319	7.11.31.37	89531	13.71.97	90799	29.31.101	92597	29.31.103
88451	11 ² .17.43	89557	13.83 ²	90919	23.59.67	92659	7 ² .31.61
88519	17.41.127	89609	13.61.113	91000		92701	7.17.19.41
88537	29.43.71	89621	7 ² .31.59	91001	17.53.101	92759	23.37.109
88559	19.59.79	89623	19.53.89	91031	29.43.73	92783	31.41.73
88561	11.83.97	89713	13.67.103	91057	23.37.107	92803	17.53.103
88711	7.19.23.29	89723	23.47.83	91091	7 ² .11.13 ²	92807	11 ² .13.59
88837	7 ⁴ .37	89789	7.101.127	91273	7.13.17.59	92837	17.43.127

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
92929	19.67.73	94501	11 ³ .71	96019	7.11.29.43	97643	7.13.29.37
92939	7.11.17.71	94537	17.67.83	96031	13.83.89	97679	19.53.97
92983	11.79.107	94643	31.43.71	96089	7 ² .37.53	97691	11.83.107
93000		94721	11.79.109	96163	23.37.113	97747	13.73.103
93043	19.59.83	94829	7.19.23.31	96193	29.31.107	97867	7.11.31.41
93119	13 ² .19.29	94939	13.67.109	96197	19.61.83	97991	29.31.109
93197	13.67.107	94963	11.89.97	96209	23.47.89	97997	43 ² .53
93217	31 ² .97	94987	43.47 ²	96301	23.53.79	98000	
93223	13.71.101	95000		96347	23.59.71	98021	7.11.19.67
93347	17 ³ .19	95033	29 ² .113	96407	17.53.107	98039	17.73.79
93439	41.43.53	95069	13.71.103	96577	13.17.19.23	98189	7.13 ² .83
93457	7.13 ² .79	95081	7.17 ² .47	96679	11 ² .17.47	98197	11.79.113
93499	7.19 ² .37	95123	7.107.127	96773	29.47.71	98209	17.53.109
93541	7 ² .23.83	95201	31.37.83	96901	7.109.127	98371	7.13.23.47
93599	11.67.127	95207	7 ² .29.67	96937	31.53.59	98423	13.67.113
93757	29.53.61	95243	23.41.101	97000		98441	7 ⁴ .41
93863	7.11.23.53	95353	17.71.79	97051	37.43.61	98477	19.71.73
93869	37.43.59	95381	11.13.23.29	97061	31 ² .101	98513	29.43.79
93931	29.41.79	95497	29.37.89	97097	7.11.13.97	98527	11.13 ² .53
94000		95551	19.47.107	97129	23.41.103	98549	11.17 ² .31
94001	23.61.67	95557	7.11.17.73	97163	11 ³ .73	98687	29.41.83
94031	7 ² .19.101	95711	7.11 ² .113	97199	37 ² .71	98761	13.71.107
94039	11.83.103	95779	19.71 ²	97223	7.17.19.43	98857	11 ² .19.43
94129	7 ² .17.113	95849	13.73.101	97291	17.59.97	98879	11.89.101
94259	11 ² .19.41	95893	7 ² .19.103	97309	31.43.73	98923	11.17.23 ²
94367	7.13.17.61	95933	23.43.97	97337	19.47.109	98933	19.41.127
94423	7 ² .41.47	95953	11 ² .13.61	97409	13.59.127	98983	31 ² .103
94471	13 ³ .43	96000		97619	31.47.67	99000	

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
99029	7 ² .43.47	100837	11.89.103	102419	23.61.73	103721	19.53.103
99061	23.59.73	100891	7 ² .29.71	102487	7.11 ⁴	103727	13.79.101
99127	7 ³ .17 ²	100901	23.41.107	102541	41 ² .61	103733	7 ² .29.73
99179	41 ² .59	100909	19.47.113	102557	7 ³ .13.23	103759	19.43.127
99187	11.71.127	100949	29.59 ²	102601	37.47.59	103823	47 ³
99499	29.47.73	101000		102641	7.11.31.43	103873	7.11.19.71
99517	11.83.109	101101	7.11.13.101	102787	23.41.109	103933	37.53 ²
99541	13 ² .19.31	101177	23.53.83	102827	31 ² .107	104000	
99613	23.61.71	101251	19.73 ²	102971	11 ² .23.37	104017	41.43.59
99617	7 ² .19.107	101269	7.17.23.37	102973	13.89 ²	104081	29.37.97
99619	13.79.97	101303	17.59.101	102979	29.53.67	104299	13.71.113
99671	11.13.17.41	101371	17.67.89	103000		104329	17 ² .19 ²
99769	19.59.89	101473	17.47.127	103003	17.73.83	104371	29.59.61
99889	23.43.101	101479	7 ² .19.109	103037	11.17.19.29	104377	7.13.31.37
99937	37 ² .73	101543	13.73.107	103103	7.11.13.103	104489	7.11.23.59
100000		101587	29.31.113	103151	19.61.89	104533	11.13.17.43
100079	7.17.29 ²	101639	37.41.67	103169	11.83.113	104663	13.83.97
100181	17.71.83	101707	19.53.101	103243	7 ⁴ .43	104737	17.61.101
100223	31.53.61	101761	11 ² .29 ²	103247	23.67 ²	104749	31 ² .109
100303	7 ² .23.89	101773	7 ² .31.67	103259	13 ³ .47	104753	11.89.107
100409	31.41.79	101813	17.53.113	103309	17.59.103	104857	23.47.97
100457	7.113.127	101867	23.43.103	103411	7.11.17.79	104951	7.11.29.47
100529	11.13.19.37	101959	11.13.23.31	103441	13.73.109	105000	
100567	19.67.79	101981	11.73.127	103447	31.47.71	105149	11 ³ .79
100589	17.61.97	102000		103499	11.97 ²	105203	7 ² .19.113
100607	13.71.109	102011	7.13.19.59	103501	29.43.83	105287	7.13 ² .89
100711	13.61.127	102083	31.37.89	103607	7.19 ² .41	105307	31.43.79
100793	7 ² .11 ² .17	102131	41.47.53	103649	7.13.17.67	105391	11 ² .13.67

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
105413	7.11.37 ²	107219	7.17 ² .53	108661	7.19 ² .43	110519	29.37.103
105469	7.13.19.61	107237	13.73.113	108737	19.59.97	110561	11.19.23 ²
105493	31.41.83	107321	17.59.107	108779	11 ² .29.31	110593	7 ² .37.61
105659	19.67.83	107387	7.23 ² .29	108953	13.17 ² .29	110617	13.67.127
105781	13.79.103	107423	17.71.89	108979	13.83.101	110627	11.89.113
105791	7 ² .17.127	107543	41.43.61	109000		110639	31.43.83
105821	29.41.89	107569	7.11 ² .127	109021	11 ² .17.53	110741	37.41.73
105823	23.43.107	107653	7 ² .13 ³	109091	43 ² .59	110789	7 ³ .17.19
106000		107677	29.47.79	109109	7.11.13.109	110837	23.61.79
106079	37.47.61	107707	37.41.71	109127	29.53.71	110887	7 ² .31.73
106097	17.79 ²	107749	19.53.107	109181	23.47.101	110929	7.13.23.53
106267	7.17.19.47	107767	11.97.101	109319	7 ² .23.97	110959	17.61.107
106301	13 ² .17.37	107801	23.43.109	109327	17.59.109	110983	29.43.89
106361	31.47.73	107849	7 ² .31.71	109411	23.67.71	111000	
106477	7 ² .41.53	107909	29.61 ²	109417	7 ³ .11.29	111137	13.83.103
106559	23.41.113	107911	31.59 ²	109573	19.73.79	111259	31.37.97
106571	19.71.79	107939	13.19 ² .23	109681	11.13 ² .59	111343	23.47.103
106597	37.43.67	108000		109763	19.53.109	111397	11.13.19.41
106711	11.89.109	108031	7.11.23.61	109837	7.13.17.71	111469	17.79.83
106799	7.11.19.73	108053	11 ² .19.47	109889	13.79.107	111569	31.59.61
106807	29 ² .127	108077	23.37.127	109901	11.97.103	111671	7 ² .43.53
106811	17.61.103	108151	37 ² .79	110000		111683	11 ² .13.71
106967	7 ² .37.59	108199	7.13.29.41	110081	31.53.67	111757	23.43.113
106981	7.17.29.31	108241	7 ² .47 ²	110143	11.17.19.31	111853	7.19.29 ²
107000		108373	29.37.101	110363	11.79.127	111943	13.79.109
107107	7.11.13.107	108491	23.53.89	110449	17.73.89	111967	19.71.83
107113	43.47.53	108593	31 ² .113	110473	11 ³ .83	112000	
107203	23.59.79	108647	7.11.17.83	110483	17.67.97	112189	7.11.31.47

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
112201	29.53.73	113477	7.13.29.43	115577	7.11.19.79	117000	
112211	11.101 ²	113627	37 ² .83	115661	7.13.31.41	117059	19.61.101
112217	7.17.23.41	113693	41.47.59	115667	23.47.107	117077	47 ² .53
112229	13.89.97	113791	19.53.113	115699	37.53.59	117079	17.71.97
112259	7 ² .29.79	113827	7 ² .23.101	115843	7.13.19.67	117113	17.83 ²
112423	19.61.97	114000		115847	31.37.101	117181	17.61.113
112493	23.67.73	114103	11 ² .23.41	115943	23.71 ²	117221	13.71.127
112627	41 ² .67	114169	11.97.107	115951	11.83.127	117317	17.67.103
112631	23.59.83	114173	29.31.127	116000		117547	41.47.61
112651	7 ² .11 ² .19	114257	11.13.17.47	116051	13.79.113	117611	13.83.109
112723	13 ² .23.29	114359	7.17.31 ²	116081	7 ² .23.103	117623	11.17 ² .37
112789	43 ² .61	114427	17.53.127	116143	37.43.73	117649	7 ⁶
112847	7 ⁴ .47	114433	11.101.103	116281	11 ² .31 ²	117691	7.17.23.43
112903	7.127 ²	114637	29.59.67	116303	11.97.109	117793	13 ² .17.41
112931	7.13.17.73	114751	7.13 ² .97	116441	13 ³ .53	117829	23.47.109
112961	37.43.71	114793	7.23 ² .31	116449	23.61.83	117943	7 ² .29.83
112999	17 ³ .23	114811	29.37.107	116467	13.17 ² .31	118000	
113000		114829	11 ² .13.73	116501	7.11.17.89	118121	41.43.67
113033	17.61.109	115000		116513	37.47.67	118141	31.37.103
113113	7.11.13.113	115039	17.67.101	116603	17.19 ³	118237	7 ² .19.127
113119	31.41.89	115103	31.47.79	116653	31.53.71	118243	23.53.97
113129	29.47.83	115121	19.73.83	116699	11.103 ²	118349	7.11.29.53
113183	7.19.23.37	115159	11.19 ² .29	116809	7.11.37.41	118459	11 ³ .89
113221	19.59.101	115169	41.53 ²	116831	11.13.19.43	118523	29.61.67
113297	19.67.89	115333	29.41.97	116857	13.89.101	118531	7 ² .41.59
113339	17.59.113	115351	31.61 ²	116909	13.17.23 ²	118579	19.79 ²
113399	11.13 ² .61	115453	13.83.107	116957	29.37.109	118637	31.43.89
113411	19.47.127	115463	19.59.103	116963	7 ³ .11.31	118657	7.11.23.67

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
118769	7.19 ² .47	120523	13.73.127	122000		123799	13.89.107
118807	13 ² .19.37	120571	11.97.113	122047	31 ² .127	123823	7 ³ .19 ²
118877	11.101.107	120589	7 ² .23.107	122059	7 ² .47.53	123883	43 ² .67
119000		120773	23.59.89	122153	23.47.113	124000	
119119	7 ² .11.13.17	120787	43.53 ²	122189	19.59.109	124013	19.61.107
119171	13.89.103	120931	31.47.83	122213	7.13.17.79	124033	7.13.29.47
119209	23.71.73	120959	29.43.97	122317	13.97 ²	124151	17.67.109
119239	43.47.59	121000		122467	29.41.103	124267	11 ² .13.79
119351	41 ² .71	121099	11.101.109	122507	7.11.37.43	124313	7 ² .43.59
119357	7.17 ² .59	121121	7.11 ³ .13	122543	31.59.67	124321	17.71.103
119377	19.61.103	121231	11.103.107	122549	7 ² .41.61	124333	11.89.127
119483	7.13 ² .101	121249	29.37.113	122567	23.73 ²	124553	11.13 ² .67
119527	17.79.89	121303	7.13.31.43	122713	41 ² .73	124579	7.13.37 ²
119567	7.19.29.31	121307	29.47.89	122729	31.37.107	124583	19.79.83
119621	37.53.61	121363	11 ² .17.59	122759	7.13.19.71	124729	11.17.23.29
119669	11 ² .23.43	121423	29.53.79	122843	7 ² .23.109	124867	23.61.89
119761	23.41.127	121429	7.11.19.83	123000		124903	29.59.73
119833	7.17.19.53	121471	7 ² .37.67	123101	11.19 ² .31	125000	
119843	37.41.79	121481	29.59.71	123119	23.53.101	125023	31.37.109
119939	31.53.73	121693	11.13.23.37	123281	43.47.61	125173	41.43.71
119947	19.59.107	121739	23.67.79	123287	31.41.97	125341	17.73.101
120000		121771	13.17.19.29	123403	7.17 ² .61	125419	7.19.23.41
120001	7 ² .31.79	121841	37 ² .89	123443	19.73.89	125477	11 ² .17.61
120061	19.71.89	121847	11 ² .19.53	123469	37.47.71	125543	11.101.113
120089	29.41.101	121849	7.13 ² .103	123481	19.67.97	125557	23.53.103
120263	11.13.29 ²	121873	17.67.107	123487	7.13.23.59	125579	17.83.89
120377	17.73.97	121907	17.71.101	123497	11.103.109	125599	29.61.71
120497	13 ² .23.31	121927	13.83.113	123539	13 ² .17.43	125603	23.43.127

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
125689	37.43.79	127699	11.13.19.47	129283	7.11.23.73	130891	19.83 ²
125741	7.11.23.71	127813	7.19.31 ²	129301	31.43.97	130913	31.41.103
125911	37.41.83	127823	17.73.103	129311	7 ³ .13.29	130967	19.61.113
125939	11.107 ²	127889	19.53.127	129437	7.11.41 ²	131000	
125947	29.43.101	127903	23.67.83	129601	29.41.109	131119	19.67.103
126000		128000		129611	31.37.113	131279	43 ² .71
126077	7 ² .31.83	128029	11.103.113	129623	13 ³ .59	131387	37.53.67
126113	13.89.109	128207	41.53.59	129673	31.47.89	131461	11.17.19.37
126217	7.13.19.73	128293	11.107.109	129797	31.53.79	131537	7.19.23.43
126293	17 ² .19.23	128371	31.41.101	129833	11 ² .29.37	131563	17.71.109
126331	19.61.109	128401	7.13.17.83	129859	31.59.71	131629	23.59.97
126469	7 ² .29.89	128441	29.43.103	129883	13.97.103	131651	13 ² .19.41
126511	7.11.31.53	128527	7 ² .43.61	130000		131699	17.61.127
126581	7.13 ² .107	128557	11.13.29.31	130169	13.17.19.31	131747	7.11.29.59
126673	19.59.113	128573	19.67.101	130181	29.67 ²	131989	11.13 ² .71
126697	31.61.67	128639	7.17.23.47	130207	7.11.19.89	132000	
126947	37.47.73	128699	41.43.73	130271	17.79.97	132023	47.53 ²
126973	7.11.17.97	128707	17.67.113	130321	19 ⁴	132053	37.43.83
127000		128723	7 ² .37.71	130331	47 ² .59	132209	7.11.17.101
127127	7.11.13.127	128797	37.59 ²	130339	11.17 ² .41	132211	29.47.97
127223	29.41.107	128843	11.13.17.53	130429	13.79.127	132349	7 ² .37.73
127253	7 ⁴ .53	128947	7.13 ² .109	130433	23.53.107	132553	41.53.61
127351	7 ² .23.113	129000		130559	11 ² .13.83	132587	7.13.31.47
127361	13.97.101	129007	23.71.79	130663	13.19.23 ²	132613	13.101 ²
127381	17.59.127	129107	11 ³ .97	130691	11.109 ²	132641	23.73.79
127571	29.53.83	129109	41.47.67	130741	13.89.113	132787	17.73.107
127673	7.13.23.61	129137	29.61.73	130801	11 ² .23.47	132793	37 ² .97
127687	7.17.29.37	129149	17.71.107	130853	19.71.97	132799	41 ² .79

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
132871	23.53.109	134927	13.97.107	136271	29.37.127	137917	13.103 ²
133000		134977	43 ² .73	136367	7 ² .11 ² .23	137921	7.17.19.61
133001	11.107.113	135000		136369	31.53.83	137953	29.67.71
133133	7 ² .11.13.19	135013	37.41.89	136391	17.71.113	138000	
133163	37.59.61	135031	13 ² .17.47	136493	7.17.31.37	138043	31.61.73
133331	11.17.23.31	135169	29.59.79	136591	7.13.19.79	138047	7.13.37.41
133399	7.17.19.59	135191	7 ² .31.89	136697	11.17 ² .43	138073	13 ² .19.43
133429	29.43.107	135239	13.101.103	136793	29.53.89	138229	7 ³ .13.31
133517	31.59.73	135269	17.73.109	136817	41.47.71	138269	37 ² .101
133589	19.79.89	135401	7.23.29 ²	136867	17.83.97	138329	17.79.103
133679	7.13 ² .113	135407	43.47.67	137000		138539	31.41.109
133837	11.23 ³	135487	11.109.113	137011	7.23 ² .37	138757	19.67.109
133903	7.11.37.47	135509	11.97.127	137033	13.83.127	138787	11 ² .31.37
133931	7.19 ² .53	135539	23.71.83	137057	23.59.101	138947	19.71.103
134000		135541	7.17 ² .67	137093	11 ³ .103	139000	
134017	13 ³ .61	135641	11 ² .19.59	137149	23.67.89	139009	13.17 ² .37
134113	7 ³ .17.23	135643	17.79.101	137287	23.47.127	139019	43.53.61
134261	31.61.71	135707	11.13 ² .73	137299	31.43.103	139159	31.67 ²
134357	29.41.113	135751	7.11.41.43	137381	37.47.79	139231	37.53.71
134431	11 ³ .101	135877	7 ² .47.59	137423	11.13.31 ²	139277	41.43.79
134461	43.53.59	135923	29.43.109	137449	13.97.109	139357	23.73.83
134539	19.73.97	135997	31.41.107	137641	7 ² .53 ²	139403	11.19.23.29
134603	7 ² .41.67	136000		137663	29.47.101	139523	41 ² .83
134633	31.43.101	136091	23.61.97	137677	37.61 ²	139601	7 ³ .11.37
134657	17.89 ²	136097	13.19 ² .29	137683	7.13.17.89	139751	29.61.79
134749	47 ² .61	136211	19.67.107	137747	23.53.113	139771	23.59.103
134827	7.11.17.103	136213	7.11.29.61	137819	11 ² .17.67	139867	7.13.29.53
134849	11.13.23.41	136249	19.71.101	137837	7 ² .29.97	139909	7.11.23.79

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
139997	$11^2.13.89$	141911	$7.11.19.97$	143623	$31.41.113$	145669	$31.37.127$
140000		142000		143633	$7.17^2.71$	145673	$11.17.19.41$
140063	$7.11.17.107$	142013	$29.59.83$	143701	$17.79.107$	145841	$29.47.107$
140087	$19.73.101$	142129	$13^2.29^2$	143773	$7.19.23.47$	145951	$13.103.109$
140231	$7.13.23.67$	142367	$19.59.127$	143819	$13^2.23.37$	146000	
140233	$17.73.113$	142373	$7.11.43^2$	143849	$19.67.113$	146047	$11^2.17.71$
140239	$11^2.19.61$	142417	$11^3.107$	143869	$11^2.29.41$	146071	$43^2.79$
140353	$19.83.89$	142477	$17^3.29$	143891	$11.103.127$	146189	29.71^2
140389	$29.47.103$	142493	$13.97.113$	144000		146227	$31.53.89$
140459	11.113^2	142511	$17.83.101$	144001	$11.13.19.53$	146261	$37.59.67$
140483	$7^2.47.61$	142631	$31.43.107$	144337	$37.47.83$	146329	$41.43.83$
140491	$13.101.107$	142639	$7^2.41.71$	144343	$19.71.107$	146363	$7^2.29.103$
140671	$41.47.73$	142681	$7.11.17.109$	144491	$31.59.79$	146387	$17.79.109$
140777	$7^2.13^2.17$	142709	$7.19.29.37$	144509	$23.61.103$	146461	$7^4.61$
140833	$7.11.31.59$	142721	41.59^2	144653	$17.67.127$	146483	$37^2.107$
140911	$29.43.113$	142861	$19.73.103$	144739	$7.23.29.31$	146657	$7^2.41.73$
141000		143000		144781	$7.13.37.43$	146761	$17.89.97$
141007	$37^2.103$	143117	$13.101.109$	145000		146827	$29.61.83$
141097	$11.101.127$	143129	$7^2.23.127$	145061	$7.17.23.53$	146861	$11.13^2.79$
141151	$17.19^2.23$	143143	$7.11^2.13^2$	145079	$11^3.109$	146927	$11.19^2.37$
141169	$7^2.43.67$	143153	$37.53.73$	145199	$23.59.107$	146939	$13.89.127$
141329	$31.47.97$	143227	$7^2.37.79$	145297	$31.43.109$	146969	$47.53.59$
141427	$11.13.23.43$	143273	$13.103.107$	145333	$17.83.103$	146993	$7.11.23.83$
141491	$7.17.29.41$	143429	$11.13.17.59$	145337	$23.71.89$	147000	
141599	$37.43.89$	143491	$43.47.71$	145483	$13.19^2.31$	147041	$19.71.109$
141659	$7^4.59$	143507	$7.13.19.83$	145591	$41.53.67$	147149	$37.41.97$
141703	$23.61.101$	143521	$7^2.29.101$	145597	$19.79.97$	147157	$31.47.101$
141839	$29.67.73$	143543	23.79^2	145607	$7.11.31.61$	147193	$19.61.127$

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
147199	13 ³ .67	149413	11.17 ² .47	151003	29.41.127	152813	17.89.101
147343	7 ² .31.97	149431	23.73.89	151183	19.73.109	152881	17 ² .23 ²
147407	13.17.23.29	149477	23.67.97	151219	37.61.67	152927	23.61.109
147467	31.67.71	149479	11.107.127	151249	7.17.31.41	152969	19.83.97
147499	11 ² .23.53	149513	7.13.31.53	151307	13.103.113	152971	7.13.41 ²
147533	43.47.73	149597	7 ² .43.71	151487	7.17.19.67	153000	
147559	41.59.61	149609	41 ² .89	151601	19.79.101	153217	37.41.101
147679	7.17 ² .73	149611	7.11.29.67	151619	13.107.109	153223	7 ² .53.59
147763	7.11.19.101	149683	43.59 ²	151621	31.67.73	153289	17.71.127
147913	23.59.109	149891	7 ³ .19.23	151759	17.79.113	153341	23.59.113
147917	7.11.17.113	150000		151807	31.59.83	153419	7 ² .31.101
148000		150059	7.13.17.97	151823	7.23 ² .41	153439	11.13.29.37
148003	47 ² .67	150071	31.47.103	151931	13 ² .29.31	153467	43 ² .83
148291	11.13.17.61	150121	23.61.107	151951	47.53.61	153497	29.67.79
148369	13.101.113	150161	11 ² .17.73	152000		153791	11 ² .31.41
148379	7.11.41.47	150241	7.13 ² .127	152047	7 ² .29.107	153799	17.83.109
148393	7.17.29.43	150307	29.71.73	152233	41.47.79	153811	7 ² .43.73
148409	19.73.107	150403	11 ³ .113	152269	13 ² .17.53	153881	7.13.19.89
148567	29.47.109	150479	7 ² .37.83	152273	11.109.127	154000	
148603	7.13.23.71	150499	19.89 ²	152279	29.59.89	154019	29.47.113
148837	13.107 ²	150629	31.43.113	152303	17 ³ .31	154033	11 ² .19.67
148877	53 ³	150689	7.11.19.103	152437	19.71.113	154037	13.17 ² .41
149000		150811	23.79.83	152551	7.19.31.37	154147	7.19 ² .61
149017	11.19.23.31	150887	11 ² .29.43	152561	41.61 ²	154283	41.53.71
149089	29.53.97	150917	13 ² .19.47	152581	11 ² .13.97	154297	11.13 ² .83
149093	7.19 ² .59	150977	17.83.107	152693	43.53.67	154301	7 ² .47.67
149221	37 ² .109	150997	7.11.37.53	152779	11.17.19.43	154327	37.43.97
149389	31.61.79	151000		152789	7.13.23.73	154453	13.109 ²

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
154541	29.73 ²	156731	19.73.113	158711	7 ² .41.79	160531	7.17.19.71
154583	11.13.23.47	156839	47 ² .71	158723	23.67.103	160573	7 ² .29.113
154603	19.79.103	156907	41.43.89	158813	31.47.109	160607	19.79.107
154693	7 ³ .11.41	156953	31.61.83	158873	11 ² .13.101	160673	31.71.73
154697	37 ² .113	157000		159000		160691	37.43.101
154721	7.23.31 ²	157183	13.107.113	159137	11.17.23.37	160867	7 ⁴ .67
154757	43.59.61	157267	11.17.29 ²	159229	7.23 ² .43	160979	7.13.29.61
154771	37.47.89	157339	7 ² .13 ² .19	159239	17 ² .19.29	161000	
154813	23.53.127	157441	29.61.89	159277	19.83.101	161051	11 ⁵
154889	7 ² .29.109	157573	13.17.23.31	159341	7.13.17.103	161161	7 ² .11.13.23
154919	37.53.79	157607	17.73.127	159359	37.59.73	161257	47 ² .73
154993	37.59.71	157619	7.11.23.89	159367	13 ² .23.41	161269	29.67.83
155000		157757	19 ³ .23	159371	31.53.97	161293	11 ² .31.43
155237	29.53.101	157861	11.113.127	159443	17.83.113	161357	7 ² .37.89
155363	13.17.19.37	158000		159467	7.11.19.109	161417	31.41.127
155617	7.11.43.47	158137	7.19.29.41	159659	43.47.79	161483	7.17.23.59
155641	23.67.101	158171	13.23 ³	159817	7.17 ² .79	161551	13.17 ² .43
155701	7.13.29.59	158249	7.13.37.47	159929	7.11.31.67	161671	19.67.127
155771	7 ² .11.17 ²	158311	29.53.103	159941	41.47.83	161713	23.79.89
155839	17.89.103	158369	29.43.127	159953	17.97 ²	161809	43.53.71
155899	31.47.107	158389	7.11 ³ .17	160000		161891	17.89.107
155987	13 ³ .71	158401	23.71.97	160003	43.61 ²	162000	
156000		158417	7 ² .53.61	160121	13.109.113	162019	11 ² .13.103
156247	7.13.17.101	158447	23.83 ²	160147	13.97.127	162073	41.59.67
156251	37.41.103	158539	23.61.113	160247	37.61.71	162127	7.19.23.53
156271	31.71 ²	158543	7.11.29.71	160303	11.13.19.59	162197	7.17.29.47
156457	7 ² .31.103	158627	7.17.31.43	160381	13 ³ .73	162239	7 ³ .11.43
156541	7.11.19.107	158629	41.53.73	160433	7.13.41.43	162319	37.41.107

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
162409	13 ² .31 ²	164761	37.61.73	166549	17.97.101	168739	19.83.107
162431	19.83.103	164887	23.67.107	166747	7 ² .41.83	168751	11.23 ² .29
162503	11 ² .17.79	164917	17.89.109	166751	13.101.127	169000	
162533	7 ² .31.107	164923	11 ² .29.47	166897	47.53.67	169037	11 ³ .127
162661	29.71.79	164933	23.71.101	166957	7.17.23.61	169043	7.19.31.41
162763	37.53.83	164983	7 ³ .13.37	166991	11.17.19.47	169099	7 ³ .17.29
162781	31.59.89	165000		167000		169153	47.59.61
162811	11.19 ² .41	165053	7.17.19.73	167141	13 ² .23.43	169169	7.11.13 ³
162863	23.73.97	165199	31.73 ²	167243	29.73.79	169229	31.53.103
162877	11.13.17.67	165319	7.11.19.113	167321	7.11.41.53	169291	31.43.127
162911	7.17.37 ²	165347	7.13.23.79	167533	29.53.109	169309	7.19 ² .67
163000		165353	37.41.109	167567	41.61.67	169477	7.11.31.71
163009	7.11.29.73	165451	11.13 ² .89	167713	7.13.19.97	169507	13 ² .17.59
163057	41 ² .97	165529	7.13.17.107	167743	43.47.83	169579	23.73.101
163229	11 ² .19.71	165571	7 ² .31.109	167827	11 ² .19.73	169613	19.79.113
163513	7 ² .47.71	165649	11 ² .37 ²	167909	7.17 ² .83	169763	11 ² .23.61
163607	47.59 ²	165731	53 ² .59	167969	23.67.109	169781	41 ² .101
163609	19.79.109	165737	11.13.19.61	168000		169847	17.97.103
163873	37.43.103	165851	7.19.29.43	168091	7.11.37.59	169901	23.83.89
164000		165943	31.53.101	168113	11.17.29.31	169979	43.59.67
164021	11.13.31.37	165967	29.59.97	168119	7 ² .47.73	170000	
164027	19.89.97	165997	13.113 ²	168199	23.71.103	170027	11.13.29.41
164083	31.67.79	166000		168259	7.13.43 ²	170053	13.103.127
164197	11 ² .23.59	166093	37.67 ²	168299	31.61.89	170093	7.11.47 ²
164459	29.53.107	166243	7.11.17.127	168311	11 ² .13.107	170183	13 ² .19.53
164561	43 ² .89	166367	43.53.73	168487	11.17 ² .53	170221	17 ² .19.31
164641	31.47.113	166439	7.13.31.59	168623	7.13.17.109	170237	37.43.107
164749	13.19.23.29	166453	7 ² .43.79	168683	37.47.97	170471	7 ⁴ .71

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
170561	17.79.127	172457	37.59.79	174529	37.53.89	176579	13.17 ² .47
170569	7 ² .59 ²	172601	11.13.17.71	174629	7.13.19.101	176587	41.59.73
170723	7.29 ³	172753	7.23.29.37	174731	23.71.107	176657	13.107.127
170731	11 ² .17.83	172811	29.59.101	174811	7.13.17.113	176813	7.13.29.67
170753	11.19 ² .43	172927	29.67.89	174881	7 ² .43.83	176851	17.101.103
170791	19.89.101	172937	23.73.103	174887	47.61 ²	176861	47.53.71
170867	17.19.23 ²	173000		175000		177000	
170897	29.71.83	173101	29.47.127	175253	13 ² .17.61	177023	7.11 ³ .19
170969	17.89.113	173143	41 ² .103	175273	7 ⁴ .73	177289	7.19.31.43
171000		173383	7.17.31.47	175357	7.13.41.47	177331	7 ³ .11.47
171011	41.43.97	173417	17.101 ²	175483	7.11.43.53	177413	31.59.97
171323	19.71.127	173419	37.43.109	175639	37.47.101	177419	11.127 ²
171349	53 ² .61	173563	13 ³ .79	175711	29.73.83	177463	11.13.17.73
171421	37.41.113	173641	13.19 ² .37	175741	43.61.67	177571	41.61.71
171457	11 ² .13.109	173681	29.53.113	175769	11.19.29 ²	177749	11 ² .13.113
171503	41.47.89	173719	7.13.23.83	175801	31.53.107	177859	11.19.23.37
171593	29.61.97	173789	7.11.37.61	175861	7 ² .37.97	177973	17.19 ² .29
171647	7 ² .31.113	173863	37 ² .127	176000		177997	23.71.109
171667	41.53.79	173879	31.71.79	176009	37.67.71	178000	
171749	41.59.71	173999	7 ² .53.67	176111	13.19.23.31	178063	41.43.101
171787	7.11.23.97	174000		176149	19.73.127	178087	7.13.19.103
171893	19.83.109	174041	7.23 ² .47	176233	29.59.103	178181	23.61.127
171941	7 ² .11 ² .29	174097	7 ² .11.17.19	176249	23.79.97	178201	19.83.113
172000		174133	23.67.113	176297	11 ² .31.47	178303	37.61.79
172081	7.13.31.61	174173	19.89.103	176341	11.17.23.41	178321	11.13.29.43
172159	13.17.19.41	174251	7.11.31.73	176351	7 ² .59.61	178451	7.13.37.53
172339	23.59.127	174317	11.13.23.53	176407	7.11.29.79	178619	7.17.19.79
172391	31.67.83	174511	47 ² .79	176443	17.97.107	178669	29.61.101

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
178771	19.97 ²	180557	13.17.19.43	182819	7 ³ .13.41	184877	7 ⁵ .11
178777	31.73.79	180761	7 ³ .17.31	182903	7.17.29.53	184943	11.17.23.43
178801	7 ² .41.89	180937	19.89.107	183000		185000	
178871	7.11.23.101	180967	37.67.73	183011	23.73.109	185003	7.13.19.107
179000		180989	29.79 ²	183073	11 ² .17.89	185039	31.47.127
179087	31.53.109	181000		183077	29.59.107	185173	23.83.97
179117	37.47.103	181189	37.59.83	183113	7 ² .37.101	185201	43.59.73
179197	17.83.127	181279	7.19.29.47	183229	41 ² .109	185339	7.11.29.83
179353	43 ² .97	181337	13 ² .29.37	183251	29.71.89	185659	31.53.113
179417	7.19 ² .71	181447	7 ³ .23 ²	183347	47 ² .83	185791	47.59.67
179653	23.73.107	181589	41.43.103	183379	7.17.23.67	185801	7.11.19.127
179707	11.17.31 ²	181621	11 ² .19.79	183427	31.61.97	185861	13.17.29 ²
179741	17.97.109	181753	11.13.31.41	183517	23.79.101	185977	11 ² .29.53
179783	37.43.113	181781	17 ³ .37	183557	11 ² .37.41	186000	
179867	41 ² .107	181843	47.53.73	183719	17.101.107	186073	37.47.107
179869	43.47.89	181937	7 ² .47.79	183799	7 ² .11 ² .31	186143	19.97.101
179959	13.109.127	182000		183911	7.13.43.47	186233	43.61.71
180000		182039	11.13.19.67	184000		186263	7.11.41.59
180041	43.53.79	182077	7.19.37 ²	184049	41.67 ²	186277	7.13.23.89
180047	7.17 ² .89	182183	23.89 ²	184093	7 ² .13.17 ²	186337	17.97.113
180127	43.59.71	182207	29.61.103	184319	19.89.109	186461	11 ² .23.67
180323	11.13 ² .97	182329	7 ² .61 ²	184387	7 ² .53.71	186499	29.59.109
180353	17.103 ²	182351	13 ³ .83	184471	7.19 ² .73	186517	37.71 ²
180359	41.53.83	182413	7.11.23.103	184493	53.59 ²	186563	13.113.127
180389	11.23 ² .31	182497	7.29 ² .31	184529	23.71.113	186599	7.19.23.61
180467	7 ² .29.127	182573	41.61.73	184667	7.23.31.37	186637	11.19 ² .47
180481	7.19.23.59	182683	31.71.83	184729	31.59.101	186739	7 ² .37.103
180523	7.17.37.41	182689	13 ² .23.47	184853	31.67.89	186749	43 ² .101

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
186919	41.47.97	189283	29.61.107	191149	7 ² .47.83	193471	31.79 ²
187000		189329	7.17.37.43	191429	7.23.29.41	193697	7 ² .59.67
187151	23.79.103	189449	13 ² .19.59	191477	11.13 ² .103	193781	7.19.31.47
187153	17.101.109	189497	7.11.23.107	191479	43.61.73	193819	19.101 ²
187187	7.11 ² .13.17	189551	37.47.109	191737	7 ³ .13.43	193843	13 ² .31.37
187331	37.61.83	189581	7 ² .53.73	191771	37.71.73	193919	11.17 ² .61
187357	17.103.107	189679	7 ⁴ .79	191807	7.11.47.53	193991	7 ² .37.107
187369	7.13.29.71	189727	23.73.113	192000		194000	
187523	7 ² .43.89	189829	19.97.103	192049	11.13.17.79	194021	17.101.113
187561	11.17 ² .59	189953	41 ² .113	192089	47.61.67	194051	11.13.23.59
187663	7.17.19.83	190000		192151	17.89.127	194287	37.59.89
187759	11.13 ² .101	190153	29.79.83	192167	41.43.109	194327	7.17.23.71
187829	31.73.83	190217	37.53.97	192413	13.19 ² .41	194419	23.79.107
187891	11.19.29.31	190247	17.19 ² .31	192491	13 ² .17.67	194579	7 ² .11.19 ²
188000		190333	11 ⁴ .13	192511	11 ² .37.43	194627	41.47.101
188071	13.17.23.37	190447	43 ² .103	192577	7.11.41.61	194633	17.107 ²
188203	53 ² .67	190463	7 ² .13 ² .23	192647	7.13.29.73	194773	31.61.103
188309	11.17.19.53	190619	11.13.31.43	192659	37.41.127	194873	7 ² .41.97
188387	31.59.103	190627	19.79.127	192763	17 ² .23.29	194909	11.13.29.47
188413	29.73.89	190747	53.59.61	192809	23.83.101	195000	
188461	7.13.19.109	190817	11 ² .19.83	192821	29.61.109	195037	41.67.71
188471	29.67.97	190859	17.103.109	192907	11.13.19.71	195083	7.29.31 ²
188573	7.11.31.79	190883	7.11.37.67	192913	7 ² .31.127	195199	29.53.127
188641	41.43.107	190969	19 ² .23 ²	193000		195349	7.11.43.59
188993	7 ³ .19.29	190991	31.61.101	193027	43.67 ²	195377	7.13.19.113
189000		191000		193039	7.11.23.109	195517	7.17.31.53
189007	7.13.31.67	191083	19.89.113	193343	29.59.113	195533	13 ³ .89
189157	43.53.83	191101	41.59.79	193397	41.53.89	195703	31.59.107

Merritt's table of "useful numbers" (correct) (reconstruction, D. Roegel, 2011)

N	F	N	F	N	F	N	F
195707	23.67.127	196883	47.59.71	198053	23.79.109	199219	41.43.113
195767	11.13.37 ²	197000		198061	37.53.101	199283	7 ⁴ .83
195841	37.67.79	197087	11.19.23.41	198121	7.11.31.83	199361	31.59.109
195871	13 ² .19.61	197173	37.73 ²	198271	17.107.109	199433	13.23 ² .29
195889	31.71.89	197201	19.97.107	198341	11.13.19.73	199439	53 ² .71
196000		197213	53.61 ²	198481	41.47.103	199529	11 ² .17.97
196037	43.47.97	197353	13.17.19.47	198559	23.89.97	199633	7.19 ² .79
196231	7.17 ² .97	197579	41.61.79	198653	7.13.37.59	199723	29.71.97
196243	29.67.101	197593	11 ² .23.71	198679	13.17.29.31	199771	11 ² .13.127
196259	7.23 ² .53	197617	7 ² .37.109	198737	7.11.29.89	199781	29.83 ²
196469	7.13.17.127	197657	19.101.103	198803	11 ² .31.53	199801	7.17.23.73
196507	37.47.113	197743	7.13.41.53	198911	19 ³ .29	199897	29.61.113
196601	47 ² .89	197843	43 ² .107	198913	11.13 ² .107	199927	7.13 ⁴
196627	23.83.103	197863	17.103.113	199000		199969	7 ³ .11.53
196789	47.53.79	198000		199121	13.17 ² .53	200000	