

# Computability of the entropy of one-tape Turing Machines

Emmanuel Jeandel

► **To cite this version:**

Emmanuel Jeandel. Computability of the entropy of one-tape Turing Machines. Ernst Mayr and Natacha Portier. STACS - Symposium on Theoretical Aspects of Computer Science, Mar 2014, Lyon, France. 25, pp.421-432, 2014, LIPCS. <10.4230/LIPIcs.STACS.2014.421>. <hal-00785232>

**HAL Id: hal-00785232**

**<https://hal.inria.fr/hal-00785232>**

Submitted on 5 Feb 2013

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# COMPUTABILITY OF THE ENTROPY OF ONE-TAPE TURING MACHINES

EMMANUEL JEANDEL

**ABSTRACT.** We prove that the maximum speed and the entropy of a one-tape Turing machine are computable, in the sense that we can approximate them to any given precision  $\epsilon$ . This is contrary to popular belief, as all dynamical properties are usually undecidable for Turing machines. The result is quite specific to one-tape Turing machines, as it is not true anymore for two-tape Turing machines by the results of Blondel et al., and uses the approach of crossing sequences introduced by Hennie.

**Keywords:** Turing Machines, Dynamical Systems, Entropy, Crossing Sequences, Automata.

## INTRODUCTION

The Turing machine is probably the most well known of all models of computation. This particular model has many variations, that all lead to the same notion of computability. The easiest model is the Turing machine with just one tape and one head, that we will consider in this paper.

From the point of view of computability, this model is equivalent to all others. From the point of view of *complexity*, however, the situation is very different. Indeed, it is well known [Hen65, Har68, Tra64] that a language (of finite words) accepted by such a Turing machine in *linear* time is always regular. More precisely, it can be proven that if such a Turing machine is in time  $O(n)$  on all inputs, then there is a constant  $k$  so that, on any input, the machine passes at most  $k$  times in any given position.

We will consider in this paper the Turing machine as a *dynamical system*: The execution is starting from *any* given configuration  $c$ , ie any initial state, and any initial tape, and we will observe the evolution. While the Turing machine is a model of computation, it is however quite important in the study of dynamical systems. It was intensively studied by Kurka [Kur97], and Moore [Moo91a, Moo91b] proved that they can be embedded in various “real life” dynamical systems. As an example, the uncomputability of the entropy of a Turing machine, by Blondel et al. [DB04] can be used to deduce the uncomputability of the entropy of piecewise-affine maps, proven by Koiran [Koi01] in a different way.

However, these undecidability results are usually obtained for Turing machines with *two tapes*; The basic idea is to use one tape to simulate a given Turing machine  $M$ , and to control the other tape, that will mostly do nothing computationally interesting. The *computational complexity* of the new Turing machine will come from the first tape, but the *dynamical complexity* will come from the second tape.

There is a reason why these results use Turing machines with two tapes. We will prove indeed that some dynamical quantities for one-tape Turing machines are actually *computable*, in the sense that there is an algorithm that given any  $\epsilon$  will give an approximation upto  $\epsilon$ . The two quantities we consider are the *speed* and the *entropy* of a Turing machine. While the most theoretically important quantity is the entropy, we will concentrate our discussion in the introduction to the speed, which is easiest to conceive.

The speed of a Turing machine measures how fast the head goes to infinity. Informally, the speed is greater than  $\alpha$  if we can find a configuration  $c$  for which the Turing machine is roughly in position  $\alpha n$  after  $n$  units of time. Note that if  $\alpha$  is nonzero, this means that it takes us a time  $n/\alpha = O(n)$  to be in position  $n$ . Now, if we recall a previous result, a Turing machine with one tape with running time  $O(n)$  on all inputs does nothing interesting. We will prove, using the same techniques, that this also applies to the maximum speed: If the maximum speed is nonzero, hence the running time on *some* infinite configuration is (asymptotically) *linear*, then there is a *regular* (ultimately periodic) configuration that achieves this maximum speed.

This paper is organized as follows. In the first section, we introduce the formal definitions of the speed and entropy of a Turing machine. In the next section, we proceed to prove the three main theorems: The speed and the entropy are computable, and the speed is actually a rational number, achieved by a ultimately periodic configuration.

## 1. DEFINITIONS

We assume the reader is familiar with Turing machines. A (one-tape) Turing machine  $M$  is a (total) map  $\delta_M : Q \times \Sigma \mapsto Q \times \Sigma \times \{-1, 0, 1\}$  where  $Q$  is a finite set called the set of states, and  $\Sigma$  a finite alphabet.

Now, the best way to see it as a dynamical system might be unorthodox at first. The idea is to consider the Turing Machine as having a *moving tape* rather than a moving head: A *configuration* is then an element of  $\mathcal{C} = Q \times \Sigma^{\mathbb{Z}}$ , and the map  $M$  on  $\mathcal{C}$  is defined as follows:  $M((q, c)) = (q', c')$  where  $\delta_M(q, c(0)) = (q', a, v)$ ,  $c'(-v) = a$  and  $c'(i) = c(i+v)$  for all  $i \neq -v$ . This distinction is particularly important for the definition of the entropy to be technically correct. However it is best to consider the Turing machines as we are used to, and we will say “the Turing machine is in position  $i$ ” rather than “the tape has moved  $i$  positions to the right”.

**The speed.** Given a configuration  $c \in \mathcal{C}$ , the *speed* of  $M$  on  $c$  is the average number of cells that are read per unit of time. Formally, let  $s_n(c)$  be the number of *different* cells read during the first  $n$  steps of the evolution of the Turing Machine  $M$  on input  $c$ . Note that  $s_n$  is subadditive :  $s_{n+m}(c) \leq s_n(c) + s_m(M^n(c))$ .

**Definition 1.**

$$\overline{s}(c) = \limsup \frac{s_n(c)}{n} \qquad \underline{s}(c) = \liminf \frac{s_n(c)}{n}$$

We give two examples.

- Consider a Turing machine with two states  $q_1, q_2$ . On  $q_1$ , the Turing machine goes to  $q_2$  without changing the position of the head. On  $q_2$  the Turing machine goes right and changes back to  $q_1$ . Then  $\overline{s}(c) = \underline{s}(c) = 1/2$  for all  $c$ .
- Consider a Turing machine with two states  $\{L, R\}$  (for Left and Right) and two symbols  $\{a, b\}$ . In state  $q$ , when the machine reads a symbol  $a$ , it goes in the direction  $q$ . When the machine reads a symbol  $b$ , it writes a symbol  $a$  instead and changes direction. On input  $c = (R, w)$  where  $w$  contains only the symbol  $a$ , the Turing machine will only go to the right, and  $\overline{s}(c) = \underline{s}(c) = 1$ . On input  $c = (R, w)$  where  $w$  contains only the symbol  $b$ , the Turing machine will zigzag, and will reach the  $n$ -th symbol to the right in time  $O(n^2)$ , hence will see only  $O(\sqrt{n})$  symbols in time  $n$ , hence  $\overline{s}(c) = \underline{s}(c) = 0$ . On input  $c = (R, w)$  where  $w$  contains  $b$  only at all positions  $(-2)^i$ , the Turing machine will have read (for  $n$  even)  $2^n + 2^{n-1}$




FIGURE 1. Three different behaviours of the same Turing machine on three different inputs. In the first one, the speed is 1. In the second one the speed is 0. In the third one, the speed is between  $1/3$  and  $1/2$ . Time goes bottom-up

symbols at time  $2^{n+1} + 2^n - 2$  and  $\bar{s}(c) = 1/2$ , but only  $2^{n-1} + 2^{n-2}$  at time  $2^{n+1} + 2^{n-2} - 2$ , and  $\underline{s}(c) = 1/3$ . This is illustrated on Figure 1.

Now we define the speed of a Turing machine as the maximum of its average speed on all configurations:

**Definition 2.**

$$S(M) = \max_{c \in \mathcal{C}} \underline{s}(c) = \max_{c \in \mathcal{C}} \bar{s}(c) = \limsup_n \sup_c \frac{s_n(c)}{n} = \inf_n \sup_c \frac{s_n(c)}{n}$$

The fact that all these definitions are equivalent, and that the maximum speed is indeed a maximum (it is reached by some configuration), is a consequence of the subadditivity of  $(s_n)_{n \in \mathbb{N}}$ , see [FH10, Theorem 1.1] or [M99] for a more combinatorial proof. We give here a direct proof, following [M99] (the main difference is that a continuity argument is replaced by a finiteness argument).

**Theorem 1.**

$$S(M) = \max_{c \in \mathcal{C}} \underline{s}(c) = \max_{c \in \mathcal{C}} \bar{s}(c) = \limsup_n \sup_c \frac{s_n(c)}{n} = \inf_n \sup_c \frac{s_n(c)}{n}$$

*Proof.* It is clear that the last two quantities are equal ( $g_n = \sup_c s_n(c)$  satisfies  $g_{n+m} \leq g_n + g_m$ ), and that they are larger than the others. Let  $\alpha = \inf_n \sup_c \frac{s_n(c)}{n}$ . We will prove that there exists  $c$  so that  $s_n(c) \geq \alpha n$  for all  $n$ , which will prove the theorem. By a compactness argument, it is sufficient to prove that for all  $n$ , there exists  $c$  so that  $s_k(c) \geq \alpha k$  for all  $k \leq n$ . (let  $c_n$  be such a configuration, and take  $c$  to be any limit point of  $(c_n)_{n \geq 0}$ ).

So suppose it is false for some  $n$ . That is for all configurations  $c$ , there exists  $k \leq n$  so that  $s_k(c)/k < \alpha$ . Recall that  $s_k$  is an integer between 0 and  $k$ , so that the left side of this equation, when  $k$  and  $c$  varies, can take only finitely many values. This means there exists  $\beta < \alpha$  so that for all configurations  $c$ , there exists  $k \leq n$  so that  $s_k(c)/k \leq \beta$ .

Now let  $c$  be any configuration. There exists  $0 < k_0 \leq n$  so that  $s_{k_0}(c) \leq \beta k_0$ . Applying the same reasoning to  $M^{k_0}(c)$ , we know there exists  $0 < k_1 \leq n$  so that  $s_{k_1}(M^{k_0}(c)) \leq \beta k_1$ , etc.

By subadditivity of  $s$ , this implies that for every  $m$ , we have  $s_m(c) \leq \beta k_0 + \beta k_1 + \dots + s_p(M^{k_0+k_1+\dots+k_q}(c))$  for some  $p \leq n$  and some  $q$  so that  $k_0 + \dots + k_q + p = m$ . Hence  $s_m(c) \leq \beta m + n$ . For  $m = \lceil \frac{2n}{\alpha - \beta} \rceil$ , this implies  $\frac{s_m(c)}{m} \leq \frac{\alpha + \beta}{2}$ . This is true of all  $c$ , so  $\sup_c \frac{s_m(c)}{m} \leq \frac{\alpha + \beta}{2} < \alpha$ , a contradiction with the definition of  $\alpha$ .  $\square$

**The entropy.** The (topological) entropy of a Turing machine is a quantity that measures the complexity of the trajectories. It represents roughly the average number of bits needed to represent the trajectories.

For a configuration  $c$ , the *trace* of  $c$  is the word  $u \in (\Sigma \times Q)^\mathbb{N}$  where  $u_i$  contains the letter in position 0 of the tape and the state at the  $i$ -th step during the execution of  $M$  on input  $c$ . We note  $T(c)$  the trace of  $c$  and  $T(c)|_n$  the first  $n$  letters of the trace. Finally, we denote by  $T_n = \{T(c)|_n, c \in \mathcal{C}\}$

Then the entropy can be defined by

**Definition 3.**

$$H(M) = \lim_n \frac{1}{n} \log |T_n| = \inf_n \frac{1}{n} \log |T_n|$$

The limit indeed exists and is equal to the infimum as  $(\log |T_n|)_{n \in \mathbb{N}}$  is subadditive. This definition is a specialized version for (moving tape) Turing machines of the general definition of entropy, and was proven equivalent in [Opr06].

Let's go back to the examples. In the first case,  $T(c)|_n$  can take roughly  $|\Sigma|^{n/2}$  different values, and  $H(M) = 1/2 \log |\Sigma|$ . In the second case, it can be proven that the first  $n$  letters of  $T(c)$  can contain at most  $\sqrt{n}$  symbols ( $b, L$ ) or ( $b, R$ ) (the maximum is obtained starting from a configuration with only  $b$ ). As a consequence,  $T_n$  is of size at most  $\sum_{i \leq \sqrt{n}} \binom{n}{i} \leq \sqrt{n} \binom{n}{\sqrt{n}}$  so that  $H(M) = 0$ .

It is possible to give a definition for the entropy that is very similar to the speed. For this, we use *Kolmogorov complexity*. The (prefix-free) Kolmogorov complexity  $K(x)$  of a finite word  $x$  is roughly speaking the length of the shortest program that outputs  $x$ .

We do not define precisely the Kolmogorov complexity, see e.g. [DH10], but will use mainly the following easy results:

- For any alphabet  $\Sigma$ , there exists constants  $c$  and  $c'$  so that for all words  $u$  over  $\Sigma$ ,  $K(u) \leq |u| \log |\Sigma| + 2 \log |u| + c$  and for all words  $u, v$ ,  $K(uv) \leq K(u) + K(v) + c'$ .
- For any computable function  $f$ , there exists a constant  $c$  so that  $K(f(w)) \leq K(w) + c$  whenever  $f(w)$  is defined.

For a trace  $t$ , define the *lower* and *upper complexity* of  $t$  by  $\underline{K}(t) = \liminf \frac{K(t|_n)}{n}$  and  $\overline{K}(t) = \limsup \frac{K(t|_n)}{n}$ .

**Theorem 2.** [Bru83, Sim]

$$H(M) = \max_{c \in \mathcal{C}} \underline{K}(T(c)) = \max_{c \in \mathcal{C}} \overline{K}(T(c))$$

From this definition, it will not be surprising that we can obtain results on both speed and entropy using the same arguments.

## 2. A RELATION BETWEEN THE SPEED AND THE ENTROPY

While this section is not strictly necessary for our result, it gives some intuition about what is happening, and an interesting relation between the two quantities.

Recall the definitions of the speed and the entropy, in terms of Kolmogorov complexity. It is clear that  $T(c)|_n$  depends only on the content of the cells visited during the  $n$  first steps of the Turing machine, and on the initial state. In particular  $K(T(c)|_n) \leq s_n(c) \log |\Sigma| + O(\log s_n(c))$

As a consequence, we obtain

**Proposition 3.** *For all configurations  $c$ ,*

$$\bar{s}(c) \geq \limsup \frac{K(T(c)|_n)}{n \log |\Sigma|}$$

$$\underline{s}(c) \geq \liminf \frac{K(T(c)|_n)}{n \log |\Sigma|}$$

*In particular*

$$S(M) \geq \frac{H(M)}{\log |\Sigma|}$$

For some Turing machines (as one of the examples), the inequality may be strict: this happens when there are some configurations of great speed, but not *many* of them.

We can overcome this problem as follows. If  $M$  is a Turing Machine over the alphabet  $\Sigma$  and  $A$  an other alphabet, we denote by  $M^A$  the Turing machine over the alphabet  $\Sigma \times A$  that works as  $M$  works, without changing the  $A$  component (formally, the transition function satisfies  $\delta_{M^A}(q, (x, a)) = (q', (x', a), v)$  if  $\delta_M(q, x) = (q', x', v)$ ).

**Proposition 4.**

$$\frac{H(M^A)}{\log |A|} \geq S(M)$$

*Proof.* First a few notations. If  $c$  is a configuration (a pair of a state and a word over  $\Sigma$ ) for the Turing Machine  $M$  and  $w$  is a word over the alphabet  $A$ , we denote by  $c \otimes w$  the configuration for the Turing Machine  $M^A$  whose state is the state of  $c$ , and the letter in position  $i$  the pair  $(c_i, w_i)$ . Denote by  $\mathcal{C}^A$  the set of configurations of  $M^A$  and  $T^A$  the trace of the machine  $M^A$ .

Let  $n$  be an integer and  $c$  a configuration of maximal speed. Now  $T_n^A$  is of size at least  $|A|^{s_n(c)}$ , as is witnessed by all configurations  $c \otimes w$ . Hence,

$$\frac{1}{n} \log |T_n^A| \geq \frac{s_n(c)}{n} \log |A|$$

By taking a limit on both sides, we get the result.  $\square$

We obtain the main result of this section:

**Corollary 5.**

$$S(M) = \lim_{|A| \rightarrow \infty} \frac{H(M^A)}{\log |\Sigma \times A|}$$

*Proof.* Remark that  $S(M) = S(M^A)$  and that  $\log |A| / \log |A \times \Sigma| \rightarrow 1$ , and combine the last two propositions.  $\square$

To finish, we evaluate more precisely  $H(M^A)$ . For this, we look at  $T_n^A$ , the first  $n$  bits of the trace of  $M^A$ .  $T_n$  is the first  $n$  bits of the trace of  $M$ , and is

obtained from different initial configurations  $c_1 \dots c_k$ . Let  $E_n = \{c_1 \dots c_k\}$  so that  $T_n = \{t(c)|_n, c \in E_n\}$ , then it is clear that  $|T_n^A| = \sum_{c \in E_n} |A|^{s_n(c)}$ , and

$$H(M^A) = \lim \frac{1}{n} \log \sum_{c \in E_n} |A|^{s_n(c)} = \lim \frac{1}{n} \log \sum_{c \in E_n} 2^{s_n(c) \log |A|}$$

Now this last definition makes sense also when  $|A|$  is not an integer. If we replace  $\log |A|$  by  $x$  in the last definition, we obtain what is called the (topological) *pressure* [FH10] of  $(s_n)_{n \in \mathbb{N}}$ , denoted  $P_s(x, M)$ . In the context of Turing machines, the pressure has therefore a nice interpretation, at least in the case where  $x$  is the logarithm of an integer. In particular we recover  $P_s(0, M) = H(M)$  and we obtain  $\lim_{x \rightarrow +\infty} P_s(x, M)/x = S(M)$ , which is also a consequence of a more general result, see [FH10, Theorem 1.2].

### 3. COMPUTABILITY OF THE SPEED AND THE ENTROPY

We will prove in this section that the speed and the entropy of a Turing machine are computable.

The proof goes as follows. First, by the definition of the speed as an infimum, we can compute a sequence  $s_n$  so that  $S(M) = \inf s_n$ . So it is sufficient to find a (computable) sequence  $s'_n$  so that  $S(M) = \sup s'_n$  to compute the speed (find a  $n$  so that  $s_n - s'_n \leq \epsilon$ )

To find such a sequence  $s'_n$ , it is sufficient to find configurations  $c_n$  of near maximal speed. To do that, we need to better understand configurations of maximal speed.

First, we will establish (Propositions 6 and 7) that a configuration of maximal speed (entropy) cannot do too many zigzags, and must be only finitely many times at any given position. The idea is that revisiting cells that were already visited is a loss of time (and complexity), so the machine should avoid doing it.

In the same vein, we can prove that the zigzags must not be too large (Proposition 8): the time of the first and last visit of a given cell must be roughly equivalent ( $l_n(c) \sim f_n(c)$  in the notation of this proposition).

All this work allows us to redefine the problem as a graph problem: given a weighted (infinite) graph, find the path of minimum average weight (Proposition 10). Using the graph approach, we will then prove (Theorem 11) that this average minimum weight can be well approximated by considering only *finite* graphs. Finally, the speed and entropy for finite graphs are easy to compute (Theorems 12 and 14), which ends the proof.

In each section, the proofs will always be done first for the speed, then for the entropy. We deliberately choose to have similar proofs in both cases, to help to understand the proof for the entropy, which is more complex. In particular, some statements about the speed are probably a bit more elaborate than they need to be.

**3.1. Biinfinite tapes are no better.** The first step in the proof is to simplify the model: we will prove that to achieve the maximum speed (resp. maximum complexity), we only need to consider configurations that never cross the origin, i.e., that stay always on the same side of the tape. This is quite obvious, as changing from a position  $i > 0$  to a position  $j < 0$  costs at least  $i + (-j)$  steps, and might greatly reduce the average speed of the TM on this configuration.

**Proposition 6.** *Let  $c$  a configuration for which  $S(M) = \lim_n \frac{s_n(c)}{n}$  and suppose  $S(M) > 0$ . Then, during the computation on input  $c$ , the head of  $M$  is only finitely many times in any given position  $i$ .*

*Proof.* We prove only the result for  $i = 0$ , the result for all  $i$  follows by considering  $M^t(c)$  for some suitable  $t$ . We suppose by contradiction that the head of  $M$  is infinitely often in position 0.

Let  $k$  be an integer. As  $S(M) > 0$ , there must exist a time  $t$  for which the head is in position  $\pm k$ . Let  $t$  be the first time when this happens. We may suppose w.l.o.g that at time  $t$  the head is in position  $+k$ . Now let  $t'_k$  be the next time the head was in position 0, and finally let  $t_k$  be the time at which the head was at its rightmost position in the first  $t'_k$  steps.

First, by definition  $s_{t_k}(c) = s_{t'_k}(c)$ . Furthermore,  $t'_k \geq t_k + s_{t_k}(c)/2$ . Indeed by definition of  $t$ , the leftmost position in the first  $t_k$  steps is at most  $-(k-1)$  so we went further to the right than to the left in the first  $t_k$  steps, so that the rightmost position is at least in position  $s_{t_k}(c)/2$ . Remark also that  $t_k > k$  (by definition).

From this we obtain

$$\frac{s_{t'_k}}{t'_k} \leq \frac{s_{t_k}}{t_k + s_{t_k}/2} \leq \frac{\frac{s_{t_k}}{t_k}}{1 + \frac{s_{t_k}}{2t_k}}$$

By taking a limsup on both sides we obtain

$$S(M) \leq \frac{S(M)}{1 + \frac{S(M)}{2}}$$

A contradiction. □

**Proposition 7.** *Let  $c$  be a configuration for which  $H(M) = \lim_n \frac{K(T(c)|_n)}{n}$  and suppose  $H(M) > 0$ . Then for any position  $i$ , the head of  $M$  is only finitely many times in position  $i$ .*

*Proof.* It's exactly the same proof.

Note that  $K(T(c)_{t'_k}) \leq K(T(c)_{t_k}) + O(\log t'_k)$  (The first  $t'_k$  bits of  $T(c)$  can be recovered if we know only the first  $t_k$  bits, and the number of bits we want to recover), and  $t'_k \geq t_k + K(T(c)_{t_k})/(2 \log |\Sigma|) + O(\log t_k)$  (Indeed  $K(T(c)_{t_k}) \leq n \log |\Sigma| + O(\log t_k)$  where  $n = s_{t_k}(c)$  is the number of bits read during times  $t \leq t_k$ , and  $t'_k \geq t_k + n/2$ ), from which we get the same contradiction. □

These two propositions state that we only have to deal with configurations that never reach the position  $i = 0$  once they leave it at  $t = 0$  (replace  $c$  by  $M^p(c)$  for a suitable  $p$ ).

If we deal with the disjoint union of the Turing machine  $M$  and its mirror (exchange left and right)  $\bar{M}$ , we may now assume, and we do in the rest of this section, that the maximum speed and complexity is reached with a configuration that never go to negative positions  $i < 0$  and, if  $S(M) > 0$  (resp.  $H(M) > 0$ ), that pass only finitely many times to any given position.

**3.2. A reformulation.** Recall that we suppose in the following sections that the maximum speed is obtained for a configuration that never go to negative positions.

Let call  $f_n(c)$  ( $f$  for first) the first time we reach position  $n$ . Then the average speed on a configuration  $c$  (for which the Turing machine never goes in negative positions) can be defined equivalently as  $\lim_n \frac{n}{f_n(c)}$ . We prove now a stronger statement.

Let's call  $l_n(c)$  the *last* time we reach position  $n$ . If we never reach position  $\pm n$ , or if we reach it infinitely often, let  $l_n(c) = \infty$ ,

**Proposition 8.**

$$S(M) = \max_c \limsup \frac{n}{l_n(c)} = \max_c \liminf \frac{n}{l_n(c)}$$



$$H(M) = \max_c \limsup \frac{K(c|_n)}{l_n(c)} = \max_c \liminf \frac{K(c|_n)}{l_n(c)}$$

If the speed (resp. entropy) is nonzero, the maximum is reached for some configuration  $c$  for which  $l_n(c)$  is never infinite. In particular, for this configuration,  $l_n(c) \sim f_n(c)$

*Proof.* It is clear that  $S(M)$  and  $H(M)$  are upper bounds, as  $n \leq s_{f_n(c)}(c)$  and  $K(c|_n) \leq K(T(c)|_{f_n(c)}) + O(\log n)$ . In particular the result is true if  $S(M) = 0$  (resp.  $H(M) = 0$ ).

We first deal with the speed. Let  $c$  be a configuration of maximum speed. By the previous subsection, we may suppose that  $c$  never reaches negative positions.

Let  $t_n = l_n(c)$ . Let  $p$  be the rightmost position the head reaches before  $t_n$  and  $t'_n$  the first time this position is reached. Note that  $s_{t_n}(c) = s_{t'_n}(c) = p$  (no negative position is ever reached)

$$\text{From this we get } \lim \frac{t_n}{t'_n} = \lim \frac{t_n}{s_{t_n}(c)} \frac{s_{t'_n}(c)}{t'_n} = 1$$

Note also that  $t'_n \geq n$  and  $t_n \geq t'_n + s_{t_n} - n$  (we are at position  $s_{t'_n} = s_{t_n}$  at time  $t'_n$  and at position  $n$  at time  $t_n$ )

Hence

$$\frac{n}{t_n} \geq \frac{t'_n - t_n}{t_n} + \frac{s_{t_n}}{t_n}$$

From which the result follows.

For the entropy, the proof is almost the same. From  $K(T(c)_{t_n}) = K(T(c)_{t'_n}) + O(\log t_n)$ , we get again that  $\lim_n \frac{t'_n}{t_n} = 1$ .

Now  $K(T(c)_{t_n}) \leq K(c_n) + (t_n - t'_n) \log |\Sigma| + O(\log t_n)$  (the first  $t_n$  bits of  $T(c)$  can be recovered if we know  $t_n$  and the first  $p$  bits of  $c$ , hence if we know the first  $n$  bits of  $c$  and the  $p - n \geq t_n - t'_n$  next bits), from which the result follows again.  $\square$

**3.3. Crossing sequences.** Now the last technical tool we need are *crossing sequences*, introduced by Hennie [Hen65].

First denote by  $\mathcal{C}^+$  the set of configurations  $c$  on which:

- The Turing machine never reaches any positions  $i < 0$
- The Turing machine never reaches the position 0 again once it leaves it at  $t = 0$ .
- For any  $i > 0$ , the head of the Turing is only finitely many times in position  $i$ .

The last sections prove that we only have to deal with configurations in  $\mathcal{C}^+$ .

Let  $c$  be such a configuration. The *crossing sequence* at boundary  $i$  is the sequences of states of the machine when its head cross the boundary between the  $i$ -th cell and the  $i + 1$ -th cell. We denote by  $C_i(c)$  the crossing sequence at boundary  $i$ . Note that  $C_0(c)$  consists of a single state, which is the initial state of  $c$  (the machine never reaches the position 0 anymore) and  $C_i(c)$  is finite for  $i > 0$ .

The main idea of the crossing sequences is that  $C_i(c)$  represents all the exchange of information between the positions  $j \leq i$  and the positions  $j > i$  of the tape. In particular, if  $C_i(c) = C_j(c')$  for two configurations  $c, c'$ , and if we consider the configuration  $\tilde{c}$  that is equal to  $c$  upto  $i$  then equal to  $c'$  (shifted by  $i - j$  so that the  $j + 1$ -th cell of  $c'$  becomes the  $i + 1$ -th cell of  $\tilde{c}$ ), then the Turing machine on  $\tilde{c}$  will behave exactly like  $c$  on all positions less than  $i$ , and as  $c'$  (shifted) on positions more than  $i$ . Hence the crossing sequences capture exactly the behaviour of the Turing machine.

We now consider the following labeled graph (automaton)  $G$ : The vertices of  $G$  are all finite words over the alphabet  $Q$  (all possible crossing sequences), and there is an edge from  $w$  to  $w'$  labeled by  $a \in \Sigma$  if  $w$  and  $w'$  are *compatible*, in the sense

that it looks possible to find a configuration and a position  $i$  so that  $C_i(c) = w$ ,  $C_{i+1}(c) = w'$  and  $a$  is the letter at position  $i + 1$  in  $c$  (said otherwise,  $w$  and  $w'$  are two consecutive crossing sequences for some configuration  $c$ ). The exact definition is as follows. We define recursively two subsets  $L$  and  $R$  of  $Q^* \times Q^* \times \Sigma$  as follows:

- $(\epsilon, \epsilon, a) \in L, (\epsilon, \epsilon, a) \in R$
- If  $\delta(q_1, a) = (q_2, b, -1)$  then  $(q_1 q_2 w, w', a) \in L$  iff  $(w, w', b) \in L$
- If  $\delta(q_1, a) = (q_2, b, +1)$  then  $(q_1 w, q_2 w', a) \in L$  iff  $(w, w', b) \in R$
- If  $\delta(q_1, a) = (q_2, b, -1)$  then  $(q_2 w, q_1 w', a) \in R$  iff  $(w, w', b) \in L$
- If  $\delta(q_1, a) = (q_2, b, +1)$  then  $(w, q_1 q_2 w', a) \in R$  iff  $(w, w', b) \in R$

Then there is an edge from  $w$  to  $w'$  labeled  $a$  if and only if  $(w, w', a) \in L$ .

Note that this echoes a similar definition for two-way finite automata given in [HU79, 2.6] where  $(w, w', a) \in L$  is called “ $w$  left-matches  $w'$ ” (The note in Example 2.15 is particularly relevant). The exact definition above is also hinted at in [Fig09].

Let us explain briefly these conditions. Suppose  $\delta(q_1, a) = (q_2, b, +1)$ , and suppose that the Turing machine at some point arrives in some cell  $i$  from the left, in the state  $q_1$  and sees  $a$ . Then by definition, the first symbol from  $C_i(c)$  must be  $q_1$ . By definition of the local rule  $\delta$ , the Turing machine will enter state  $q_2$  and go right so that the first symbol in  $C_{i+1}(c)$  will be  $q_2$ . Now, the next time the Turing machine will come into the cell  $i$ , it must be coming from the right, and when it does it will see the symbol  $b$ . This explains the rule  $(q_1 w, q_2 w', a) \in L$  iff  $(w, w', b) \in R$ , where  $w$  and  $w'$  represent the crossing sequences after the second time the Turing machines comes to the cell  $i$ .

Now it is clear that a configuration  $c$  defines a path in this graph  $G$ , and that we can recover the speed of the configuration from the graph, as explained in the following.

A *path* in the graph  $G$  is a sequence  $p = \{(w_i, u_i)\}_{i < N}$  where  $w_i$  is a vertex of  $G$  and  $u_i$  a letter from  $\Sigma$  so that  $(w_i, w_{i+1}, u_i) \in L$  for all  $i < N - 1$ . A *valid* path is an infinite path ( $N = \infty$ ) so that  $w_0$  consists of one single letter (state). We denote by  $\mathcal{P}(G)$  the set of valid paths of a graph  $G$ .

The following facts are obvious:

**Fact 9.** *For any  $c \in \mathcal{C}^+$ ,  $\{(C_i(c), c_i)\}_{i \geq 0}$  is a valid path in  $G$ .*

*Furthermore, for any valid path  $p = \{(w_i, u_i)\}_{i \geq 0}$ , there exists a configuration  $c \in \mathcal{C}^+$  so that  $u_i = c_i$  and  $C_i(c)$  is a prefix of  $w_i$ .*

Note that it is indeed possible for  $w_i$  to be strictly larger than  $C_i(c)$ .

Now we explain how we can redefine the speed on the graph  $G$ .

If  $p$  is a finite path ( $N$  is finite), the *length* of  $p$  is  $|p| = N$ , the *weight* of  $p$  is  $weight(p) = \sum_{i < N} |w_i|$ , and the *complexity* of  $p$  is  $K(p) = K(u_0 \dots u_{N-1})$

If  $p = (w_i, u_i)_{i \geq 0}$  is an infinite path, and  $p|_n = (w_i, u_i)_{i \leq n}$ , the *average speed* of  $p$  is  $\underline{s}(p) = \liminf \frac{|p|_n|}{weight(p|_n)}$  and the *average complexity* of  $p$  is  $\underline{K}(p) = \liminf \frac{K(p|_n)}{weight(p|_n)}$ .

We define similarly  $\overline{s}(p)$  and  $\overline{K}(p)$ .

Now note that  $\sum_{i < n} |C_i(c)|$  is bounded from below by the first time we go to the position  $n$ , and from above by the last time we go to position  $n$ . So by the previous section

**Proposition 10.**

$$\begin{aligned} S(M) &= \max_{p \in \mathcal{P}(G)} \underline{s}(p) = \max_{p \in \mathcal{P}(G)} \overline{s}(p) \\ H(M) &= \max_{p \in \mathcal{P}(G)} \underline{K}(p) = \max_{p \in \mathcal{P}(G)} \overline{K}(p) \end{aligned}$$

Now to obtain the main theorems, let  $G_k$  be the subgraph of  $G$  obtained by taking only the vertices of size  $|w_i| \leq k$ .

**Theorem 11.**

$$S(M) = \sup_k \sup_{p \in \mathcal{P}(G_k)} \bar{s}(p)$$

$$H(M) = \sup_k \sup_{p \in \mathcal{P}(G_k)} \bar{K}(p)$$

This means we only have to consider finite graphs to compute the speed (resp. entropy). We will prove in the next section that the speed and the entropy are computable for finite graphs, which will give the result.

Before going to the proof, some intuition. Let  $p$  be a path of maximum speed  $S(M) > 0$ . For the speed to be nonzero, vertices of large weight cannot be too frequent in  $p$ . Now the idea is to *bypass* these vertices (by using other paths in the graph  $G$ ) to obtain a new path  $p'$  with almost the same average speed. For the speed, it's actually possible to obtain a path  $p'$  of the *same* speed (this will be done in the next section). However, for the entropy, it is likely that these paths were actually of great complexity so that their removal gives us a path of smallest (yet very near) average complexity.

*Proof.* First, the speed. One direction is obvious by definition. We suppose that  $S(M) > 0$ , otherwise the result is trivial. Let  $p$  be a path of maximum speed.

Let  $k$  be any integer so that  $1/k < S(M)$ . For any vertex  $w$  and  $w'$  of size less or equal to  $k$  so that  $p$  goes through  $w$  and  $w'$  in that order, choose some finite path  $P(w, w')$  from  $w$  to  $w'$ . Now let  $K$  be an upper bound on the weights of all those paths.

The idea is now simple: we will change  $p$  so that it will not go through any vertices  $w$  of size  $|w| > K$ .

We do it like this: Whenever there is a vertex  $\tilde{w}$  of size greater than  $K$ , we will look at the last vertex  $w$  before it of size less or equal to  $k$ , and to the first vertex  $w'$  after it of size less or equal to  $k$ , and we will replace the portion of this path by  $P(w, w')$ . Let's call  $p'$  this new path. Note that there must exist such a vertex  $w'$ , otherwise all vertices will be of size greater than  $k$  after some time, which means the speed on  $p$  is less than  $1/k$ , a contradiction.

Now we prove this construction works.

Let  $n$  be an integer so that for all  $m \geq n$ .

$$\frac{m}{\text{weight}(p|_m)} \geq S(M)/2$$

Now let  $m$  so that the vertex  $w_m$  of  $p$  is of size less than  $k$ . We will look at how the  $m$  first positions of  $p$  were changed into  $p'$ . Let  $m'$  be the position of the vertex  $w_m$  in  $p'$  ( $w_m$  still appears in  $p'$  as we only change vertices of size greater than  $k$ ).

By the above inequality, it is clear that in the  $m$  first position of the path  $p$ , there is at most  $2m/(kS(M))$  vertices of size greater than  $k$ . This means that this portion of the path in  $p'$  is of length at least  $m' \geq m - 2m/(kS(M))$ . Furthermore, at each time, we replace a finite path by a path of smallest weight (each path was of weight at least  $K$ , and each new one is of weight at most  $K$ ).

As a consequence, for this new path  $p'$  we have

$$\frac{m'}{\text{weight}(p'|_{m'})} \geq \frac{m - 2m/(kS(M))}{\text{weight}(p|_m)}$$

Hence

$$\bar{s}(p') \geq S(M) - 2/k$$

We have proven that some path in  $G_K$  is at least  $2/k$  to the optimal speed, which proves the result.

The proof for the entropy is, as always, very similar. We start from  $1/k < H(M)/(\log |\Sigma|)$ , which guarantees that infinitely many vertices are of weight less than  $k$ . As before, we will choose  $K$  greater than all weights, but now also greater than  $k^2$ .

First,  $K(p|_n) \leq n \log |\Sigma| + O(\log n)$ , so  $\underline{K}(p) \leq \underline{s}(p) \log |\Sigma|$ , so we may choose  $m$  so that for all  $m \geq n$

$$\frac{m}{\text{weight}(p|_m)} \geq H(M)/(2 \log |\Sigma|)$$

To simplify notations, let  $L = H(M)/(2 \log |\Sigma|)$ .

We now have to evaluate  $K(p'_{|m'})$ . To recover  $p|_m$  from  $p'_{|m'}$ , we only need:

- To know  $m$
- To know the positions of the paths that were cut.
- To know the labels of what was cut
- To know the labels of what was added instead

First, the positions. There are at most  $mL/K$  vertices of size at least  $K$ , so we did at most  $mL/K$  cuts. The cuts can be described by two sets: the set of beginnings of the cuts, and the set of endings of the cuts. Each set is of size at most  $mL/K$ . For a given size  $p \leq mL/K$ , there are at most  $\binom{m}{mL/K}$  sets of size  $p$ , so this can be described by a binary word of size at most the logarithm of this quantity (upto a factor  $O(\log m)$ ).

Second, what was cut. We only cut vertices of size at least  $k$ , so this can be described by a single word of size at most  $\lceil mL/k \rceil \lceil \log |\Sigma| \rceil$ .

Third, what was added. At each cut, we added one of the paths  $P(w, w')$ . Now there are at most  $|Q|^{k+1}$  words of size at most  $k$ , hence are at most  $(|Q|^{k+1})^2$  such paths, and there are at most  $mL/K$  cuts, so this can be described by a word of size at most  $\lceil mL/K \rceil 2(k+1) \lceil \log |Q| \rceil$

Thus

$$K(p'_{|m'}) \geq K(p_m) - 2 \log \binom{m}{mL/K} - \lceil mL/k \rceil \lceil \log |\Sigma| \rceil - \lceil mL/K \rceil 2(k+1) \lceil \log |Q| \rceil - O(\log m)$$

Now  $\text{weight}(p'_{|m'}) \leq \text{weight}(p_m)$  and  $\text{weight}(p'_{|m'}) \geq m' \geq m(1 - L/k)$

$$\frac{K(p'_{|m'})}{\text{weight}(p'_{|m'})} \geq \frac{K(p_m)}{\text{weight}(p_m)} - \frac{\text{the same quantity}}{m(1 - L/k)}$$

Hence

$$\overline{K}(p') \geq H(M) - \frac{1}{1 - L/k} \left( -2E \left( \frac{L}{K} \right) - \frac{L \lceil \log |\Sigma| \rceil}{k} - \frac{L(2k+1) \log |Q|}{K} \right)$$

where  $E(p) = -p \log p - (1-p) \log(1-p)$ . Now the quantity to the right tends to  $H(M)$  when  $k$  tends to infinity (recall that we choose  $K$  greater than  $k^2$ , which we need for the last term), which proves the result.  $\square$

**3.4. The main theorems.** Now we can explain how to use the last result to prove the main theorems.

The idea is that we can compute the speed  $S(M)$  from above, by the formula

$$S(M) = \inf_n \sup_c \frac{s_n(c)}{n}$$

So it is sufficient to explain how to compute it from below and this comes precisely from the previous theorem.

**Theorem 12.** *There exists an algorithm that, given a Turing machine  $M$  and a precision  $\epsilon$ , computes  $S(M)$  to a precision  $\epsilon$ .*

*Proof.* We only have to explain how to compute the maximum speed for a finite graph  $G$ . First, we may trim  $G$  so that all vertices are reachable from a vertex of size 1. It is then obvious that the maximum speed is obtained by a path that goes to then follow a cycle of minimum average weight, so the maximum speed is exactly the inverse of the minimum average weight. This is easily computable, see [Kar78] for an efficient algorithm.  $\square$

We can say a bit more

**Theorem 13.** *The maximum speed of a Turing machine  $S(M)$  is a rational number. It is reached by a configuration which is ultimately periodic.*

*Proof.* We suppose that  $S(M) > 0$  otherwise the result is clear.

We will prove that the sequence  $\sup_{p \in G_k} \bar{s}(p)$  is stationary.

Let  $k = 1 + \lceil 1/S(M) \rceil$ . Let  $K = k(k+1)|Q|^{k+1}$

Now we look at  $\sup_{p \in G_{K'}} \bar{s}(p)$  for some  $K' \geq K$ . The maximum is reached for some path that reach some cycle of minimum average weight.

Note that this cycle cannot be of length greater than  $(k+1)|Q|^{k+1}$ . Indeed, denote by  $m$  the length of this cycle. As there are at most  $|Q|^{k+1}$  vertices in this cycle of length at most  $k$ , the average speed on this cycle is less than

$$\frac{m}{(k+1)(m - |Q|^{k+1})} \leq 1/k < S(M)$$

Now, there cannot be any vertices in this cycle of length at least  $k(k+1)|Q|^{k+1}$ . otherwise the average speed would be less than

$$\frac{(k+1)|Q|^{k+1}}{k(k+1)|Q|^{k+1}} \leq 1/k < S(M)$$

Hence this cycle is already in  $G_K$ .

Now if we look at the cycle of minimal average weight in  $G_K$  that can be reached in  $G$ , hence in  $G_P$  from some  $P$ , then it is clear that  $S(M)$  is exactly the inverse of the average weight of this cycle, and it is reached for some path  $p$  in  $G_P$  that reaches then follows this cycle.  $\square$

Note that, while the maximum speed is a rational number, there is no algorithm that actually computes this rational number (we are only able to approximate it up to any given precision). This can be proven by an adaptation of the proof of the undecidability of the existence of a periodic configuration in a Turing machine [KO08].

Now we do the same for the entropy:

**Theorem 14.** *There exists an algorithm that, given a Turing machine  $M$  and a precision  $\epsilon$ , computes  $H(M)$  to a precision  $\epsilon$ .*

*Proof.* We only have to explain how to compute the maximum complexity for a finite graph  $G$ . However, we do not know how to do this in the whole generality. We will only prove how to do it for the graphs  $G_k$ , that have an additional property: It is easy to see that they are weakly-deterministic, in the sense, that given two vertices  $w, w'$  and a word  $u$ , there is at most one path from  $w$  to  $w'$ .

First we trim  $G_k$  so that any vertex of  $G_k$  is reachable from a vertex of size 1.

For a given  $k$ , we consider a set  $B_k$  of infinite words over the alphabet  $(Q \times \Sigma) \cup Q$  defined as follows: A word is in  $B_k$  if and only if it never contains more than  $k-1$  consecutive letters in  $Q$ , never more than 1 consecutive letters in  $Q \times \Sigma$ , and all

factors of the form  $(a, q)w(b, q')w'(c, q')$  satisfy than there is a vertex from  $qw$  to  $q'w'$  labeled by  $b$ .

Now it is clear that if  $p = \{(u_i, q_i w_i)\}_{i \geq 0}$  is an infinite path in  $G_k$ , then  $(u_0, q_0)w_0(u_1, q_1)w_1 \dots$  is a word of  $B_k$ . Conversely, any word of  $B_k$ , upto the deletion of at most  $k + 1$  letters at its beginning, represents a path in  $G_k$ .

Moreover,  $K((u_0, q_0)w_0 \dots (u_n, q_n)w_n) = K(u_0 \dots u_n) + O(1) = K(p|_n) + O(1)$ . Indeed, we can recover all the states knowing only  $w_0$  and  $w_n$ , as the graph is weakly deterministic. Furthermore, the length of  $(u_0, q_0)w_0 \dots (u_n, q_n)w_n$  is exactly  $weight(p|_n)$ .

This means that the maximum complexity on the graph  $G_k$  can be computed as:

$$\sup_{w \in B_k} \limsup \frac{K(w_0 \dots w_n)}{n}$$

And this we know how to compute. Indeed,  $B_k$  is what is called a subshift of finite type (it is defined by a finite set of forbidden words), for which the above quantity is exactly the entropy (!) of  $B_k$  [Bru83, Sim], which is easy to compute, see e.g., [LM95].

To better understand what we did in this theorem, the intuition is as follows: Computing the entropy of the trace is difficult, but the trace can be approximated by taking only into account configurations for which we cross at most  $k$  times the frontier between any two consecutive cells. For this approximation  $T_k$  of the trace, we can reorder the letters inside the trace so that transitions corresponding to the same position are consecutive, and this does not change the entropy. However, it makes it easier to compute.  $\square$

#### OPEN PROBLEMS

The main open problem is of course to strengthen the last theorem, and actually characterise the exact numbers that can arise as entropies of Turing machines. It cannot be all nonnegative computable numbers, as an enumeration of Turing machines would give us an enumeration of these numbers, which is impossible by an easy diagonalisation argument. The natural conjecture is that the supremum in the theorem is actually reached, which would prove that the numbers that arises as entropies of Turing machines are exactly the numbers that arises as entropies of subshifts of finite type, which are well known.

Finally, the situation for Turing machines with two-tapes is not clear. Of course, we know that the speed (resp. entropy) are not computable [DB04] (there is no algorithm that given a Turing machine and a precision  $\epsilon$  computes the speed upto  $\epsilon$ ), but we know of no example where the speed (resp. the entropy) is not a rational number (resp. a computable real number).

#### REFERENCES

- [Bru83] A. A. Brudno. Entropy and the complexity of the trajectories of a dynamical system. *Transactions of the Moscow Mathematical Society*, 44(2):127–151, 1983.
- [DB04] Jean-Charles Delvenne and Vincent D. Blondel. Quasi-periodic configurations and undecidable dynamics for tilings, infinite words and Turing machines. *Theoretical Computer Science*, 319:127–143, 2004.
- [DH10] Rodney G. Downey and Denis R. Hirschfeldt. *Algorithmic Randomness and Complexity. Theory and Applications of Computability*. Springer, 2010.
- [FH10] De-Jun Feng and Weng Hang. Lyapunov Spectrum of Asymptotically Sub-additive Potentials. *Communications in Mathematical Physics*, 297(1):1–43, 2010.
- [Har68] J. Hartmanis. Computational Complexity of One-Tape Turing Machine Computations. *Journal of the ACM (JACM)*, 15(2):325–339, 1968.
- [Hen65] F.C. Hennie. One-Tape, Off-Line Turing Machine Computations. *Information and Control*, 8:553–578, 1965.

- [HU79] John E. Hopcroft and Jeffrey D. Ullman. *Introduction to Automata Theory, Languages and Computation*. Addison-Wesley, 1979.
- [Kar78] Richard M. Karp. A Characterization of the minimum cycle mean in a digraph. *Discrete Mathematics*, 23(3):309–311, 1978.
- [KO08] Jarkko Kari and Nicolas Ollinger. Periodicity and Immortality in Reversible Computing. In *MFCS 2008*, LNCS 5162, pages 419–430, 2008.
- [Koi01] Pascal Koiran. The Topological Entropy of Iterated Piecewise Affine Maps is Uncomputable. *Discrete Mathematics and Theoretical Computer Science*, 4(2):351–356, 2001.
- [Kur97] Petr Kurka. On topological dynamics of Turing machines. *Theoretical Computer Science*, 174:203–216, 1997.
- [LM95] Douglas A. Lind and Brian Marcus. *An Introduction to Symbolic Dynamics and Coding*. Cambridge University Press, New York, NY, USA, 1995.
- [M99] László Máté. On infinite composition of affine mappings. *Fundamenta Mathematicae*, 159:85–90, 1999.
- [Moo91a] Christopher Moore. Generalized one-sided shifts and maps of the interval. *Nonlinearity*, 4(3):727–745, 1991.
- [Moo91b] Cristopher Moore. Generalized shifts: unpredictability and undecidability in dynamical systems. *Nonlinearity*, 4(2):199–230, 1991.
- [Opr06] Piotr Oprocha. On entropy and Turing machine with moving tape dynamical model. *Nonlinearity*, 19(10):2475–2487, 2006.
- [Pig09] Giovanni Pighizzini. Nondeterministic one-tape off-line Turing machines and their time complexity. *Journal of Automata, Languages and Combinatorics*, 14(1):107–124, 2009.
- [Sim] Stephen G. Simpson. Symbolic Dynamics : Entropy = Dimension = Complexity. submitted.
- [Tra64] B. A. Trakhtenbrot. Turing Computations with Logarithmic Delay. *Algebra i Logika*, 3(4):33–48, 1964. (In russian).