

A Model for Vendor Selection and Dynamic Evaluation

Raffele Iannone, Salvatore Miranda, Stefano Riemma, Debora Sarno

► **To cite this version:**

Raffele Iannone, Salvatore Miranda, Stefano Riemma, Debora Sarno. A Model for Vendor Selection and Dynamic Evaluation. Bruno Vallespir; Thèle Alix. International Conference on Advances in Production and Management Systems (APMS), Sep 2009, Paris, France. Springer, IFIP Advances in Information and Communication Technology, AICT-338, pp.283-290, 2010, Advances in Production Management Systems. New Challenges, New Approaches. <10.1007/978-3-642-16358-6_36>. <hal-01055843>

HAL Id: hal-01055843

<https://hal.inria.fr/hal-01055843>

Submitted on 13 Aug 2014

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



A model for vendor selection and dynamic evaluation

Raffele Iannone¹, Salvatore Miranda¹, Stefano Riemma¹, Debora Sarno¹

¹ University of Salerno, Department of Mechanical Engineering
Via Ponte don Melillo,
84084 Fisciano (SA), Italy
{riannone, smiranda, [sriemma](mailto:sriemma@unisa.it)}@unisa.it, deborasarno@hotmail.it

Abstract. The present paper proposes an evaluation model able to integrate the selection phase with the monitoring and the continuous analysis of the vendor performances. The vendor evaluation process is realised through an opportune methodology which puts beside qualitative judgements (i.e. the adequacy of the organisation or the maintenance management policies) and performance data (i.e. delivery delays, number of non conformities, discrepancies in the delivered quantities, etc.) and builds the database which will support the daily decisions of the buyers. Thanks to its generality and customisability, together with the use of basic managerial tools, the system represents an appropriate trade-off between implementation costs and obtainable benefits.

Keywords: Vendor Evaluation, Vendor Selection, AHP, Supply Management

1 Introduction and literature review

The success of an enterprise into the global market is even more strictly conditioned by the competitiveness of the supply chain in which it is positioned: however effective and efficient in pursuing its targets a company is, it can be in serious troubles if has to interact, along the chain, with ineffective actors, which operate far to the real needs of the market, because this will have severe repercussions on the output offered to the final customer.

The global trend, as largely confirmed in literature and by the practice, advises the enterprises to focus on their own core activities, with consequent aiming to the outsourcing, which represents the tool able to reduce the enterprise overall dimensions. The higher flexibility, obtained by the transposition of the fixed costs in variable costs, is accompanied by the transferring to external actors of all the activities not directly related to the core business. Obviously, these actors must be able to sustain the quality levels which before were a peculiarity of the enterprise.

The purchasing function, therefore, assumes a fundamental role, in terms of both incidence on the total costs and strategic relevance [1]. For these reasons, its positioning into the organisational macrostructure has been progressively redefined, up to the creation of interfunctional teams able to guarantee a systemic vision of the process and more decisional power. This has been targeted to satisfy a series of new necessities: to monitor the suppliers performances, in order to verify their ability to assure the required levels of excellence; to optimise the even more complex

purchasing process, through careful comparisons and by reducing the set of available suppliers to the most virtuous ones; to understand the real potentialities of the suppliers in order to establish with them strict and durable relationships [2].

The process of Vendor Evaluation (VE) is characterised by:

- *Vendor selection*: vendor knowledge and evaluation of its potentialities in order to elaborate a list of qualified vendors;
- *Performance evaluation*: rectified measurement during the supplying. Together with the selection phase it constitutes the *vendor rating*, which ratifies or denies the final approval of a vendor;
- *Vendor ranking*: comparison of the results of all the vendors;
- *Periodic review* of the potentialities evaluation.

To support the new strategic role of the purchasing function, during the last decades numerous methods of vendor evaluation have been proposed. In literature the Multiple Criteria Decision Making nature [3,4] of the VE is commonly accepted, as well as the extremely diversified data the models have to manage, reflecting the logic of the specific decision maker. As concerns the analysis criteria, different studies have been carried out [5,6], but most of them have demonstrated their applicability under specific constraints only and, then, scarce practical interest.

The experience matured on the field leads the authors to affirm that these models have been scarcely appreciated and utilised in the industrial practice (especially in small and medium enterprises). This can be principally explained with the traditional reticence towards complex mathematical models for choices that can be left to the intuition of the buyer. In the rare cases in which such reticence has been surmounted, these methods have been seen as not very reliable black boxes, due to the reduced number of considered variables.

This paper proposes a model able to guarantee **completeness**, by taking into consideration a wide range of aspects, and **easiness**, by avoiding the adoption of a high number of mathematical modellings, contrarily to what found in literature [7].

2 The Proposed Vendor Evaluation Method

In this section a VE model, based on the Linear Weighting Method (LWM), is presented. Starting from a hierarchical structuring of all the evaluation criteria, the model provides for a procedure which aims to contextualize the general structure to the specific cases. This is obtained through a calculation method based on the AHP logic which assigns opportune weights to the criteria, basing on experts judgment. The general scheme of the model is shown in Fig.1. Objectives and details of the steps will be described in the next paragraphs.

The batching in homogeneous classes. The classification of the provisions in clusters for which the same rules are valid enables to contextualize the evaluation structure for a limited number of categories. This can be performed by means of the material merchandise data.




Fig. 1: Logical scheme for the implementation of the model

The hierarchy of the evaluation criteria. In order to permit a complete evaluation of the vendors, a wide set of analysis aspects, subdivided in criteria, sub-criteria and indicators has been defined (Fig.2). This structure represents the hierarchy of the evaluation criteria. The passing from a level to the lower implies a detail increase of the analyzed information. In Table 1 the detail of the evaluation criteria is proposed. It is important to underline that the evaluation has subjective nature, whether it is based on quantitative data or it arises from qualitative judgments.




Fig. 2: The criteria hierarchical structuring

The personalization of the hierarchy. The hierarchy of criteria is extremely generic: to guarantee the right trade-off between implementation efforts and benefits of the model, it has to be contextualized according to the company strategy and to the cluster of the considered materials. The method proposes to selecting the criteria by submitting the maxi-hierarchy to at least two figures with specific competences on the provisioned products/services. In particular one member of the Engineering Department and one of the Quality Assurance Department should be involved. They

are called to cut/supplement the list of criteria, realising in this way a specific hierarchy for each cluster of materials. The cutting is performed by defining a lower limit for the judgments of preference obtained by each criterion. The criteria whose mean judgment is below that limit will be excluded by the hierarchy. A further reduction can be effected by other company figures directly involved in the vendor evaluation process [8].

Table 1. The proposed hierarchy of criteria

| Aspects | Level 1 – Criteria | Level 2 – Sub-criteria |
|--|--|--|
| C ₁ Economic- financial | C ₁₁ Country Risk | |
| | C ₁₂ Stability | |
| | C ₁₃ Credit Capacity | |
| | C ₁₄ Price | |
| C ₂ Project | C ₂₁ Innovation Capacity | C ₂₁₁ project innovativeness C ₂₁₂ R&D investment and patents C ₂₁₃ adaptability to technological development |
| | C ₂₂ Support tools and technologies | |
| | C ₂₃ Qualified manpower | |
| | C ₂₄ Technical –planning collaboration | C ₂₄₁ participation in project development C ₂₄₂ adapting to project requirements C ₂₄₃ one-pieces or prototypes realization |
| | C ₃₁ Manpower | C ₃₁₁ available C ₃₁₂ overtime capacity C ₃₁₃ skill C ₃₁₄ independence on the job C ₃₁₅ technical/social integration |
| C ₃ Operations | C ₃₂ Machinery and equipment | C ₃₂₁ adequacy C ₃₂₂ maintenance policies |
| | C ₃₃ Structures | C ₃₃₁ plants C ₃₃₂ warehouses C ₃₃₃ service equipment |
| | C ₃₄ Flexibility | C ₃₄₁ ability to reduce lot dimensions C ₃₄₂ flexibility to mix and selling volume |
| | C ₃₅ Punctuality | |
| | C ₄₁ Type of organization structure | |
| C ₄ Managerial | C ₄₂ after--sales service | C ₄₂₁ supply problems management C ₄₂₂ faulty products substitution |
| | C ₄₃ Documental management | |
| | C ₄₄ Procedures management | C ₄₄₁ scheduling C ₄₄₂ activity advancement C ₄₄₃ reception C ₄₄₄ final inspection C ₄₄₅ non conformities C ₄₄₆ supplying problems C ₄₄₇ security C ₄₄₈ process reviews |
| | C ₄₅ Administrative – commercial collaboration | C ₄₅₁ offer formulation process C ₄₅₂ availability, professionalism and timeliness in question answering C ₄₅₃ time for order confirmation |
| | C ₄₆ Purchase management | C ₄₆₁ entry inspections C ₄₆₂ vendor selection and evaluation |
| | C ₅₁ Coherence in packaging modalities | |
| C ₅ Logistic | C ₅₂ Flexibility | |
| | C ₅₃ Punctuality | C ₅₃₁ unproductive working hours C ₅₃₂ increase of interest charges on capital invested in WIP C ₅₃₃ delivery delay on estimated times C ₅₃₄ reminders for shipments |
| | C ₅₄ Respect of ordered quantities | |
| | C ₅₅ Geographical localization | |

| | | |
|---------------------------|---------------------------------------|--|
| C ₆ Quality | C ₆₁ Quality certification | C ₆₁₁ application of the quality management system C ₆₁₂ skill of quality control operators |
| | C ₆₂ Quality costs | C ₆₂₁ checks in acceptance C ₆₂₂ cost of audits C ₆₂₃ cost of reworking |
| | C ₆₃ Quality problems | C ₆₃₁ non conformities C ₆₃₂ damaged products C ₆₃₃ claims |

Weights attribution to the criteria. Not all the evaluation methods require the definition of the weights for the criteria – see DEA [9], OR methods [10,11], total cost of ownership methods [12]. Given the numerousness of the considered criteria and the easiness aim, the model is based on the LWM which receives as input weights and scores of the evaluation parameters. In order to convert in numbers the decision maker perceptions about the relative importance of the criteria, the AHP method, already adopted by Narasimhan [13], is utilized. This differs from the traditional application of the AHP, which is generally used to choose among different alternatives [14]. According to this method, the comparison matrices will be compiled. They are not necessarily consistent (unit rank): forcing the compilers to be perfectly coherent in their judgments, inappropriately obliges them to respect the principles of preference and indifference transitivity. The error will be therefore reduced through the Power Method and subsequently by verifying the consistence through the calculation of the relative index (see [15] for the explanation of the steps to follow). The procedure will be executed at the first implementation of the model as well as at each change of the company strategy [16].

The evaluation model. The relative weight vectors obtained through the AHP are disposed beside the indicators into a worksheet, so as to constitute the global evaluation form for each cluster of materials. The decision makers will be able to complete the form for each vendor by assigning their score to each criteria or sub-criteria of the hierarchy. Through the LWM, the global rating A_i of the i th vendor for a specific cluster of material will be calculated by the following formula:

$$A_i = \sum_{j=1}^n w_j a_{ij} \quad (1)$$

where: w_j = weight relative to the j th aspect; a_{ij} = score obtained by the i th vendor on the j th aspect; n = number of considered aspects.

In (1) the score a_{ij} is in its turn given by:

$$a_{ij} = \sum_{k=1}^{m_j} w_{jk} a_{ijk} \quad (2)$$

where: w_{jk} = weight relative to the k th criterion of j th aspect; a_{ijk} = score obtained by the i th vendor on the k th criterion of the j th aspect; m_j = number of considered criteria of the j th aspect.

The same relation of (2) is valid for the score a_{ijk} as a function of its sub-criteria. At each level the weight vectors are defined according to the following conditions:

$$\sum_{j=1}^n w_j = 1 \quad \text{and} \quad \sum_{k=1}^{m_j} w_{jk} = 1 \quad \forall j. \quad (3)$$

As concerning the score attribution, for qualitative judgments a 1-10 range (10 is the optimum) will be adopted; for quantitative data specific formulas have been created. Starting from them, opportune membership functions can be defined, in such a way as it is possible to convert the performance measured through the formula in a score included in the 1-10 range.

This method avoids the problem of the uncertainty in the weights attribution, typical of the pure LWM. The other controversial issue, the possible offsetting among the criteria, has been solved by fixing a score which represents the lower limit for the approval: if a score goes under this limit (i.e. 6/10) the vendor cannot be considered qualified, independently to its final score.

Data Collection. In order to implement the method, data have to be procured in different ways and moments of the supply process. For the evaluation of the potentialities in the Selection Phase, the *Auto Evaluation Form* (an opportunely developed questionnaire to be sent to each vendor) and the predisposition of test samplings have to be used. After the first selection, the proper qualification consists of the analysis of all the data, through the compilation of the *Preventive Evaluation Form*. The supplies evaluation is performed through the *Rectified Evaluation Form*. The two evaluations, preventive and rectified, constitute the global rating of the vendor, whose total score determines the eventual approval. The preventive evaluation has to be updated at each change in strategy (**Periodic Review**) and, in any case, at least every 3-5 years; the rectified evaluation, on the contrary, has a time-limited validity which strongly depends on the kind of supply.

3 The Case Study

A first validation of the model has been carried out on a company leader in the engineering industry. The high number of vendors and the relative importance of the purchases on the total expenses (70%) have offered a valid test field for the validity of the proposed model. After unstructured interviews and the analysis of the data resident into the ERP of the company, all the steps of the model have been implemented. Subsequently, a comparison between the obtained results and the actions undertaken by the buyers, basing on their experience, in a period of six months has been done. As instance, the comparison for a particularly critical mechanical component, present in all the products, is reported. The characteristics analyzed for a vendor of this component are resumed in the ad hoc hierarchy shown in Fig.3. According to the model, the hierarchy has been adapted to the specific case with the elimination of some criteria and the addition of others.

The purchase department, in the analyzed six months, has confirmed orders for 80 pieces, distributing them on 5 accredited vendors. The diagram of Fig.4 shows such distribution together with the global rating obtained by each vendor through the application of the proposed model. The coherence between obtained results and buyers choices appears evident. The same coherence has been confirmed for all the main clusters of the materials provisioned by the company.




Fig. 3. Hierarchy of criteria for the analyzed mechanical component

The buyers are surely facilitated in their choices by the implementation of the proposed VE system: by reading on the database the scores obtained by the vendors for the specific aspects of evaluation and the relative global ratings, they can immediately take their decisions. In this way they avoid the long and laborious process of data acquisition, which often requires numerous consultations with different company figures, without losing effectiveness in their final choices.




Fig 4: Comparison between global ratings of the model and buyers choices

4 Conclusions

The paper presents an easy and versatile VE model which can be utilized by every kind of company. Its information power can be a basic tool for the management in supporting the company strategies in the medium period, because it assures a complete outline of the vendors and facilitates considerations about the instauration of more evolved contractual relationships. In addition it allows the buyers to make studies on historical series, sensitivity analyses and also make the evaluation parameters known to the vendors (which can in this way steer better their efforts).

The implementation and the continuous use of a VE system requires great care of the decision makers: retrieving the necessary data and taking coherent evaluations from time to time are not banal problems. For these reasons, the system, even if well conceived, can result in some cases limited or lacking. Other problems can be the

underutilization or the crystallization of the system. Therefore, the choice of implementing a VE system should be well pondered and should come from the perception of a real necessity.

Finally, the extensive implementation of the system, opportunely tuned, makes the company abler to defend its competitive advantage position, because it results as a merit mark and a certification of the attention to the customer satisfaction, key factor in the global market.

References

1. Ghodsypour S.H., O'Brien C.: A decision support system for supplier selection using an integrated analytic hierarchy process and linear programming. *International Journal of production economics* 56-57, 199--212 (1998)
2. Ragatz, G.L., Handfield, R.B., Scannell, T.V.: Success factors in integrating suppliers into new product development. *Journal of Production Innovation Management* 14, 190--202 (1997)
3. Weber C.A., Current J.R., Benton, W.C.: Vendor selection criteria and methods. *European Journal of Operational Research* 26, 35--41 (1991)
4. Shyur, H.J., Shih, H.S.: A hybrid MCDM model for strategic vendor selection. *Mathematical and Computer Modelling* 44, 749--761 (2006)
5. Dickson, G.W.: An analysis of vendor selection systems and decisions. *Journal of Purchasing* 2 (1), 5--17 (1966)
6. Zhang, Z., Lei, J., Cao, N., To, K., Ng, K.: Evolution of supplier selection criteria and methods. PBSRG, Arizona State University (2004)
7. de Boer, L., Labro, E., Morlacchi, P.: A review of methods supporting supplier selection. *European Journal of Purchasing & Supply Management* 7, 75--89 (2001)
8. Tam, M.C.Y., Tummala, V.M.R.: An application of the AHP in vendor selection of a telecommunications system. *Omega - The International Journal of Management Science* 29, 171--182 (2001)
9. Talluri S., Narasimhan R., Nair A.: Vendor performance with supply risk: A chance-constrained DEA approach. *International Journal of Production Economics* 100, 212--222 (2006)
10. Ng, L.W.: An efficient and simple model for multiple criteria supplier selection problem. *European Journal of Operational Research* 186, 1059-1067 (2008)
11. Wadhwa, V., Ravindran, A. R.: Vendor selection in outsourcing. *Computers & Operations Research* 34, 3725--3737 (2007)
12. Roodhooft, F., Konings, J.: Vendor selection and evaluation. An activity based costing approach. *European Journal of Operational Research* 96, 97--102 (1996)
13. Narasimhan R.: An analytical approach to supplier selection. *Journal of Purchasing Material Management Winter*, 27--32 (1983)
14. Noorul Haq, A., Kannam, G.: Fuzzy analytical hierarchy process for evaluating and selecting a vendor in a supply chain model. *International Journal of Advanced Manufacturing Technology* 29, 826--835 (2005)
15. Saaty, T.L.: Fundamentals of decision making and priority theory with the analytic hierarchy process, Vol. VI of the AHP series. RWS Publications, Pittsburgh (1994)
16. Dulmin, R., Mininno, V.: Supplier selection using a multi-criteria decision aid method. *Journal of Purchasing & Supply Management* 9, 177-187 (2003)