



**HAL**  
open science

# Numerical Investigation on the usefulness of Proper Orthogonal Decomposition method in cardiac electrophysiology

Jamila Lassoued, Moncef Mahjoub, Nejib Zemzemi

► **To cite this version:**

Jamila Lassoued, Moncef Mahjoub, Nejib Zemzemi. Numerical Investigation on the usefulness of Proper Orthogonal Decomposition method in cardiac electrophysiology. [Research Report] 2014, pp.20. hal-01058655

**HAL Id: hal-01058655**

**<https://hal.inria.fr/hal-01058655>**

Submitted on 27 Aug 2014

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



# Numerical Investigation in the usefulness of Proper Orthogonal Decomposition method in cardiac electrophysiology

Lassoued Jamila, Zenzemi nejb

**RESEARCH  
REPORT**

**N° 7003**

september 2013

Project-Teams Carmen





## Numerical Investigation in the usefulness of Proper Orthogonal Decomposition method in cardiac electrophysiology

Lassoued Jamila\*, Zemzemi nejib†

Project-Teams Carmen

Research Report n° 7003 — september 2013 — 17 pages

**Abstract:** Numerical simulation of cardiac electrophysiology is very time consuming. Reduced order method have been recently used in different fields including cardiac electrophysiology. In this paper we use a reduced order method based on the proper orthogonal decomposition (POD), and we propose to evaluate the accuracy of this method while changing different parameters in the model. To describe the propagation of the action potential in the myocardium, we use the monodomain model which is a reaction diffusion PDE system coupled to a dynamic system of ODEs representing the time evolution of the electrophysiology in the cell membrane. We build the reduced order model using a set of parameters, afterwards, we evaluate the accuracy of the reduced model while changing the parameters of the model. We numerically analyze the sensitivity of the reduced order method to the model parameters including the change of the whole ionic model.

**Key-words:** monodomain model, reduced order method, POD, mitchell schaeffer model, ionic parameters.

---

\* University of Tunis El Manar, *LAMSIN – ENIT*, lassoued.jamila@gmail.com

† INRIA Bordeaux Sud-Ouest, nejib.zemzemi@inria.fr

**RESEARCH CENTRE  
BORDEAUX – SUD-OUEST**

200 avenue de la Vieille Tour  
33405 Talence Cedex

## rapport de recherche

### Inria

**Résumé :** La simulation numérique de l'électrophysiologie cardiaque est très coûteuse en termes de calcul. Les méthodes d'ordre réduit ont été récemment utilisées dans différents domaines y compris l'électrophysiologie cardiaque. Dans cet article, nous utilisons une méthode d'ordre réduit basée sur la décomposition orthogonale aux valeurs propres (POD), et nous proposons d'évaluer la précision de cette méthode tout en changeant des différents paramètres dans le modèle. Pour décrire la propagation du potentiel d'action au niveau du myocarde, on utilise le modèle monodomaine qui est un système de réaction-diffusion PDE couplée à un système d'équations différentielles dynamique représentant l'évolution temporelle de l'électrophysiologie dans la membrane cellulaire. Nous construisons le modèle d'ordre réduit l'aide un ensemble de paramètres, par la suite, on évalue la précision du modèle réduit tout en modifiant les paramètres de modèle. Nous étudions numériquement la sensibilité de la méthode d'ordre réduit par rapport les paramètres du modèle, y compris le changement de l'ensemble du modèle ionique.

**Mots-clés :** modèle monodomaine , méthode de réduction de modèle, POD, modèle de mitchell schaeffer, paramètres ionique

## 1 Introduction

In order to make the numerical simulation of electric activity of the heart useable in clinical applications, we need to develop a model that takes into account the physiological properties of the heart and provides realistic propagation of the electrical wave and especially not too expensive in terms of computation cost.

The electrical wave in the heart is governed by a system of reaction diffusion equations called bidomain model, it is coupled to an ODE system representative the cellular activity.

This model, which consists of a reaction diffusion non linear system, is coupled to dynamic system modelling the cellular ionic currents. It is also known to be very expensive from a computation point of view [14, 6]. In this work, we choose the monodomain model [5, 7], a simplified version of the bidomain model, we reduce the complexity of its discretization using a Galerkin basis that a priori contains sufficient informations about the expected solution. There are different methods to construct this basis. Following, [1, 2], we choose to use the Proper Orthogonal Decomposition (POD) method. This approach has been used in many fields of science and engineering, including in parameter estimation for cardiac electrophysiology [1]. But to the best of our knowledge, no work has been done in analyzing the accuracy of this method with respect to changing the parameters of the model. In this work we propose to address the problem of the sensitivity of POD with respect to parameter changing.

The POD is a method to derive reduced models by projecting the system onto subspaces spanned by a basis of elements that contains the main features of the expected solution. This method essentially provides an orthonormal basis for representing the given data in a certain least squares optimal sense. Truncation of the optimal basis provides a way to find optimal lower dimensional approximations of the given data. To be able to use POD in parameter estimation like in [1], we think that a prior study should tackle the sensitivity of the POD solution with respect to the parameters that we want to estimate. Of course, we have a rigorous quantification of the error when the POD method is used to solve the problem with the same parameter with which the POD basis has been constructed. But we don't have any a priori estimation of the error while changing parameters, especially the parameters of the ionic model.

The numerical study that we will address in this work compares the POD solution to the full finite element solution of the monodomain problem when we change the parameters of the ionic model. Moreover, we also check the sensitivity of the method while changing the whole ionic model. In section 2, we will present the mathematical models and the reduced-order method we will be using in this work. In section 3 we will carry out numerical simulation studying the sensitivity of the POD method. The main conclusions of the study are then summarized in section 4.

## 2 Modelling and numerical methods

### 2.1 Electric model

The bidomain model is based on the assumption that, at the cell scale, the cardiac tissue can be viewed as partitioned into two ohmic conducting media, separated by the cell membrane: intracellular, made of the cardiac cells, and extracellular which represents the space between them (see [9, 10, 13, 15]). After an homogenization process (see [10]), the intra- and extracellular domains can be supposed to occupy the whole heart volume  $\Omega_H$ . The heart is assumed to be isolated, the propagation of the electric wave in the myocardium is then described by the following system of equations:

$$\left\{ \begin{array}{ll} \chi_m \frac{\partial V_m}{\partial t} + I_{ion}(V_m, w) - \operatorname{div}(\sigma_i \nabla V_m) - \operatorname{div}(\sigma_e \nabla u_e) = I_{app} & \text{in } \Omega_H \times (0, T) \\ -\operatorname{div}((\sigma_i + \sigma_e) \nabla u_e) - \operatorname{div}(\sigma_i \nabla V_m) = 0 & \text{in } \Omega_H \times (0, T) \\ \frac{\partial w}{\partial t} + G(V_m, w) = 0 & \text{in } \Omega_H \times (0, T) \\ \sigma_i \nabla V_m \cdot n = 0 & \text{on } \Sigma. \\ \sigma_e \nabla u_e \cdot n = 0 & \text{on } \Sigma, \end{array} \right. \quad (1)$$

where  $\Omega_H$  and  $\Sigma$  denote respectively the heart domain and its boundary. The time domain is given by  $[0, T]$ . And  $\chi_m$  the membrane capacitance per area unit. The variables  $V_m$  and  $u_e$  denote the action potential and the extracellular potential,  $\sigma_i$  and  $\sigma_e$  the intra- and extracellular conductivity tensors. The term  $I_{app}$  is a given source current, used in particular to initiate the activation, and  $I_{ion}(V_m, w)$  represents the ionic current across the membrane. In this study we use the monodomain model [11], where we assume that the ratios of the anisotropy of the electrical conductivity tensor are the same in the intra and extracellular media. Following [5], the reaction-diffusion equation governing the action potential reads as follow:

$$\left\{ \begin{array}{ll} \chi_m \frac{\partial V_m}{\partial t} + I_{ion}(V_m, w) - \operatorname{div}(\sigma \nabla V_m) = I_{app} & \text{in } \Omega_H \times (0, T) \\ \frac{\partial w}{\partial t} + G(V_m, w) = 0 & \text{in } \Omega_H \times (0, T) \\ \sigma \nabla V_m \cdot n = 0 & \text{on } \Sigma, \end{array} \right. \quad (2)$$

where  $\sigma \stackrel{def}{=} \sigma_i(\sigma_i + \sigma_e)^{-1} \sigma_e$  is the bulk conductivity.

### 2.2 Numerical methods

In order to solve numerically the monodomain model, we use finite element method. After discretizing (2) in time, we start by writing the variational formulation of the

problem

$$\begin{cases} w^{n+1} = w^n - \delta t G(V_m^n, w^{n+1}) & \text{in } \Omega_H \\ \chi_m \int_{\Omega_H} V_m^{n+1} \psi + \delta t \int_{\Omega_H} \sigma \nabla V_m^{n+1} \nabla \psi = \chi_m \int_{\Omega_H} V_m^n \psi \\ \quad + \delta t \int_{\Omega_H} (I_{app}^{n+1} - I_{ion}(V_m^n, w^{n+1})) \psi & \forall \psi \in H^n(\Omega_H) \end{cases} \quad (3)$$

Projecting the variational formulation on the discretized finite element space, we obtain the following linear system

$$\begin{cases} w^{n+1} = w^n - \delta t G(V_m^n, w^{n+1}) & \text{in } \Omega_H \\ \chi_m M V_m^{n+1} + \delta t S V_m^{n+1} = \chi_m M V_m^n + \delta t M (I_{app}^{n+1} - I_{ion}(V_m^n, w^{n+1})) \end{cases} \quad (4)$$

where

$$M = \left( \int_{\Omega_H} e_i e_j \right)_{i,j=1,\dots,n}, \quad S = \left( \int_{\Omega_H} \sigma \nabla e_i \nabla e_j \right)_{i,j=1,\dots,n}$$

and  $(e_i)_{1 \leq i \leq n}$  is the Galerkin finite element basis. The matrix  $M$  is the mass matrix and  $S$  is the stiffness matrix. These functions  $I_{ion}(V_m, w)$ ,  $G(V_m, w)$  depends on the used ionic model. In this study, the dynamics of  $w$  and  $I_{ion}$  are described by different ionic models including a two-variables model phenomenological by Mitchell and Schaeffer [8], a four-variables model by Bueno [4] and a complete physiological cell membrane ionic model by TenTusscher [16].

### 2.3 Reduced order method

For the sake of completeness, we briefly recall the principle of the proper orthogonal decomposition method. The POD is a linear process that includes determining an optimal orthogonal basis of eigen modes in the sense of energy. This means that no base is also capable of capturing a higher amount of energy with the same number of modes. There are two phases in this method, the first is the generation of a reduced order basis and the second is solving the reduced order problem.

#### 2.3.1 Generation of the reduced order basis

The problem to be solved can be stated as follows: how to approximate a function  $u(x, t)$  as follows

$$u(x, t) \simeq \sum_{k=1}^K a_k(t) \Phi_k(x) \quad (5)$$

where  $(\Phi_k)_{k=1}^K$  is a new basis and  $(a_k(t))_{k=1}^K$  is a temporal coefficients. Therefore, we need to find the new basis  $(\Phi_k)_{k=1}^K$  and the temporal coefficients  $(a_k(t))_{k=1}^K$ . Assume that we know the values of the function  $u$  in  $m$  locations  $x_1, x_2, \dots, x_m$  in different  $p$  moments.



Let's denote  $A$ , the snapshot matrix containing the values of the function  $u$ , where each colonne correspond to a given time:

$$A = \begin{pmatrix} u(x_1, t_1) & u(x_1, t_2) & \cdot & \cdot & u(x_1, t_p) \\ u(x_2, t_1) & u(x_2, t_2) & \cdot & \cdot & u(x_2, t_p) \\ \cdot & \cdot & \cdot & \cdot & \cdot \\ \cdot & \cdot & \cdot & \cdot & \cdot \\ u(x_m, t_1) & u(x_m, t_2) & \cdot & \cdot & u(x_m, t_p) \end{pmatrix} \in \mathbb{R}^{m \times p}$$

Solving the problem of approximation (5) is then equivalent to determining the orthonormal basis  $\Phi_k(x)_{k=1}^K$  with  $K \leq p$  solution of the problem

$$\min_{(\Phi_k)_{k=1}^K \in \mathbb{R}^m} \sum_{i=1}^p \|u(x, t_i) - \sum_{k=1}^K (u(x, t_i), \Phi_k(x)) \Phi_k(x)\|^2. \quad (6)$$

The solution of the minimization problem (6) is given by the truncated Singular Value Decomposition (SVD) in the order  $K$  of the snapshots matrix  $A$ . We refer the reader interested in more details to [12, 18] for a detailed explanation of the link between SVD and POD. Using SVD we obtain,

$$A = U \Sigma V^T$$

where  $U$  and  $V$  correspond respectively to the the left singular vectors of  $A$  of dimension  $m \times m$  and the right singular vectors of  $A$  of dimension  $p \times p$ . and  $\Sigma$  is a diagonal matrix containing the  $\sigma_1, \sigma_2, \dots, \sigma_r$ , called the singular values of  $A$  (and  $A^T$ ) such as  $\sigma_1 \geq \sigma_2 \geq \dots \geq \sigma_r$  with  $r = \min(m, p)$ .

The solution of (6) is given by the left singular vectors of  $A$  truncated to order  $K$ : we find the matrix  $\Phi$  as the  $K$  first columns of the matrix  $U$

$$\Phi = U_K \in \mathbb{R}^{m \times K} \quad (7)$$

The accuracy of the POD method is related to the following energy quantification [18]:

$$\sum_{j=1}^p \|A_j - \sum_{i=1}^K (A_j^T \Phi_i) \Phi_i\|^2 = \sum_{i=K+1}^d \lambda_i$$

where  $A_j$  is the  $j$ th colonne of the matrix  $A$  and  $d$  the rank.

The number  $K$  of eigen modes is choosen such that  $\sum_{i=K+1}^d \lambda_i$  is less than some tolerance.

### 2.3.2 Solving the reduced order problem

The POD basis is used by applying a projection procedure, Instead of being projected on the full finite element basis, the variational formulation (3) would now be projected on the POD basis  $\Phi = (\phi_k)_{k=1}^K$ . Knowing the reduced order solution  $V_{pod}^n$  at time  $t_n$ ,

we look for  $V_{pod}^{n+1} = \sum_{k=1}^K v_k^{n+1} \phi_k$ . The unknown vector  $\mathbf{v}^{n+1} = (v_k^{n+1})_{k=1}^K$  is obtained by solving the following reduced order problem,

$$\Phi^T(\chi_m M + \delta t S) \Phi \mathbf{v}^{n+1} = \Phi^T(\chi_m M V_{pod}^n + \delta t M (I_{app}^{n+1} - I_{ion}(V_{pod}^n, w^{n+1}))) \quad (8)$$

The left hand side matrix  $\Phi^T(\chi_m M + \delta t S) \Phi$  is the reduced order matrix and could be easily inverted once for all in our problem. The right hand side is the finite element right hand-side vector projected on the POD basis.

For both equations, the finite element system (4) and the reduced order (8), we use the *LU* method to determine the full finite element and the POD solutions. In the first case, the order of the matrix  $\chi_m M + \delta t S$  is 1681, then it requires  $3.166710^9$  floating point operations, while the second requires only  $3.376910^4$ . This improvement in the number of operations will be illustrated in the following subsection 2.4, when we will present a comparison of the solutions obtained.

## 2.4 Numerical comparison between the full finite element and the POD solutions

In this section, we present numerical simulations about the POD approximation of the monodomain model. For the sake of simplicity and reproducibility, the heart domain is the square  $\Omega_H = [0, 1] \times [0, 1]$  and the unit is cm. It is discretized on the x and y-axis with a space step 0.025 cm. The time domain is  $[0, 500]$ , its unit is ms and the time step is 0.5 ms. The heart is stimulated in a region at the left bottom corner  $[0, 0.025] \times [0, 0.025]$  during 2 ms. The parameter of the ionic model are given in Table 1.

$\tau_{close}$	$\tau_{open}$	$\tau_{out}$	$\tau_{in}$	$V_{gate}$
150	120	6	0.3	0.13

Table 1: Original cell membrane parameters.

As mentioned in the previous section we start by generating a solution of the monodomain problem. This solution is stored in the snapshot matrix used to construct the POD basis. In this example we have 1681 degrees of freedom. Capturing 99.99 % the finite element solution energy requires only 37 modes. We use these 37 modes as a basis and we solve the POD problem.

Using a matlab code, the full finite element solution costs 10.34 s, where the ODE system costs 0.31 s and the linear system costs 10.03 s. The solution of the reduced order problem is computed in 0.5 s, where 0.31 for the ODE system and 0.19 s for the linear system. In Figure 1, we show three snapshots of the full finite element solution (top) and the POD solution (bottom) at the depolarization phase, and in the Figure 2 at the repolarization phase. The pattern of the solution is the same and the wave front is accurately captured.




Figure 1: Top (respectively, bottom): Snapshots of the full finite element (respectively POD) solution at times 10, 30 and 40 ms (from left to right) at the depolarization phase




Figure 2: Top (respectively, bottom): Snapshots of the full finite element (respectively POD) solution at times 100, 200 and 300 ms (from left to right) at the repolarization phase

### 3 Numerical results

For a given set of parameters and using the standard finite element method, we can compute the action potential and then construct the snapshots matrix  $A$ . Using SVD method described above we obtain a reduced order basis that is able to generate the solution up to the considered tolerance. The problem comes when we change some parameters and we try to solve the monodomain problem using the same reduced order basis. Our concern is how the solution of the monodomain problem will behave when using the POD method? What is the accuracy of the method? To answer to these question, we propose to change some parameters in the ionic model and assess the error between the POD and the full finite element solutions. In the paragraph 3.1, we propose to perform this assessment on a phenomenological ionic model with 5 parameters [8] and on a physiological model with a large number of parameters [16]. In paragraph 3.3, we propose to vary the whole ionic model and test if the POD method with a basis computed using Micehall Shaeffer model is able reproduce the solution of Ten Tusscher model.

#### 3.1 Sensitivity of the POD solution to Micehall Shaeffer model parameters

In this paragraph, we use the Micehall and Shaeffer model to describe the electrical activity of the cell membrane. This model is used to describe the phenomenon of excitability while keeping a low complexity, and with only two state variables: the action potential  $V_m$  and a recovery variable  $w$ . The dynamics of  $w$  and  $I_{ion}$  are given by:

$$I_{ion}(V_m, w) = \frac{w}{\tau_{in}} V_m^2 (V_m - 1) - \frac{V_m}{\tau_{out}}$$

$$G(V_m, w) = \begin{cases} \frac{w-1}{\tau_{open}} & \text{if } V_m \leq v_{gate} \\ \frac{w}{\tau_{close}} & \text{if } V_m > v_{gate} \end{cases} \quad (9)$$

The time constants  $\tau_{in}$ ,  $\tau_{out}$  are respectively related to the length of the depolarization and repolarization periods,  $\tau_{open}$  and  $\tau_{close}$  are the characteristic times of gate opening and closing respectively and  $v_{gate}$  corresponds to the change-over voltage. Using the method of constant variation, we can easily determine the analytical expression of the solution in the interval  $[t_n, t_{n+1}]$ . For a given time  $t \in [t_n, t_{n+1}]$  we have

- if  $V_m(t_n) \leq v_{gate}$ ,

$$w(t_{n+1}) = 1 - (1 - w(t_n))e^{(t-t_n)/\tau_{open}} .$$

- if  $V_m(t_n) > v_{gate}$ ,

$$w(t_{n+1}) = w(t_n)e^{(t-t_n)/\tau_{open}} .$$

The original values of these parameters are given in Table 1 ([8]).

In order to test the accuracy of the POD solution, we first compute the POD basis using the original parameters of the model. Then we propose to perform for each parameter some simulation, where the considered parameter vary between half and three halves its original value given in Table 1. In table 2, we provide the different considered values for each parameter. We evaluate the error between the reduced order solution and the full finite element solution. All of these simulations are performed in the time domain  $T = 500 \text{ ms}$  with a discretization step  $dt = 0.5 \text{ ms}$ .

$\tau_{close}$	$\tau_{open}$	$\tau_{out}$	$\tau_{in}$
75	60	3	0.15
100	80	4	0.2
125	100	5	0.25
150	120	6	0.3
175	140	7	0.35
200	160	8	0.4
225	180	9	0.45

Table 2: Parameters used for POD simulations.

In Figure 3, we show the evolution of the  $L^2$  relative errors with respect to parameters  $\tau_{close}$  (top left),  $\tau_{open}$  (top right),  $\tau_{out}$  (bottom left) and  $\tau_{in}$  (bottom right). For parameters  $\tau_{close}$ ,  $\tau_{open}$  and  $\tau_{out}$  the relative error is less than 1%. However, for parameter  $\tau_{in}$  the error significantly increases when the parameter is far from its original value. In particular for  $\tau_{in}$  less than 0.175 the error is higher than 1% and it reaches 10% for  $\tau_{in} = 0.15$ . This means that POD basis constructed with the original parameters is able to approximate the solution with a good accuracy for different values of parameters  $\tau_{close}$ ,  $\tau_{open}$  and  $\tau_{out}$ . But for  $\tau_{in}$ , the accuracy is acceptable (less than 1%) when  $\tau_{in} \in [0.175, 0.45]$ .




Figure 3: The error between the finite element solution and the POD solution with respect to  $\tau_{close}$  (top left),  $\tau_{open}$  (top right),  $\tau_{out}$  (bottom left) and  $\tau_{in}$  (bottom right)

In Figure 4, we show the time course of the  $L^2$  relative error between the finite element solution to a POD solution computed for  $\tau_{in} = 0,45$ . The magnitude of the error is more important in the depolarization phase. In the plateau phase the error is very low but is increases with repolarization phase.




Figure 4: The time course of the spacial  $L^2$  relative error between the finite element solution to a POD solution computed for  $\tau_{in} = 0,45$ .

### 3.2 Physiological model

In this paragraph we perform a same study as for Micheall-Shaeffer model but with physiological model Ten Tusscher [16]. The Ten Tusscher Model represents a physiological model of cardiac cell human ventricular. It is established from experimental measurements on the most major ionic currents, and it includes a dynamic basis for calcium. it shows that the differences in the morphologies can be explained by certain characteristics of two currents, potassium current transient outward and slow delayed rectifier, which differ from one type to another cell. The model is described by a set of

differential equations (see [17]). In particular we are interested in evaluating the POD solution to these parameters [16]:

- $g_{Na}$ : the maximal Fast sodium ( $Na^+$ ) current  $I_{Na}$  conductance (the original parameter is 14.838).
- $g_{kr}$ : the maximal rapid delayed rectifier potassium current  $I_{Kr}$  conductance (the original parameter is 0.153).
- $g_{to}$ : the maximal transient outward current  $I_{to}$  conductance (the original parameter is 0.294).

We compute the space and time  $L^2$  relative error between the full finite element and the POD solutions for the parameters given in Table 3.

$g_{Na}$	$g_{Kr}$	$g_{to}$
7.4190	0.0765	0.1470
9.8920	0.1020	0.1960
12.3650	0.1275	0.2450
14.8380	0.1530	0.2940
17.3110	0.1785	0.3430
19.7840	0.2040	0.3920
22.2570	0.2295	0.4410

Table 3: Cell membrane parameters.

In Figure 5 we see that for  $g_{Kr}$  and  $g_{to}$ , the solution is sufficiently accurate. However, the parameter  $g_{Na}$  the error is low small when the parameter is close to the original value but it dramatically increases when the parameter is so far.




Figure 5: Left (respectively right, bottom) the error between the finite elements solution and the POD solution with respect to  $g_{Na}$  (respectively  $g_{Kr}$ ,  $g_{to}$ )

### 3.3 Sensitivity of the POD solution to different models

In this paragraph, we will test the capability of a POD basis constructed using a phenomenological model (Micheall-Shaeffer) to capture the propagation of the electrical wave governed by a physiological ionic model. Firstly, we generate a finite element solution using the Micheall-Shaeffer model, from this solution we construct a POD basis. After that, we solve the reduced order problem of the monodomain equation coupled to the Ten Tusscher ionic model. We then compute the  $L^2$  relative error between this solution and the full finite element solution of monodomain coupled to Ten Tusscher model. In Figure 6 (left), we plot the time course of this error. We observe that the error is high, mainly at the depolarisation phase where it reaches 10%. We performed the same test for the Bueno et al. model [4, 3]. In Figure 6 (right), we remark that the error is about 1% for this case. These results show that the scale of the action potential values plays an important role. In fact, the action potential values in the Micheall-Shaeffer model are between 0 mV and 1 mV, whereas they are between -86 mV and 25 mV in the Ten Tusscher model and between 0 mV and 1.4 mV in the Bueno et al. model.






Figure 6: Left (respectively, right), the error between the Mischeall Shaeffer full finite element solution and the POD solution of the monodomain equation coupled to the Ten Tusscher (respectively, Bueno) ionic model

For this reason we propose to rescale the Mischeall-Shaeffer action potential to the new model before generating the POD basis. In Figure 7 (left (respectively right)), we plot the relative error between the reduced order solution using the new POD basis constructed from data rescaled to Ten Tusscher (respectively, Bueno) model and the full finite element solution. We see in both plots that changing the scale before generating the POD basis improves the accuracy of the solution.




Figure 7: Left (respectively, right), the error between the full finite element solution and the POD solution with scaled Ten Tusscher (respectively, Bueno) POD basis

## 4 Discussion and conclusions

We have presented in this work a reduced order approach based on POD method for the computation of the electrical activity of the heart. This approach not expensive in terms of computational cost and is very accurate when we reproduce the solution on which we have build the POD basis. In order to evaluate the usefulness of this approach in parameter estimation problem, we build a POD basis using the original parameters of the ionic model and we computed the  $L^2$  relative error between the finite elements solution and the reduced order solution for different parameters. For M-S ionic model we conclude that we obtain a good accuracy when we vary the values of  $\tau_{open}$ ,  $\tau_{close}$  and  $\tau_{out}$ . Whereas for the parameter  $\tau_{in}$ , we have seen that there is a trust interval, out of it the solution is not sufficiently accurate. For the physiological Ten Tusscher and Panfilov model we have seen that the error between POD solution and the full finite elements solution is acceptable for parameters  $g_{kr}$  and  $g_{to}$  and important for parameter  $g_{Na}$  out of a trust interval. Both parameters  $\tau_{in}$  for M-S and  $g_{Na}$  for the Ten Tusscher and Panfilov

model play an important role in the depolarization phase and the wave front velocity. This explains the sensitivity of the POD solution to these parameters. In order to obtain a good accuracy out of the trust interval, one should update the POD basis.

Since the propagation of the electrical wave has the same pattern if we only change the ionic model, we have tested the case when we use a basis generated from M-S model to solve the Monodomain problem coupled to other ionic models (Ten Tusscher and Panfilov, Bueno). We observed that the POD solution is computed with a good accuracy for the Bueno model. On the contrary, the error is very important for the Ten Tusscher and Panfilov model. We found that this unaccuracy is due to the difference in scale between the transmembrane potential range in different models. Rescaling the transmembrane potential before generating the POD basis comes with an improve of the POD solution mainly for the Ten Tusscher and Panfilov model where the range of the action potential is considerably higher than for M-S model. In future works, we aim to use the POD approach in the parameters estimation problem in cardiac electrophysiology. In particular, we will use physiological optical mapping measurements in order to personalize the electrical model on wedge preparation of animal tissue.

## References

- [1] M. Boulakia, E. Schenone, and J.F. Gerbeau. Reduced-order modeling for cardiac electrophysiology, application to parameter identification. *International Journal for Numerical Methods in Biomedical Engineering*, 28(6-7), 2012.
- [2] Muriel Boulakia, Miguel A Fernández, Jean-Frédéric Gerbeau, and Nejib Zemzemi. Numerical simulation of electrocardiograms. In *Modeling of Physiological Flows*, pages 77–106. Springer, 2012.
- [3] A. Bueno-Orovio. *Mathematical modeling and spectral simulation of genetic diseases in the human heart*. PhD thesis, University of Castilla-La Mancha, 2007.
- [4] A. Bueno-Orovio, E.M. Cherry, and F.H. Fenton. Minimal model for human ventricular action potentials in tissue. *J Theor Biol.*, 253(3), 2008.
- [5] J.C. Clements, J. Nenonen, P.K. Li, and B.M. Horacek. Activation dynamics in anisotropic cardiac tissue via decoupling. *Annals of Biomedical Engineering*, 32(7), 2004.
- [6] P.C. Franzone and L.F. Pavarino. A parallel solver for reaction-diffusion systems in computational electrocardiology. *Math. Models Methods Appl. Sci.*, 14(6), 2004.
- [7] P.C. Franzone, L.F. Pavarino, and B. Taccardi. Simulating patterns of excitation, repolarization and action potential duration with cardiac bidomain and monodomain models. *Math. Biosci.*, 197(1), 2005.
- [8] C.C. Mitchell and D.G. Schaeffer. A two-current model for the dynamics of cardiac membrane. *Bulletin of Mathematical Biology*, 65(4), 2003.

- 
- [9] J.C. Neu and W. Krassowska. Homogenization of syncytial tissues a comparison of monodomain and bidomain reaction-diffusion models for action potential propagation in the human heart. *IEEE Transactions on Biomedical Engineering*, 21(2), 1993.
- [10] M. Pennacchio, G. Savaré, and P. Colli Franzone. Multiscale modeling for the bioelectric activity of the heart. *SIAM Journal on Mathematical Analysis*, 37(4), 2005.
- [11] M. Potse, B. Dubé, J. Richer, A. Vinet, and R.M. Gulrajani. A comparison of monodomain and bidomain reaction-diffusion models for action potential propagation in the human heart. *IEEE Transactions on Biomedical Engineering*, 53(12), December 2006.
- [12] M. Rathinam and L. R. Petzold. A new look at proper orthogonal decomposition. *SIAM J. Numer. Anal. Society for Industrial and Applied Mathematics*, 41(5), 2003.
- [13] F.B. Sachse. *Computational Cardiology, Modeling of Anatomy, Electrophysiology, and Mechanics*. Springer, 2004.
- [14] S. Scacchi, L.F. Pavarino, and I. Milano. Multilevel schwarz and multigrid preconditioners for the bidomain system. *Lecture Notes in Computational Science and Engineering*, 60(631), 2008.
- [15] J. Sundnes, G.T. Lines, X. Cai, B.F. Nielsen, K.A. Mardal, and A. Tveito. *Computing the electrical activity in the heart*. Springer, 2006.
- [16] K. Ten Tusscher and A.V. Panfilov. Cell model for efficient simulation of wave propagation in human ventricular tissue under normal and pathological conditions. *Phys. Med. Biol.*, 51(23), 2006.
- [17] K.H. Ten Tusscher, D. Noble, P.J. Noble, and A.V. Panfilov. A model for human ventricular tissue. *K. Am. J. Physiol Heart Circ Physiol*, 286(4), 2004.
- [18] S. Volkwein. Model reduction using proper orthogonal decomposition. *Lecture Notes, Institute of Mathematics and Scientific Computing, University of Graz*, <http://www.uni-graz.at/imawww/volkwein/POD.pdf>.

## Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
<b>2</b>	<b>Modelling and numerical methods</b>	<b>4</b>
2.1	Electric model . . . . .	4
2.2	Numerical methods . . . . .	4
2.3	Reduced order method . . . . .	5
2.3.1	Generation of the reduced order basis . . . . .	5
2.3.2	Solving the reduced order problem . . . . .	6
2.4	Numerical comparison between the full finite element and the POD solutions	7
<b>3</b>	<b>Numerical results</b>	<b>9</b>
3.1	Sensitivity of the POD solution to Micheall Shaeffer model parameters .	9
3.2	Physiological model . . . . .	11
3.3	Sensitivity of the POD solution to different models . . . . .	13
<b>4</b>	<b>Discussion and conclusions</b>	<b>14</b>



**RESEARCH CENTRE  
BORDEAUX – SUD-OUEST**

200 avenue de la Vieille Tour  
33405 Talence Cedex

Publisher  
Inria  
Domaine de Voluceau - Rocquencourt  
BP 105 - 78153 Le Chesnay Cedex  
[inria.fr](http://inria.fr)

ISSN 0249-6399