



# A logic identifying isomorphic propositions

Alejandro Díaz-Caro, Gilles Dowek

► **To cite this version:**

Alejandro Díaz-Caro, Gilles Dowek. A logic identifying isomorphic propositions. 2018. hal-01109104v5

**HAL Id: hal-01109104**

**<https://hal.inria.fr/hal-01109104v5>**

Preprint submitted on 27 Aug 2018

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

The paper has been withdrawn since we have found an error in the proof of strong normalisation and a counter-example for such a property:

Let

$$\begin{aligned}
y &: \tau \\
z &: \tau \Rightarrow \tau \Rightarrow \tau \\
\delta &= \lambda x^\tau. \pi_{\tau \Rightarrow \tau}((zy) \times x)x : \tau \Rightarrow \tau \\
\Omega &= \delta(\delta y)
\end{aligned}$$

Then

$$\begin{aligned}
\Omega &\hookrightarrow \pi_{\tau \Rightarrow \tau}((zy) \times (\delta y))(\delta y) \\
&\hookrightarrow \pi_{\tau \Rightarrow \tau}((z \times \delta)y)(\delta y) \\
&\hookrightarrow \pi_{\tau \Rightarrow \tau \Rightarrow \tau}(z \times \delta)y(\delta y) \\
&\hookrightarrow \pi_{\tau \Rightarrow \tau \Rightarrow \tau}(z \times \delta)(\delta y)y \\
&\hookrightarrow \pi_{\tau \Rightarrow \tau}((z \times \delta)(\delta y))y \\
&\hookrightarrow \pi_{\tau \Rightarrow \tau}((z(\delta y) \times \Omega)y)
\end{aligned}$$