

Light Logics and Higher-Order Processes

Ugo Dal Lago, Simone Martini, Davide Sangiorgi

► **To cite this version:**

Ugo Dal Lago, Simone Martini, Davide Sangiorgi. Light Logics and Higher-Order Processes. Mathematical Structures in Computer Science, Cambridge University Press (CUP), 2016, 26 (06), pp.969 - 992. <10.1017/S0960129514000310>. <hal-01400903>

HAL Id: hal-01400903

<https://hal.inria.fr/hal-01400903>

Submitted on 15 Dec 2016

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Light Logics and Higher-Order Processes

UGO DAL LAGO¹

SIMONE MARTINI¹

DAVIDE SANGIORGI

Università di Bologna & INRIA, Sophia Antipolis

Received 31 March 2011

We show that the techniques for resource control that have been developed in the so-called “light logics” can be fruitfully applied also to process algebras. In particular, we present a restriction of Higher-Order π -calculus inspired by Soft Linear Logic. We prove that any soft process terminates in polynomial time. We argue that the class of soft processes may be naturally enlarged so that interesting processes are expressible, still maintaining the polynomial bound on executions.

1. Introduction

A term terminates if all its reduction sequences are of finite length. As far as programming languages are concerned, termination means that computation in programs will eventually stop. In computer science, termination has been extensively investigated in sequential languages, where strong normalization is a synonym more commonly used.

Termination is however interesting also in concurrency. While large concurrent systems often are supposed to run forever (e.g., an operating system, or the Internet itself), single components are usually expected to terminate. For instance, if we query a server, we may want to know that the server does not go on forever trying to compute an answer. Similarly, when we load an applet we would like to know that the applet will not run forever on our machine, possibly absorbing all the computing resources. In general, if the lifetime of a process can be infinite, we may want to know that the process does not remain alive simply because of nonterminating internal activity, and that, therefore, the process will eventually accept interactions with the environment.

Another motivation for studying termination in concurrency is to exploit it within techniques aimed at guaranteeing properties such as responsiveness and lock-freedom (Kobayashi & Sangiorgi 2008), which intuitively indicate that certain communications or synchronizations will eventually succeed (possibly under some fairness assumption). In message-passing languages such as those in the π -calculus family (Join Calculus, Higher-Order π -calculus, Asynchronous π -calculus, etc.) most liveness properties can be reduced to instances of lock-freedom. Examples, in a client-server system, are the liveness proper-

ties that a client request will eventually be received by the server, or that a server, once accepted a request, will eventually send back an answer.

However, termination alone may not be satisfactory. If a query to a server produces a computation that terminates after a very long time, from the client point of view this may be the same as a nonterminating (or failed) computation. Similarly, an applet loaded on our machine that starts a very long computation, may engender an unacceptable consumption of local resources, and may possibly be considered a “denial of service” attack. In other words, without precise bounds on the time to complete a computation, termination may be indistinguishable from nontermination.

Type disciplines are among the most general techniques to ensure termination of programs. Both in the sequential and in the concurrent case, type systems have been designed to characterize classes of terminating programs. It is interesting that, from the fact that a program has a type, we may often extract information on the structure of the program itself (e.g., for the simple types, the program has no self applications). If termination (or, more generally, some property of the computation) is the main interest, it is only this structure that matters, and not the specifics of the types. In this paper we take this perspective, and apply to a certain class of programs (Higher-Order π -calculus terms) the structural restrictions suggested by the types of Soft Linear Logic (Lafont 2004), a fragment of Linear Logic (Girard 1987) characterizing polynomial time computations.

Essential contribution of Linear Logic has been the *refinement* it allows on the analysis of computation. The (previously atomic) step of function application is decomposed into a duplication phase (during which the argument is duplicated the exact number of times it will be needed during the computation), followed by the application of a *linear* function (which will use each argument exactly once). The emphasis here is not on restricting the class of programs—in many cases, any traditional program (e.g., any λ -term, even a divergent one) could be annotated with suitable *scope information* (*boxes*, in the jargon) in such a way that the annotated program behaves as the original one. However, the new annotations embed information on the computational behavior that was unexpressed (and inexpressible) before. In particular, boxes delimit those parts of data that will be (or may be) duplicated or erased during computation.

It is at this stage that one may apply *restrictions*. By building on the scopes exposed in the new syntax, we may restrict the computational behavior of a term. In the sequential case several achievements have been obtained via the so-called *light logics* (Girard 1998, Asperti & Roversi 2002, Lafont 2004), which allow for type systems for λ -calculus exactly characterizing several complexity classes (notably, elementary time, polynomial type, polynomial space, logarithmic space). This is obtained by limitations on the way the scopes (boxes) may be manipulated. For the larger complexity classes (e.g., elementary time) one forbids that during computation one scope may enter inside another scope (their nesting depth remains constant). For smaller classes (e.g., polynomial time) one also forbids that a duplicating computation could drive another duplication. The exact way this is obtained depends on the particular discipline (either à la Light Linear Logic, or à la Soft Linear Logic).

The aim of this paper is to apply for the first time these technologies to the concurrent case, in particular to Higher-Order π -calculus (Sangiorgi & Walker 2001). We closely fol-

low the pattern we have delineated above. First, we introduce (higher-order) processes, which we then annotate with explicit scopes, where the new construct “!” marks duplicable entities. This is indeed a refinement, and not a restriction — any process in the first calculus may be simulated by an annotated one. We then introduce our main object of study — annotated processes restricted with the techniques of Soft Linear Logic. We show that the number of internal actions performed by processes of this calculus is polynomially bounded (Section 4), a property that we call *feasible termination*. We then present an extension of the calculus (Section 5) where we relax the constraints on duplication by taking into account certain visible actions that the processes can perform.

We stress that we used in the paper a pragmatic approach — we take from the logics tools and techniques that may be suitable to obtain general bounds on the computing time of processes. We are not looking for a general relation between logical systems and process algebras that could realize a form of Curry-Howard correspondence among the two. That would be a much more ambitious goal, for which other techniques — and different success criteria — should be used.

Related Work A number of works have recently studied type systems that ensure termination in mobile processes, e.g. (Yoshida, et al. 2001, Demangeon, et al. 2010a, Demangeon, et al. 2010b). They are quite different from the present paper. First, the techniques employed are measure-based techniques, or logical relations, or combinations of these, rather than techniques inspired by linear logics, as done here. Secondly, the objective is pure termination, whereas here we aim at deriving polynomial bounds on the number of steps that lead to termination. (In some of the measure-based systems bounds can actually be derived, but they are usually exponential with respect to integer annotations that appear in the types.) Thirdly, with the exception of (Demangeon et al. 2010b), all works analyse name-passing calculi such as the π -calculus, whereas here we consider higher-order calculi in which terms of the calculus are exchanged instead of names.

Linear Logic has been applied to mobile processes by Ehrhard and Laurent (Ehrhard & Laurent 2008), who have studied encodings of π -calculus-like languages into Differential Interaction Nets (Ehrhard & Regnier 2006), an extension of the Multiplicative Exponential fragment of Linear Logic. The encodings are meant to be tests for the expressiveness of Differential Interaction Nets; the issue of termination does not arise, as the process calculi encoded are finitary. Amadio and Dabrowski (Amadio & Dabrowski 2007) have applied ideas from term rewriting to a π -calculus enriched with synchronous constructs à la Esterel. Computation in processes proceeds synchronously, divided into cycles called instants. A static analysis and a finite-control condition guarantee that, during each instant, the size of a program and the times it takes to complete the instant are polynomial on the size of the program and the input values at the beginning of the instant.

2. Higher-Order Processes

This section introduces the syntax and the operational semantics of processes. We call $\mathbf{HO}\pi$ the calculus of processes we are going to define (it is the calculus $\mathbf{HO}\pi^{\text{unit}, \rightarrow, \diamond}$ in (Sangiorgi & Walker 2001)). In $\mathbf{HO}\pi$ the values exchanged in interactions can be

$\frac{}{\overline{\bar{a}\langle V \rangle.P \mid a(x).Q \rightarrow_P P \mid Q[x/V]}}$	$\frac{}{\overline{(\lambda x.P)V \rightarrow_P P[x/V]}}$	
$\frac{P \rightarrow_P Q}{P \mid R \rightarrow_P Q \mid R}$	$\frac{P \rightarrow_P Q}{(\nu a)P \rightarrow_P (\nu a)Q}$	$\frac{P \equiv Q \quad Q \rightarrow_P R \quad R \equiv S}{P \rightarrow_P S}$

Fig. 1. The operational semantics of **HO** π processes.

first-order values and higher-order values, i.e., terms containing processes. For economy, the only first-order value employed is the unit value \star , and the only higher-order values are parametrised processes, called abstractions (thus we forbid direct communication of processes; to communicate a process we must add a dummy parameter to it). The process constructs are nil, parallel composition, input, output, restriction, and application. Application is the destructor for abstraction: it allows us to instantiate the formal parameters of an abstraction. Here is the complete grammar:

$$P ::= \mathbf{0} \mid P \mid P \mid a(x).P \mid \bar{a}\langle V \rangle.P \mid (\nu a)P \mid VV;$$

$$V ::= \star \mid x \mid \lambda x.P;$$

where a ranges over a denumerable set \mathcal{C} of channels, and x over the denumerable set of variables. Input, restriction, and abstractions are binding constructs, and give rise in the expected way to the notions of free and bound channels and of free and bound variables, as well as of α -conversion.

Ill-formed terms such as $\star\star$ can be avoided by means of a type systems. The details are standard and are omitted here; see (Sangiorgi & Walker 2001).

The operational semantics, in the reduction style, is presented in Figure 1, and uses the auxiliary relation of *structural congruence*, written \equiv . This is the smallest congruence closed under the following rules:

$$P \equiv Q \text{ if } P \text{ and } Q \text{ are } \alpha\text{-equivalent};$$

$$P \mid (Q \mid R) \equiv (P \mid Q) \mid R;$$

$$P \mid Q \equiv Q \mid P;$$

$$(\nu a)((\nu b)P) \equiv (\nu b)((\nu a)P);$$

$$((\nu a)P \mid Q) \equiv ((\nu a)P) \mid Q \text{ if } a \text{ is not free in } Q;$$

Unlike other presentations of structural congruence, we disallow the garbage-collection laws $P \mid \mathbf{0} \equiv P$ and $(\nu a)\mathbf{0} \equiv a$, which are troublesome for our resource-sensitive analysis. The reduction relation is written \rightarrow_P , and is defined on processes without free variables.

In general, the relation \rightarrow_P is nonterminating. The prototypical example of a nonterminating process is the following process *OMEGA*:

$$OMEGA = (\nu a)(DELTA\star \mid \bar{a}\langle DELTA \rangle), \quad \text{where} \quad DELTA = \lambda y.(a(x).(x \star \mid \bar{a}\langle x \rangle)).$$

Indeed, it holds that $OMEGA \rightarrow_P^2 OMEGA$. Variants of the construction employed for *OMEGA* can be used to show that process recursion can be modelled in **HO** π . An

example of this construction is the following *SERVER* process. It accepts a request y on channel b and forwards it along c . After that, it can handle another request from b . In contrast to *OMEGA*, *SERVER* is terminating, because there is no infinite reduction sequence starting from *SERVER*. Yet hand, the number of requests *SERVER* can handle is unlimited, i.e., *SERVER* can be engaged in an infinite sequence of interactions with its environment.

$$\begin{aligned} \text{SERVER} &= (\nu a)(\text{COMP} \star \mid \bar{a}\langle \text{COMP} \rangle); \\ \text{COMP} &= \lambda z.(a(x).(b(y).\bar{c}\langle y \rangle.\bar{a}\langle x \rangle \mid x\star)). \end{aligned}$$

A remark on notation: in this paper, $!$ is the Linear Logic operator (more precisely, an operator derived from Linear Logic), and should not be confused with the replication operator often used in process calculi such as the π -calculus.

3. Linearizing Processes

Linear Logic can be seen as a way to decompose the type of functions $A \rightarrow B$ into a refined type $!A \multimap B$. Since the argument (in A) may be used several (or zero) times to compute the result in B , we first turn the input into a duplicable and erasable object of type $!A$. We now duplicate (or erase) it the number of times it is needed, and finally we use each of the copies exactly once to obtain the result (this is the linear function space \multimap). The richer language of types (with the new constructors $!$ and \multimap) is matched by new term constructs, whose goal is to explicitly enclose in marked scopes (boxes) those subterms that may be erased or duplicated. In the computational process we described above, there are three main ingredients: (i) the mark on a duplicable/erasable entity; (ii) its actual duplication/erasure; (iii) the linear use of the copies. For reasons that cannot be discussed here (see Wadler's (Wadler 1994) for the notation we will use) we may adopt a syntax where the second step (duplication) is not made fully explicit (thus resulting in a simpler language), and where the crucial distinction is made between linear functions (denoted by the usual syntax $\lambda x.P$ — but interpreted in a strictly linear way: x occurs once in P), and nonlinear functions, denoted with $\lambda x.P$, where the x may occur several (or zero) times in P . When a nonlinear function is applied, its actual argument will be duplicated or erased. We enclose the argument in a box to record this fact, using an eponymous unary operator $!$ also on terms. Since we want to control the computational behavior of duplicable entities, a term in a $!$ -box is protected and cannot be reduced. Only when it will be fed to a (nonlinear) function, and thus (transparently) duplicated, its box will be opened (the mark $!$ disappears) and the content will be reduced.

The constructs on *terms* arising from Linear Logic have a natural counterpart in higher-order processes, where communication and abstraction play a similar role. This section introduces a linearization of $\mathbf{HO}\pi$, that we here dub $\mathbf{LHO}\pi$. The grammars of processes and values are as follows:

$$\begin{aligned} P &::= \mathbf{0} \mid P \mid P \mid a(x).P \mid a(!x).P \mid \bar{a}\langle V \rangle.P \mid (\nu a)P \mid VV; \\ V &::= \star \mid x \mid \lambda x.P \mid \lambda x.P \mid !V. \end{aligned}$$

$\frac{}{!\Gamma \vdash_{\mathcal{P}} \mathbf{0}}$	$\frac{\Gamma, !\Lambda \vdash_{\mathcal{P}} P \quad \Delta, !\Lambda \vdash_{\mathcal{P}} Q}{\Gamma, \Delta, !\Lambda \vdash_{\mathcal{P}} P \mid Q}$	$\frac{\Gamma, x \vdash_{\mathcal{P}} P}{\Gamma \vdash_{\mathcal{P}} a(x).P}$	
$\frac{\Gamma, !x \vdash_{\mathcal{P}} P}{\Gamma \vdash_{\mathcal{P}} a(!x).P}$	$\frac{\Gamma, !\Lambda \vdash_{\mathcal{V}} V \quad \Delta, !\Lambda \vdash_{\mathcal{P}} P}{\Gamma, \Delta, !\Lambda \vdash_{\mathcal{P}} \bar{a}(V).P}$	$\frac{\Gamma \vdash_{\mathcal{P}} P}{\Gamma \vdash_{\mathcal{P}} (\nu a)P}$	
$\frac{\Gamma, !\Lambda \vdash_{\mathcal{V}} V \quad \Delta, !\Lambda \vdash_{\mathcal{V}} W}{\Gamma, \Delta, !\Lambda \vdash_{\mathcal{P}} VW}$	$\frac{}{!\Gamma \vdash_{\mathcal{V}} \star}$	$\frac{}{!\Gamma, x \vdash_{\mathcal{V}} x}$	
$\frac{}{!\Gamma, !x \vdash_{\mathcal{V}} x}$	$\frac{\Gamma, x \vdash_{\mathcal{P}} P}{\Gamma \vdash_{\mathcal{V}} \lambda x.P}$	$\frac{\Gamma, !x \vdash_{\mathcal{P}} P}{\Gamma \vdash_{\mathcal{V}} \lambda x.P}$	$\frac{!\Gamma \vdash_{\mathcal{V}} V}{!\Gamma \vdash_{\mathcal{V}} !V}$

Fig. 2. Processes and values in **LHO** π .

On top of the grammar, we must enforce the linearity constraints, which are expressed by the rules in Figure 2. They prove judgements in the form $\Gamma \vdash_{\mathcal{P}} P$ and $\Gamma \vdash_{\mathcal{V}} V$, where Γ is a *context* consisting of a finite set of variables — a single variable may appear in Γ either as x or as $!x$, but not both. Examples of contexts are $x, !y$; or x, y, z ; or the empty context \emptyset . As usual, we write $!\Gamma$ when all variables of the context (if any) are $!$ -marked. A process P (respectively, a value V) is *well-formed* iff there is a context Γ such that $\Gamma \vdash_{\mathcal{P}} P$ (respectively, $\Gamma \vdash_{\mathcal{V}} V$). In the rules with two premises, observe the implicit contractions on $!$ -marked variables in the context — they allow for transparent duplication. The *depth* of a (occurrence of a) variable x in a process or value is the number of instances of the $!$ operator it is enclosed into. As an example, if $P = (!x)(y)$, then x has depth 1, while y has depth 0.

A judgement $\Gamma \vdash_{\mathcal{P}} P$ can informally be interpreted as follows. Any variable appearing as x in Γ must occur free exactly once in P ; moreover the only occurrence of x is at depth 0 in P (that is, it is not in the scope of any $!$). On the other hand, any variable y appearing as $!y$ in Γ may occur free any number of times in P , at any depth. Variables like x are *linear*, while those like y are *nonlinear*. Nonlinear variables may only be bound by nonlinear binders (which have a $!$ to recall this fact).

The operational semantics of **LHO** π is a slight variation on the one of **HO** π , and can be found in Figure 3. The two versions of communication and abstraction (i.e., the linear and the nonlinear one) are governed by two distinct rules. In the nonlinear case the argument to the function (or the value sent through a channel) must be in the correct duplicable form $!V$. Well-formation is preserved by reduction:

Lemma 1 (Subject Reduction). If $\vdash_{\mathcal{P}} P$ and $P \rightarrow_L Q$, then $\vdash_{\mathcal{P}} Q$.

Proof. This can be proved very simply by way of four substitution lemmas. Under the hypothesis $\emptyset \vdash_{\mathcal{SV}} V$, it holds that:

- If $\pi : \Gamma, x \vdash_{\mathcal{P}} R$, then $\Gamma \vdash_{\mathcal{SP}} R[x/V]$;
- If $\pi : \Gamma, x \vdash_{\mathcal{V}} W$, then $\Gamma \vdash_{\mathcal{SV}} W[x/V]$;
- If $\pi : \Gamma, !x \vdash_{\mathcal{P}} R$, then $\Gamma \vdash_{\mathcal{SP}} R[x/V]$;

$$\boxed{
\begin{array}{c}
\frac{}{\overline{\bar{a}\langle V \rangle . P \mid a(x) . Q} \rightarrow_L P \mid Q[x/V]} \qquad \frac{}{\overline{(\lambda x . P)V} \rightarrow_L P[x/V]} \\
\frac{}{\overline{\bar{a}\langle !V \rangle . P \mid a(!x) . Q} \rightarrow_L P \mid Q[x/V]} \qquad \frac{}{\overline{(\lambda x . P)!V} \rightarrow_L P[x/V]} \\
\frac{P \rightarrow_L Q}{P \mid R \rightarrow_L Q \mid R} \qquad \frac{P \rightarrow_L Q}{(\nu a)P \rightarrow_L (\nu a)Q} \qquad \frac{P \equiv Q \quad Q \rightarrow_L R \quad R \equiv S}{P \rightarrow_L S}
\end{array}
}$$

Fig. 3. The operational semantics of **LHO** π processes.

- If $\pi : \Gamma, !x \vdash_V W$, then $\Gamma \vdash_{SV} W[x/V]$.

The can all be proved by an induction on the structure of π . \square

3.1. Embedding Processes into Linear Processes

Processes (and values) can be embedded into linear processes (and values) as follows:

$$\begin{array}{ll}
[\star]_V = \star; & [\lambda x . Q]_V = \lambda x . [P]_P; \\
[\mathbf{0}]_P = \mathbf{0}; & [x]_V = x; \\
[P \mid Q]_P = [P]_P \mid [Q]_P; & [a(x) . P]_P = a(!x) . [P]_P; \\
[\bar{a}\langle V \rangle . P]_P = \bar{a}\langle !V \rangle . [P]_P; & [(\nu a)P]_P = (\nu a)[P]_P; \\
[VW]_P = [V]_V ! [W]_V.
\end{array}$$

Linear abstractions and linear inputs never appear in processes obtained via $[\cdot]_P$: whenever a value is sent through a channel or passed to a function, it is made duplicable. The embedding induces a simulation of processes by linear processes:

Proposition 1 (Simulation). For every process P , $[P]_P$ is well-formed. Moreover, $P \rightarrow_P Q$ iff $[P]_P \rightarrow_L [Q]_P$.

Proof. The following can be proved by induction on P and V : $!\Gamma \vdash_P [P]_P$ and $!\Gamma \vdash_V [V]_V$ whenever $\Gamma \supseteq \text{FV}(P)$ and $\Delta \supseteq \text{FV}(V)$. This implies that $[P]_P$ is well-formed for every P . The fact that $P \rightarrow_P Q$ iff $[P]_P \rightarrow_L [Q]_P$ can be proved by an induction on the structure of P . \square

By applying the map $[\cdot]_P$ to our example process, *SERVER*, a linear process *SERVER*_! can be obtained:

$$\begin{aligned}
\text{SERVER}_! &= (\nu a)(\text{COMP}_!(! \star) \mid \bar{a}\langle ! \text{COMP}_! \rangle); \\
\text{COMP}_! &= \lambda z . (a(!x) . (b(!y) . \bar{c}\langle !y \rangle . \bar{a}\langle !x \rangle \mid x(! \star))).
\end{aligned}$$

$\frac{}{\#\Gamma \vdash_{\text{SP}} \mathbf{0}}$	$\frac{\Gamma, \#\Lambda \vdash_{\text{SP}} P \quad \Delta, \#\Lambda \vdash_{\text{SP}} Q}{\Gamma, \Delta, \#\Lambda \vdash_{\text{SP}} P \mid Q}$	$\frac{\Gamma, x \vdash_{\text{SP}} P}{\Gamma \vdash_{\text{SP}} a(x).P}$
$\frac{\Gamma, !x \vdash_{\text{SP}} P}{\Gamma \vdash_{\text{SP}} a(!x).P}$	$\frac{\Gamma, \#x \vdash_{\text{SP}} P}{\Gamma \vdash_{\text{SP}} a(!x).P}$	$\frac{\Gamma, \#\Lambda \vdash_{\text{SV}} V \quad \Delta, \#\Lambda \vdash_{\text{SP}} P}{\Gamma, \Delta, \#\Lambda \vdash_{\text{SP}} \bar{a}(V).P}$
$\frac{\Gamma \vdash_{\text{SP}} P}{\Gamma \vdash_{\text{SP}} (\nu a)P}$	$\frac{\Gamma, \#\Lambda \vdash_{\text{SV}} V \quad \Delta, \#\Lambda \vdash_{\text{SV}} W}{\Gamma, \Delta, \#\Lambda \vdash_{\text{SP}} VW}$	$\frac{}{\#\Gamma \vdash_{\text{SV}} \star}$
$\frac{}{\#\Gamma, x \vdash_{\text{SV}} x}$	$\frac{}{\#\Gamma, \#x \vdash_{\text{SV}} x}$	$\frac{\Gamma, x \vdash_{\text{SP}} P}{\Gamma \vdash_{\text{SV}} \lambda x.P}$
$\frac{\Gamma, \#x \vdash_{\text{SP}} P}{\Gamma \vdash_{\text{SV}} \lambda x.P}$	$\frac{\Gamma, !x \vdash_{\text{SP}} P}{\Gamma \vdash_{\text{SV}} \lambda x.P}$	$\frac{\Gamma \vdash_{\text{SV}} V}{!\Gamma, \#\Delta \vdash_{\text{SV}} !V}$

Fig. 4. Processes and values in **SHO** π .

4. Termination in Bounded Time: Soft Processes

In view of Proposition 1, **LHO** π admits non terminating processes. Indeed, the prototypical divergent process from Section 2 can be translated into a linear process:

$$OMEGA_! = (\nu a)((DELTA_!(! \star)) \mid \bar{a}(!DELTA_!)),$$

where

$$DELTA_! = \lambda y.(a(!x).(x(! \star) \mid \bar{a}(!x))).$$

The process $OMEGA_!$ cannot be terminating, since $OMEGA$ itself does not terminate.

The more expressive syntax, however, may reveal *why* a process does not terminate. If we trace its execution, we see that the divergence of $OMEGA_!$ comes from $DELTA_!$, where x appears free twice in the inner body $(x(! \star) \mid \bar{a}(!x))$: once in the scope of the $!$ operator, once outside any $!$. When a value is substituted for x (and thus duplicated) one of the two copies interacts with the other, being copied again. It is this cyclic phenomenon (called *modal impredicativity* in (Dal Lago, et al. 2009)) that is responsible for nontermination.

The Linear Logic community has studied in depth the impact of unbalanced and multiple boxes on the complexity of computation, and singled out several (different) sufficient conditions for ensuring not only termination, but termination with prescribed bounds. We will adopt here the conditions arising from Lafont's analysis (and formalized in Soft Linear Logic, **SLL** (Lafont 2004)), leaving to further work the usage of other criteria. We thus introduce the calculus **SHO** π of *soft processes*, for which we will prove termination in polynomial time. In our view, this is the main contribution of the paper.

Soft processes share the same grammar and operational semantics than linear processes (Section 3), but are subjected to stronger constraints, expressed by the well-formation rules of Figure 4. A context Γ can now contain a variable x in at most one of *three* different forms: x , $!x$, or $\#x$. The implicit contraction (or weakening) happens on $\#$ -

marked variables, but none of them may ever appear inside a $!$ -box. In the last rule it is implicitly assumed that the context Γ in the premise is composed only of linear variables, if any (otherwise the context $!\Gamma$ of the conclusion would be ill-formed). Indeed, the rules amount to say that, if $\Gamma \vdash_{\text{SP}} P$ (and similarly for values), then: (i) any linear variable x in Γ occurs exactly once in P , and at depth 0 (this is as in $\mathbf{LHO}\pi$); (ii) any nonlinear variable $!x$ occurs exactly once in P , and at depth 1; (iii) any nonlinear variable $\#x$ may occur any number of times in P , all of its occurrences must be at level 0. As a result, any bound variable appears in the scope of the binder always at a same level. As in $\mathbf{LHO}\pi$, well-formed processes are closed by reduction. Before proving that, we need the following two lemmas:

Lemma 2 (Weakening Lemma). If $\Gamma \vdash_{\text{SV}} V$, then $\Gamma, \#\Delta \vdash_{\text{SV}} V$.

Proof. A simple induction on the structure of a derivation π for $\Gamma \vdash_{\text{SV}} V$. □

Lemma 3. If $\Gamma \vdash_{\text{SP}} P$ and $P \equiv Q$, then $\Gamma \vdash_{\text{SP}} Q$.

Proof. By cases. □

Proposition 2 (Subject Reduction). If $\vdash_{\text{SP}} P$ and $P \rightarrow_{\text{L}} Q$, then $\vdash_{\text{SP}} Q$.

Proof. We prove the following lemma by an induction on the structure of π : if $\emptyset \vdash_{\text{SV}} V$, then:

- If $\pi : \Gamma, x \vdash_{\text{SP}} R$, then $\Gamma \vdash_{\text{SP}} R[x/V]$;
- If $\pi : \Gamma, x \vdash_{\text{SV}} W$, then $\Gamma \vdash_{\text{SV}} W[x/V]$;
- If $\pi : \Gamma, \#x \vdash_{\text{SP}} R$, then $\Gamma \vdash_{\text{SP}} R[x/V]$;
- If $\pi : \Gamma, \#x \vdash_{\text{SV}} W$, then $\Gamma \vdash_{\text{SV}} W[x/V]$;
- If $\pi : \Gamma, !x \vdash_{\text{SP}} R$, then $\Gamma \vdash_{\text{SP}} R[x/V]$;
- If $\pi : \Gamma, !x \vdash_{\text{SV}} W$, then $\Gamma \vdash_{\text{SV}} W[x/V]$;

Just some inductive cases:

- If π is:

$$\overline{\Gamma, x \vdash_{\text{SV}} \star}$$

then $\star[x/V]$ is simply \star and a derivation for $\Gamma \vdash_{\text{SV}} \star$ is trivial to be constructed.

- If π is

$$\overline{\Gamma, x \vdash_{\text{SV}} x}$$

then $x[x/V]$ is V itself, and a derivation for $\Gamma \vdash_{\text{SV}} V$ can be constructed by Lemma 2.

With the above observations in hand, we can easily prove the thesis by induction on any derivation ρ of $P \rightarrow_{\text{P}} Q$:

- Suppose ρ is

$$\overline{\overline{\overline{\bar{a}(V).P \mid a(x).Q \rightarrow_{\text{L}} P \mid Q[x/V]}}}}$$

From $\emptyset \vdash_{\text{SP}} \bar{a}(V).P \mid a(x).Q$, it follows that $\emptyset \vdash_{\text{SP}} P$, $\emptyset \vdash_{\text{SV}} V$ and $x \vdash_{\text{SP}} Q$. As a consequence, $\emptyset \vdash_{\text{SP}} Q[x/V]$, and finally $\emptyset \vdash_{\text{SP}} P \mid Q[x/V]$.

- Suppose ρ is

$$\frac{\sigma : P \rightarrow_{\text{L}} Q}{P \mid R \rightarrow_{\text{L}} Q \mid R}$$

From $\emptyset \vdash_{\text{SP}} P \mid R$, it follows that $\emptyset \vdash_{\text{SP}} P$ and $\emptyset \vdash_{\text{SP}} R$. By induction hypothesis on σ , this yields $\emptyset \vdash_{\text{SP}} Q$, and in turn $\emptyset \vdash_{\text{SP}} Q \mid R$.

- Suppose ρ is

$$\frac{\sigma : P \rightarrow_{\text{L}} Q}{(\nu a)P \rightarrow_{\text{L}} (\nu a)Q}$$

From $\emptyset \vdash_{\text{SP}} (\nu a)P$, it follows that $\emptyset \vdash_{\text{SP}} P$. By induction hypothesis on σ , this yields $\emptyset \vdash_{\text{SP}} Q$, and in turn $\emptyset \vdash_{\text{SP}} (\nu a)Q$.

- Suppose ρ is

$$\frac{\sigma : P \equiv Q \quad Q \rightarrow_{\text{L}} R \quad R \equiv S}{P \rightarrow_{\text{L}} S}$$

From $\emptyset \vdash_{\text{SP}} P$, it follows by Lemma 3 that $\emptyset \vdash_{\text{SP}} Q$, from the inductive hypothesis that $\emptyset \vdash_{\text{SP}} R$ and again by Lemma 3 that $\emptyset \vdash_{\text{SP}} S$.

This concludes the proof. \square

The nonterminating process $OMEGA_!$ which started this section is *not* a soft process, because the bound variable x appears twice, once at depth 0 and once depth 1. And this is good news: we would like $\mathbf{SHO}\pi$ to be a calculus of terminating processes, at least! But this has some drawbacks: also $SERVER_!$ is not a soft process. Indeed, $\mathbf{SHO}\pi$ is not able to discriminate between $SERVER_!$ and $OMEGA_!$, which share a very similar structure. We will come back to this after we proved our main result on the polynomial bound on reduction sequences for soft processes.

4.1. Feasible Termination

This section is devoted to the proof of feasible termination for soft processes. We prove that the length of any reduction sequence from a soft process P is bounded by a polynomial on the size of P . Moreover, the size of any process along the reduction is itself polynomially bounded.

The proof proceeds similarly to the one for \mathbf{SLL} proof-nets by Lafont (Lafont 2004). The idea is relatively simple: a weight is assigned to every process and is proved to decrease at any normalization step. The weight of a process can be proved to be an *upper bound* on the size of the process. Finally, a polynomial bound on the weight of a process holds. Altogether, this implies feasible termination.

Before embarking on the proofs, we need some preliminary definitions. First of all, the *size* of a process P (respectively, a value V) is defined simply as the number of symbols in it and is denoted as $|P|$ (respectively, $|V|$) Another crucial attribute of processes and values is their *box depth*, namely the maximum nesting of $!$ operators inside them; for a process P and a value V , it is denoted either as $\mathbb{B}(P)$ or as $\mathbb{B}(V)$. The *duplicability factor* $\mathbb{D}(P)$ of a process P is the maximum number of free occurrences of a variable x for every binder in P ; similarly for values. The precise definition follows, where $\mathbb{FO}(x, P)$ denotes

the number of free occurrences on x in P .

$$\begin{aligned}
\mathbb{D}(\star) &= \mathbb{D}(x) = \mathbb{D}(\mathbf{0}) = 1; \\
\mathbb{D}(\lambda x.P) &= \mathbb{D}(\lambda!x.P) = \max\{\mathbb{D}(P), \mathbb{FO}(x, P)\}; \\
\mathbb{D}(!V) &= \mathbb{D}(V); \\
\mathbb{D}(P \mid Q) &= \max\{\mathbb{D}(P), \mathbb{D}(Q)\}; \\
\mathbb{D}(a(x).P) &= \mathbb{D}(a(!x).P) = \max\{\mathbb{D}(P), \mathbb{FO}(x, P)\}; \\
\mathbb{D}(\bar{a}\langle V \rangle.P) &= \max\{\mathbb{D}(V), \mathbb{D}(P)\}; \\
\mathbb{D}((\nu a)P) &= \mathbb{D}(P); \\
\mathbb{D}(VW) &= \max\{\mathbb{D}(V), \mathbb{D}(W)\}.
\end{aligned}$$

Finally, we can define the weight of processes and values. A notion of weight parametrized on a natural number n can be given as follows, by induction on the structure of processes and values:

$$\begin{aligned}
\mathbb{W}_n(\star) &= \mathbb{W}_n(x) = \mathbb{W}_n(\mathbf{0}) = 1; \\
\mathbb{W}_n(\lambda x.P) &= \mathbb{W}_n(\lambda!x.P) = \mathbb{W}_n(P); \\
\mathbb{W}_n(!V) &= n \cdot \mathbb{W}_n(V) + 1; \\
\mathbb{W}_n(P \mid Q) &= \mathbb{W}_n(P) + \mathbb{W}_n(Q) + 1; \\
\mathbb{W}_n(a(x).P) &= \mathbb{W}_n(a(!x).P) = \mathbb{W}_n(P) + 1; \\
\mathbb{W}_n(\bar{a}\langle V \rangle.P) &= \mathbb{W}_n(V) + \mathbb{W}_n(P); \\
\mathbb{W}_n((\nu a)P) &= \mathbb{W}_n(P); \\
\mathbb{W}_n(VW) &= \mathbb{W}_n(V) + \mathbb{W}_n(W) + 1.
\end{aligned}$$

Now, the *weight* $\mathbb{W}(P)$ of a process P is $\mathbb{W}_{\mathbb{D}(P)}(P)$. Similarly for values.

The first auxiliary result is about structural congruence. As one would expect, two structurally congruent terms have identical size, box depth, duplicability factor and weight:

Proposition 3. if $P \equiv Q$, then $|P| = |Q|$, $\mathbb{B}(P) = \mathbb{B}(Q)$, $\mathbb{D}(P) = \mathbb{D}(Q)$. Moreover, for every n , $\mathbb{W}_n(P) = \mathbb{W}_n(Q)$.

Observe that Proposition 3 would not hold in presence of structural congruence rules like $P \mid \mathbf{0} \equiv P$ and $(\nu a)\mathbf{0} \equiv \mathbf{0}$.

How does $\mathbb{D}(P)$ evolve during reduction? Actually, it cannot grow:

Lemma 4. If $\vdash_{\text{SP}} Q$ and $Q \rightarrow_{\text{L}} P$, then $\mathbb{D}(Q) \geq \mathbb{D}(P)$.

Proof. As an auxiliary lemma, we can prove that whenever $\Gamma \vdash_{\text{SP}} P$ and $\emptyset \vdash_{\text{SV}} V, \Delta \vdash_{\text{SV}} W$, both $\mathbb{D}(P[x/V]) \leq \max\{\mathbb{D}(P), \mathbb{D}(V)\}$ and $\mathbb{D}(W[x/V]) \leq \max\{\mathbb{D}(W), \mathbb{D}(V)\}$. This is an easy induction on derivations for $\Gamma \vdash_{\text{SP}} P$ and $\Delta \vdash_{\text{SV}} W$. The thesis follows. \square

The weight of a process is an upper bound to the size of the process itself. This means that bounding the weight of a process implies bounding its size. Moreover, the weight of a process strictly decreases at any reduction step.

Lemma 5. For every P , $\mathbb{W}(P) \geq |P|$.

Proof. By induction on P , strengthening the induction hypothesis with a similar statement for values. In the induction, observe that $\mathbb{D}(P), \mathbb{D}(V) \geq 1$ for every process P and value V . \square

Proposition 4. If $\vdash_{\text{SP}} Q$ and $Q \rightarrow_{\text{L}} P$, then $\mathbb{W}(Q) > \mathbb{W}(P)$.

Proof. As an auxiliary result, we need to prove the following (slightly modifications of) substitution lemmas (let $\emptyset \vdash_{\text{SV}} V$ and $n \geq m \geq 1$):

- If $\pi : \Gamma, x \vdash_{\text{SP}} R$, then $\mathbb{W}_m(R[x/V]) \leq \mathbb{W}_n(R) + \mathbb{W}_n(V)$;
- If $\pi : \Gamma, x \vdash_{\text{SV}} W$, then $\mathbb{W}_m(W[x/V]) \leq \mathbb{W}_n(W) + \mathbb{W}_n(V)$;
- If $\pi : \Gamma, \#x \vdash_{\text{SP}} R$, then $\mathbb{W}_m(R[x/V]) \leq \mathbb{W}_n(R) + \mathbb{FO}(x, R) \cdot \mathbb{W}_n(V)$;
- If $\pi : \Gamma, \#x \vdash_{\text{SV}} W$, then $\mathbb{W}_m(W[x/V]) \leq \mathbb{W}_n(W) + \mathbb{FO}(x, W) \cdot \mathbb{W}_n(V)$;
- If $\pi : \Gamma, !x \vdash_{\text{SP}} R$, then $\mathbb{W}_m(R[x/V]) \leq \mathbb{W}_n(R) + n \cdot \mathbb{W}_n(V)$;
- If $\pi : \Gamma, !x \vdash_{\text{SV}} W$, then $\mathbb{W}_m(W[x/V]) \leq \mathbb{W}_n(W) + n \cdot \mathbb{W}_n(V)$;

This is an induction on π . An inductive case:

- If π is:

$$\frac{\Gamma, x \vdash_{\text{SV}} Z}{!\Gamma, !x, \#\Delta \vdash_{\text{SV}} !Z}$$

then $W = !Z$ and $(!Z)[x/V]$ is simply $!(Z[x/V])$. As a consequence:

$$\begin{aligned} \mathbb{W}_m(W[x/V]) &= m \cdot \mathbb{W}_m(Z[x/V]) + 1 \leq n \cdot (\mathbb{W}_n(Z) + \mathbb{W}_n(V)) + 1 \\ &= n \cdot \mathbb{W}_n(Z) + n \cdot \mathbb{W}_n(V) + 1 = \mathbb{W}_n(!Z) + n \cdot \mathbb{W}_n(V) \\ &= \mathbb{W}_n(W) + n \cdot \mathbb{W}_n(V). \end{aligned}$$

With the above observations in hand, we can easily prove the thesis by induction on any derivation ρ of $P \rightarrow_{\text{P}} Q$:

- Suppose ρ is

$$\overline{\overline{\overline{\bar{a}\langle V \rangle.R \mid a(x).S \rightarrow_{\text{L}} R \mid S[x/V]}}}}$$

From $\emptyset \vdash_{\text{SP}} \bar{a}\langle V \rangle.R \mid a(x).S$, it follows that $\emptyset \vdash_{\text{SP}} R$, $\emptyset \vdash_{\text{SV}} V$ and $x \vdash_{\text{SP}} S$. As a consequence, since $\mathbb{D}(Q) \leq \mathbb{D}(P)$,

$$\begin{aligned} \mathbb{W}(P) &= \mathbb{W}(\bar{a}\langle V \rangle.R \mid a(x).S) = \mathbb{W}_{\mathbb{D}(P)}(V) + \mathbb{W}_{\mathbb{D}(P)}(R) + \mathbb{W}_{\mathbb{D}(P)}(S) + 2 \\ &\geq \mathbb{W}_{\mathbb{D}(Q)}(S[x/V]) + \mathbb{W}_{\mathbb{D}(Q)}(R) + 2 > \mathbb{W}_{\mathbb{D}(Q)}(S[x/V]) + \mathbb{W}_{\mathbb{D}(Q)}(R) + 1 \\ &= \mathbb{W}_{\mathbb{D}(Q)}(S[x/V] \mid R). \end{aligned}$$

- Suppose ρ is

$$\overline{\overline{\overline{\bar{a}\langle V \rangle.R \mid a(!x).S \rightarrow_{\text{L}} R \mid S[x/V]}}}}$$

From $\emptyset \vdash_{\text{SP}} \bar{a}\langle V \rangle.R \mid a(x).S$, it follows that $\emptyset \vdash_{\text{SP}} R$, $\emptyset \vdash_{\text{SV}} V$ and either $!x \vdash_{\text{SP}} S$ or

$\#x \vdash_{\mathcal{SP}} S$. In the first case:

$$\begin{aligned}
\mathbb{W}(P) &= \mathbb{W}(\bar{a}(!V).R \mid a(x).S) = \mathbb{W}_{\mathbb{D}(P)}(!V) + \mathbb{W}_{\mathbb{D}(P)}(R) + \mathbb{W}_{\mathbb{D}(P)}(S) + 2 \\
&= \mathbb{D}(P) \cdot \mathbb{W}_{\mathbb{D}(P)}(V) + \mathbb{W}_{\mathbb{D}(P)}(R) + \mathbb{W}_{\mathbb{D}(P)}(S) + 3 \\
&\geq \mathbb{W}_{\mathbb{D}(Q)}(S[x/V]) + \mathbb{W}_{\mathbb{D}(Q)}(R) + 3 \\
&> \mathbb{W}_{\mathbb{D}(Q)}(S[x/V]) + \mathbb{W}_{\mathbb{D}(Q)}(R) + 1 \\
&= \mathbb{W}_{\mathbb{D}(Q)}(S[x/V] \mid R).
\end{aligned}$$

In the second case:

$$\begin{aligned}
\mathbb{W}(P) &= \mathbb{W}(\bar{a}(!V).R \mid a(x).S) = \mathbb{W}_{\mathbb{D}(P)}(!V) + \mathbb{W}_{\mathbb{D}(P)}(R) + \mathbb{W}_{\mathbb{D}(P)}(S) + 2 \\
&= \mathbb{D}(P) \cdot \mathbb{W}_{\mathbb{D}(P)}(V) + \mathbb{W}_{\mathbb{D}(P)}(R) + \mathbb{W}_{\mathbb{D}(P)}(S) + 3 \\
&\geq \mathbb{FO}(x, S) \cdot \mathbb{W}_{\mathbb{D}(P)}(V) + \mathbb{W}_{\mathbb{D}(P)}(R) + \mathbb{W}_{\mathbb{D}(P)}(S) + 3 \\
&\geq \mathbb{W}_{\mathbb{D}(Q)}(S[x/V]) + \mathbb{W}_{\mathbb{D}(Q)}(R) + 3 \\
&> \mathbb{W}_{\mathbb{D}(Q)}(S[x/V]) + \mathbb{W}_{\mathbb{D}(Q)}(R) + 1 = \mathbb{W}_{\mathbb{D}(Q)}(S[x/V] \mid R).
\end{aligned}$$

- Suppose ρ is

$$\frac{\sigma : R \rightarrow_{\mathcal{L}} S}{R \mid T \rightarrow_{\mathcal{L}} S \mid T}$$

From $\emptyset \vdash_{\mathcal{SP}} R \mid T$, it follows that $\emptyset \vdash_{\mathcal{SP}} R$ and $\emptyset \vdash_{\mathcal{SP}} T$. By induction hypothesis on σ , this yields $\mathbb{W}(R) > \mathbb{W}(S)$, and in turn $\mathbb{W}(R) = \mathbb{W}(R) + \mathbb{W}(T) + 1 > \mathbb{W}(S) + \mathbb{W}(T) + 1 = \mathbb{W}(S)$.

This concludes the proof. \square

Lemma 5 and Proposition 4 together imply that the weight is an upper bound to both the number of reduction steps a process can perform and the size of any reduct. So, the only missing tale is bounding the weight itself:

Proposition 5. For every process P , $\mathbb{W}(P) \leq |P|^{\mathbb{B}(P)+1}$.

Proof. By induction on P , enriching the thesis with an analogous statement for values: $\mathbb{W}(V) \leq |V|^{\mathbb{B}(V)+1}$. \square

Putting all the ingredients together, we reach our soundness result with respect polynomial time:

Theorem 1. There is a family of polynomials $\{p_n\}_{n \in \mathbb{N}}$ such that for every process P and for every m , if $P \rightarrow_{\mathcal{L}}^m Q$, then $m, |Q| \leq p_{\mathbb{B}(P)}(|P|)$.

The polynomials in Theorem 1 depend on terms, so the bound on the number of internal actions is not polynomial, strictly speaking. Please observe, however, that all processes with the same box depth b are governed by the same polynomial p_b , similarly to what happens in Soft Linear Logic.

$$\boxed{
\begin{array}{c}
\frac{}{a(x).P \xrightarrow{a(V)} P[x/V]} \quad \frac{}{a(!x).P \xrightarrow{a(!V)} P[x/V]} \quad \frac{}{\bar{a}\langle V \rangle.P \xrightarrow{\bar{a}\langle V \rangle} P} \\
\frac{}{(\lambda x.P)V \xrightarrow{\tau} P[x/V]} \quad \frac{}{(\lambda x.P)!V \xrightarrow{\tau} P[x/V]} \quad \frac{P \xrightarrow{\mu} Q}{P \mid R \xrightarrow{\mu} Q \mid R} \\
\frac{P \xrightarrow{(\nu \vec{b})\bar{a}\langle V \rangle} Q \quad R \xrightarrow{a(V)} S \quad \vec{b} \cap \text{FN}(R) = \emptyset}{P \mid R \xrightarrow{\tau} (\nu \vec{b})(Q \mid S)} \quad \frac{P \xrightarrow{\mu} Q \quad a \notin \text{FN}(\mu)}{(\nu a)P \xrightarrow{\mu} (\nu a)Q} \\
\frac{P \xrightarrow{(\nu \vec{b})\bar{c}\langle V \rangle} Q \quad a \in \text{FN}(V) - \{b_1, \dots, b_n\} \quad a \neq c}{(\nu a)P \xrightarrow{(\nu a, \vec{b})\bar{c}\langle V \rangle} Q}
\end{array}
}$$

Fig. 5. A labelled semantics for **SHO** π .

4.2. Beyond Feasible Termination: Polytime Soundness in Presence of External Actions.

One may wonder how much of the feasibility of **SHO** π holds when we consider not only the internal evolution of processes, but also possible interaction with the environment. In this subsection, we extend the result of Theorem 1 to labelled semantics, thus giving a positive answer to question.

We now define a labelled semantics for soft processes. The sets $\text{FN}(P)$ and $\text{FN}(V)$ of free names of P and V can be easily defined. Labels are actions of three possible kinds:

- The *silent action* τ
- An *input action* in the form $a(V)$.
- An *output action* in the form $(\nu a_1, \dots, a_n)\bar{b}\langle V \rangle$, where $\{a_1, \dots, a_n\} \subseteq \text{FN}(V) - \{b\}$.

We frequently use the notation \vec{a} for the sequence of channels a_1, \dots, a_n . If $n = 0$ we simply use the notation $\bar{b}\langle V \rangle$ for the output action $(\nu a_1, \dots, a_n)\bar{b}\langle V \rangle$.

Actions are denoted with letters like μ, ξ . Rules defining the ternary relation $P \xrightarrow{\mu} Q$ can be found in Figure 5. All rules are easy adaptation of the ones of **HO** π (see, for example, (?)).

It is not so difficult to prove, by induction on the structure of derivations for the labelled semantics, that

- If $P \xrightarrow{(\nu \vec{a})\bar{b}\langle V \rangle} Q$, then $\mathbb{W}(Q) + \mathbb{W}(V) < \mathbb{W}(P)$
- If $P \xrightarrow{a(V)} Q$, then $\mathbb{W}(Q) < \mathbb{W}(V) + \mathbb{W}(P)$
- If $P \xrightarrow{\tau} Q$, then $\mathbb{W}(Q) < \mathbb{W}(P)$.

In other words, the weight of the underlying process can only increase along inputs, but in that case it increases by *at most* the weight of the received process. Dually, the weight of the sent process is lost whenever an output is performed.

As a consequence, we have the following result:

Theorem 2. Suppose that

$$P_0 \xrightarrow{\mu_1} P_1 \xrightarrow{\mu_2} \dots \xrightarrow{\mu_n} P_n.$$

and suppose that the input actions appearing in the sequence μ_1, \dots, μ_n are $a_1(V_1), \dots, a_m(V_m)$, where $m \leq n$. Then

$$n, |P_i| \leq p_{\max\{\mathbb{B}(P), \mathbb{B}(V_1), \dots, \mathbb{B}(V_m)\}}(|P_0| + \sum_{j=1}^m |V_j|),$$

where the p_k are polynomials.

Please notice that the result above does *not* guarantee that, along a possibly complex interaction with the environment, the number of internal actions is bounded by the size of the *last* input. In this sense, Theorem 2 is weaker than feasible reactivity as proposed by Amadio and Dabrowski (). What Theorem 2 really tells us is that the *total amount* of internal activities between n inputs is bounded by the sum of the n received processes.

4.3. Completeness?

Soundness of a formal system with respect to some semantic criterion is useless unless one shows that the system is also *expressive enough*. In implicit computational complexity, programming languages are usually proved both sound and *extensionally complete* with respect to a complexity class. Not only any program can be normalized in bounded time, but every function in the class can be computed by a program in the system. Preliminary to any completeness result for **SHO** π , however, would be the definition of what a complexity class for processes should be (as opposed to the well known definition for functions or problems). This is an elusive—and very interesting—problem that we cannot tackle in this preliminary work and that we leave for future work.

Certainly the expressiveness of **SHO** π is weak if we take into account the visible actions of the processes (i.e., their interactions with the environment). This is due to the limited possibilities of copying, and hence also of writing recursive process behaviours. Indeed, one cannot consider **SHO** π , on its own, as a general-purpose calculus for concurrency. However, we believe that the study of **SHO** π , or similar languages, could be fruitful in establishing bounds on the internal behaviour of parts, or components, of a concurrent systems; for instance, on the time and space that a process may take to answer a query from another process (in this case the **SHO** π techniques would be applied to the parts of the syntax of the process that describe its internal computation after the query). Next section considers a possible direction of development of **SHO** π , allowing more freedom on the external actions of the processes.

Anyway, a minimal completeness result can be given, namely the possibility of representing all polynomial time *functions* in **SHO** π . This can be done by encoding Soft Linear Logic into **SHO** π through a continuation-passing style translation. This is the topic of the following section.

4.3.1. *Functional Completeness through a CPS Translation.* Proving functional completeness of soft processes is apparently a very easy task, since the same result is well

known for soft linear logic (?), soft lambda calculi (?) and type systems (?). If one tries to embed, e.g., Baillot and Mogbil soft lambda calculus into **SHO** π , he (or she) would immediately discover that the embedding cannot be the trivial one, because in **SHO** π one cannot form arbitrary abstractions and applications, but only some of those. In the grammar of processes, in particular, one can only apply a value to another value, while variables can be only abstracted over processes. In other words, only a CPS fragment of (soft) lambda calculus seems to be available inside **SHO** π .

In this section, we will show polytime functional completeness of **SHO** π in three successive steps.

A Soft Lambda Calculus. A soft lambda calculus can be easily defined along the lines of the one proposed by Baillot and Mogbil (?). The classes of terms and values are as follows:

$$\begin{aligned} M &::= V \mid MM \\ V &::= x \mid \lambda x.M \mid \lambda x.M \mid!V \end{aligned}$$

As in **SHO** π , not all terms and values are well-formed, and well-forming rules can be defined following the ones of **SHO** π , in such a way as to guarantee that both:

- the variable x appears once at depth 0 in M for every abstraction $\lambda x.M$;
- the variable x appears once at depth 1 or at level 0 in M for every abstraction $\lambda x.M$.

For these reasons, we do not give the well-forming rules here. Reduction semantics can be given both in a call-by-name and in a call-by-value style. We here consider the latter, which seems to be more natural in the realm of soft linear logic:

$$\frac{}{(\lambda x.M)V \rightarrow_{\mathbf{L}} M[x/V]} \quad \frac{}{(\lambda x.M)!V \rightarrow_{\mathbf{L}} M[x/V]} \quad \frac{M \rightarrow_{\mathbf{L}} N}{ML \rightarrow_{\mathbf{L}} NL} \quad \frac{M \rightarrow_{\mathbf{L}} N}{VM \rightarrow_{\mathbf{L}} VN}$$

The obtained calculus is called **S** λ .

The CPS Translation. The target language of our transformation is defined as follows

$$\begin{aligned} M &::= VV \\ V &::= x \mid \lambda p.M \mid \lambda \langle p, p \rangle.M \mid!V \mid \langle V, V \rangle \\ p &::= x \mid!x \end{aligned}$$

Again, well-forming rules for it can be given along the lines of those of **SHO** π . Please observe how this calculus is a sub-calculus of **SHO** π itself, once the latter is endowed with (linear) pairs. The operational semantics is an easy variation on the one of **S** λ . This way we have obtained a calculus **S** λ_{CPS} .

Our aim now is to prove that reduction in soft lambda calculus can be simulated by reduction in the CPS soft lambda calculus just defined. To do that, we need to define a translation from the former to the latter. First of all, **S** λ terms can be translated into **S** λ_{CPS} values as follows:

$$\begin{aligned} \llbracket V \rrbracket &= \lambda \varepsilon. \varepsilon[V] \\ \llbracket MN \rrbracket &= \lambda \varepsilon. \llbracket M \rrbracket (\lambda x. \llbracket N \rrbracket (\lambda y. x \langle y, \varepsilon \rangle)) \end{aligned}$$

Moreover, $\mathbf{S}\lambda$ values can be turned into $\mathbf{S}\lambda_{\text{CPS}}$ values:

$$\begin{aligned} [x] &= x \\ [\lambda x.M] &= \lambda \langle x, \varepsilon \rangle. \llbracket M \rrbracket \varepsilon \\ [\lambda !x.M] &= \lambda \langle !x, \varepsilon \rangle. \llbracket M \rrbracket \varepsilon \\ [!V] &= ![V] \end{aligned}$$

The correctness of the translation above can be proved by following very closely the one due to Plotkin (). First of all, we can prove that $[\cdot]$ and $\llbracket \cdot \rrbracket$ commute well:

Lemma 6. $\llbracket [M] \rrbracket [x/[V]] = \llbracket [M[x/V]] \rrbracket$.

The binary operator $\cdot : \cdot$ captures the status of a term after all administrative reduction have been performed. It is defined as follows:

$$\begin{aligned} V : Z &= Z[V] \\ MN : Z &= M : \lambda x. \llbracket N \rrbracket (\lambda y. x \langle y, Z \rangle) \text{ if } M \text{ is not a value} \\ VM : Z &= M : \lambda y. [V] \langle y, Z \rangle \text{ if } M \text{ is not a value} \\ VW : Z &= [V] \langle [W], Z \rangle \end{aligned}$$

The following two crucial lemmas can be proved by induction on M and by induction on the structure of a proof for $M \rightarrow_{\perp} N$, respectively:

Lemma 7. $\llbracket [M] \rrbracket V \rightarrow_{\perp}^* M : V$.

Lemma 8. If $M \rightarrow_{\perp} N$, then $M : V \rightarrow_{\perp}^* N : V$.

Summing up:

Theorem 3. If $M \rightarrow_{\perp}^* V$, then for every value W , $\llbracket [M] \rrbracket W \rightarrow_{\perp}^* W[V]$.

Proof. Simply observe that, by Lemma 7 and Lemma 8:

$$\llbracket [M] \rrbracket W \rightarrow_{\perp}^* M : W \rightarrow_{\perp}^* V : W = W[V].$$

□

Functional Completeness. From Theorem 3 and from the functional completeness of the soft lambda calculus (see, e.g. (?)), it follows that soft processes are themselves functionally complete. Consider any polytime function $f : \{0, 1\}^* \rightarrow \{0, 1\}^*$. It is representable in the soft lambda calculus by polytime completeness of the latter, and so we have:

- A term M of $\mathbf{S}\lambda$;
- Some representation in $\mathbf{S}\lambda$ of input binary strings V_s for every $s \in \{0, 1\}^*$;
- Some representation in $\mathbf{S}\lambda$ of output binary strings W_s for every $s \in \{0, 1\}^*$;

such that

$$MV_s \rightarrow_{\perp}^* W_{f(s)} \tag{1}$$

for every $s \in \{0, 1\}^*$. It is now easy to construct a soft process that “computes” the same function by taking inputs on channel a and sending outputs on b . It is simply

$$P = a(x).\llbracket Mx \rrbracket[\lambda y.\bar{b}\langle y \rangle].$$

Indeed:

$$\begin{aligned} P &\xrightarrow{a\langle [V_s] \rangle} (\llbracket Mx \rrbracket[\lambda y.\bar{b}\langle y \rangle])[x/V_s] \\ &= \llbracket MV_s \rrbracket[\lambda y.\bar{b}\langle y \rangle] \\ &\rightarrow_{\perp}^* (\lambda y.\bar{b}\langle y \rangle)[W_{f(s)}] \\ &\rightarrow_{\perp} \bar{b}\langle [W_{f(s)}] \rangle \xrightarrow{\bar{b}\langle [W_{f(s)}] \rangle} \mathbf{0} \end{aligned}$$

Clearly, this arguments strongly depends on $[\cdot]$ mapping values representing strings into values from which the same string can be “read off” easily.

5. An Extension to $\mathbf{SHO}\pi$: Spawning

In this section we propose an extension of $\mathbf{SHO}\pi$ that allows us to accept processes such as $\mathit{SERVER}_!$, capable of performing infinitely many interactions with their external environment while maintaining polynomial bounds on the number of internal steps they can make between any two external actions.

The reason why $\mathit{SERVER}_!$ is *not* a $\mathbf{SHO}\pi$ process has to do with the bound variable x in the sub-process $\mathit{COMP}_!$:

$$\mathit{COMP}_! = \lambda z.(a(!x).(b(!y).\bar{c}\langle !y \rangle.x(!\star) \mid \bar{a}\langle !x \rangle)),$$

The variable appears twice in the body $(b(!y).\bar{c}\langle !y \rangle.x(!\star) \mid \bar{a}\langle !x \rangle)$, at two different depths. This pattern is not permitted in $\mathbf{SHO}\pi$, because otherwise also the nonterminating process $\mathit{OMEGA}_!$ would be in the calculus. There is however a major difference between $\mathit{OMEGA}_!$ and $\mathit{SERVER}_!$: in $\mathit{COMP}_!$, one of the two occurrences of x (the one at depth 0) is part of the continuation of an input on b ; moreover, such channel b is only used by $\mathit{SERVER}_!$ in input — $\mathit{SERVER}_!$ does not own the output capability. This implies that whatever process will substitute that occurrence of x , it will be able to interact with the environment only *after* an input on b is performed. So, its “computational weight” does not affect the number of reduction steps made by the process *before* such an input occurs. This phenomenon, which does not occur in $\mathit{OMEGA}_!$, can be seen as a form of process spawning: $\mathit{COMP}_!$ can be copied an unbounded number of times, but the rhythm of the copying is dictated by the input actions at b .

Consider a subset \mathcal{IC} of \mathcal{C} (where \mathcal{C} is the set of all channels which can appear in processes). The process calculus $\mathbf{EHO}\pi(\mathcal{IC})$ is an extension of $\mathbf{SHO}\pi$ parametrized on \mathcal{IC} . What $\mathbf{EHO}\pi(\mathcal{IC})$ adds to $\mathbf{SHO}\pi$ is precisely the possibility of marking a subprocess as a component which can be spawned. This is accomplished with a new operator \square . Channels in \mathcal{IC} are called *input channels*, because outputs are forbidden

$\frac{}{\# \Gamma \vdash_{\text{EP}} \mathbf{0}}$	$\frac{\Gamma, \# \Lambda, \diamond \Theta \vdash_{\text{EP}} P \quad \Delta, \# \Lambda, \# \Theta \vdash_{\text{EP}} Q}{\Gamma, \Delta, \# \Lambda, \diamond \Theta \vdash_{\text{EP}} P \mid Q}$	$\frac{\Gamma, x \vdash_{\text{EP}} P}{\Gamma \vdash_{\text{EP}} a(x).P}$
$\frac{\Gamma, !x \vdash_{\text{EP}} P}{\Gamma \vdash_{\text{EP}} a(!x).P}$	$\frac{\Gamma, \#x \vdash_{\text{EP}} P}{\Gamma \vdash_{\text{EP}} a(\#x).P}$	$\frac{\Gamma, \square x \vdash_{\text{EP}} P}{\Gamma \vdash_{\text{EP}} a(\square x).P}$
$\frac{\Gamma, \diamond x \vdash_{\text{EP}} P}{\Gamma \vdash_{\text{EP}} a(\diamond x).P}$	$\frac{\Gamma, \square \Delta, x \vdash_{\text{EP}} P \quad a \in \mathcal{SC}}{\Gamma, \diamond \Delta \vdash_{\text{EP}} a(x).P}$	$\frac{\Gamma, \square \Delta, !x \vdash_{\text{EP}} P \quad a \in \mathcal{SC}}{\Gamma, \diamond \Delta \vdash_{\text{EP}} a(!x).P}$
$\frac{\Gamma, \square \Delta, \#x \vdash_{\text{EP}} P \quad a \in \mathcal{SC}}{\Gamma, \diamond \Delta \vdash_{\text{EP}} a(\#x).P}$	$\frac{\Gamma, \square \Delta, \square x \vdash_{\text{EP}} P \quad a \in \mathcal{SC}}{\Gamma, \diamond \Delta \vdash_{\text{EP}} a(\square x).P}$	$\frac{\Gamma, \square \Delta, \diamond x \vdash_{\text{EP}} P \quad a \in \mathcal{SC}}{\Gamma, \diamond \Delta \vdash_{\text{EP}} a(\diamond x).P}$
$\frac{\Gamma, \# \Lambda, \diamond \Theta \vdash_{\text{EV}} V \quad \Delta, \# \Lambda, \# \Theta \vdash_{\text{EP}} P}{\Gamma, \Delta, \# \Lambda, \diamond \Theta \vdash_{\text{EP}} \bar{a}\langle V \rangle.P}$	$\frac{\Gamma, \# \Lambda, \# \Theta \vdash_{\text{EV}} V \quad \Delta, \# \Lambda, \diamond \Theta \vdash_{\text{EP}} P}{\Gamma, \Delta, \# \Lambda, \diamond \Theta \vdash_{\text{EP}} \bar{a}\langle V \rangle.P}$	
$\frac{\Gamma, \# \Lambda, \diamond \Theta \vdash_{\text{EV}} V \quad \Delta, \# \Lambda, \# \Theta \vdash_{\text{EV}} W}{\Gamma, \Delta, \# \Lambda, \diamond \Theta \vdash_{\text{EP}} VW}$	$\frac{\Gamma, \# \Lambda, \# \Theta \vdash_{\text{EV}} V \quad \Delta, \# \Lambda, \diamond \Theta \vdash_{\text{EV}} W}{\Gamma, \Delta, \# \Lambda, \diamond \Theta \vdash_{\text{EP}} VW}$	
$\frac{\Gamma \vdash_{\text{EP}} P}{\Gamma \vdash_{\text{EP}} (\nu a)P}$	$\frac{}{\# \Gamma \vdash_{\text{EV}} \star}$	$\frac{}{\# \Gamma, x \vdash_{\text{EV}} x}$
$\frac{}{\# \Gamma, \#x \vdash_{\text{EV}} x}$	$\frac{}{\# \Gamma, x \vdash_{\text{EV}} x}$	$\frac{\Gamma, x \vdash_{\text{EP}} P}{\Gamma \vdash_{\text{EV}} \lambda x.P}$
$\frac{\Gamma, \#x \vdash_{\text{EP}} P}{\Gamma \vdash_{\text{EV}} \lambda \#x.P}$	$\frac{\Gamma, !x \vdash_{\text{EP}} P}{\Gamma \vdash_{\text{EV}} \lambda !x.P}$	$\frac{\Gamma, \square x \vdash_{\text{EP}} P}{\Gamma \vdash_{\text{EV}} \lambda \square x.P}$
$\frac{\Gamma, \diamond x \vdash_{\text{EP}} P}{\Gamma \vdash_{\text{EV}} \lambda \diamond x.P}$	$\frac{\Gamma \vdash_{\text{EV}} V}{!\Gamma, \# \Delta \vdash_{\text{EV}} !V}$	$\frac{\Gamma \vdash_{\text{EV}} V}{\square \Gamma, \# \Delta \vdash_{\text{EV}} \square V}$

Fig. 6. Processes and values in $\mathbf{EHO}\pi(\mathcal{SC})$.

on them. The syntax of processes and values is enriched as follows:

$$P ::= \dots \mid a(\square x).P;$$

$$V ::= \dots \mid \lambda \square x.P \mid \square V;$$

but outputs can only be performed on channels not in \mathcal{SC} . The term $\square V$ is a value (i.e., a parametrized process) which can be spawned. Spawning itself is performed by passing a process $\square V$ to either an abstraction $\lambda \square x.P$ or an input $a(\square x).P$. In both cases, exactly one occurrence of x in P is the scope of a \square operator, and only one of the following two conditions holds:

1. The occurrence of x in the scope of a \square operator is part of the continuation of an input channel a , and all other occurrences of x in P are at depth 0.
2. There are no other occurrences of x in P .

The foregoing constraints are enforced by the well-formation rules in Figure 6. The well-formation rules of $\mathbf{EHO}\pi(\mathcal{SC})$ are considerably more complex than the ones of $\mathbf{SHO}\pi$.

Judgements have the form $\Gamma \vdash_{\text{EP}} P$ or $\Gamma \vdash_{\text{EV}} V$, where a variable x can occur in Γ in one of five different forms:

- As either x , $!x$ or $\#x$: here the meaning is exactly the one from **SHO** π (see Section 4).
- As $\square x$: the variable x then appears exactly once in P , in the scope of a spawning operator \square .
- As $\diamond x$: x occurs at least once in P , once in the scope of a \square operator (itself part of the continuation for an input channel), and possibly many times at depth 0.

A variable marked as $\diamond x$ can “absorb” the same variable declared as $\#x$ in binary well-formation rules (i.e. the ones for applications, outputs, etc.). Note the special well-formation rules that are only applicable with an input channel: in that case a portion of the context $\square\Delta$ becomes $\diamond\Delta$.

The operational semantics is obtained adding to Figure 3 the following two rules:

$$\frac{}{\overline{\bar{a}\langle \square V \rangle . P \mid a(\square x) . Q} \rightarrow_{\text{L}} P \mid Q[x/V]} \quad \frac{}{\overline{(\lambda \square x . P) \square V} \rightarrow_{\text{L}} P[x/V]}$$

As expected,

Lemma 9 (Subject Reduction). If $\vdash_{\text{EP}} P$ and $P \rightarrow_{\text{L}} Q$, then $\vdash_{\text{EP}} Q$.

The process $SERVER_{\square}$ is a **EHO** $\pi(\mathcal{IC})$ process once $COMP_{\square}$ is considered as a spawned process and $b \in \mathcal{IC}$: define

$$\begin{aligned} SERVER_{\square} &= (\nu a)(COMP_{\square}(!\star) \mid \bar{a}\langle \square COMP_{\square} \rangle); \\ COMP_{\square} &= \lambda z . (a(\square x) . (b(!y) . \bar{c}\langle !y \rangle . \bar{a}\langle \square x \rangle \mid x(!\star))). \end{aligned}$$

Now, consider the following derivations:

$$\frac{\frac{\frac{\frac{\emptyset \vdash_{\text{EV}} \star}{\emptyset \vdash_{\text{EV}} COMP_{\square}} \quad \frac{\frac{\emptyset \vdash_{\text{EV}} \star}{\emptyset \vdash_{\text{EV}} !\star}}{\emptyset \vdash_{\text{EV}} \square COMP_{\square}}}{\emptyset \vdash_{\text{EP}} COMP_{\square}(!\star)} \quad \frac{\frac{\emptyset \vdash_{\text{EV}} COMP_{\square}}{\emptyset \vdash_{\text{EV}} \bar{a}\langle \square COMP_{\square} \rangle}}{\emptyset \vdash_{\text{EP}} \bar{a}\langle \square COMP_{\square} \rangle}}{\emptyset \vdash_{\text{EP}} (\nu a) (COMP_{\square} (!\star) \mid \bar{a} \langle \square COMP_{\square} \rangle)}}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{x \vdash_{\text{EV}} x}{\#z, \square x \vdash_{\text{EV}} \square x}}{\#z, \square x \vdash_{\text{EP}} \bar{a}\langle \square x \rangle}}{\#z, \square x, !y \vdash_{\text{EP}} \bar{c}\langle !y \rangle . \bar{a}\langle \square x \rangle}}{\#z, \diamond x \vdash_{\text{EP}} b(!y) . \bar{c}\langle !y \rangle . \bar{a}\langle \square x \rangle}}{\#z, \diamond x \vdash_{\text{EP}} b(!y) . \bar{c}\langle !y \rangle . \bar{a}\langle \square x \rangle \mid x(!\star)}} \quad \frac{\frac{\frac{\emptyset \vdash_{\text{EV}} \star}{\emptyset \vdash_{\text{EV}} !\star}}{\#x \vdash_{\text{EV}} x}}{\#x \vdash_{\text{EP}} x(!\star)}}{\#z, \diamond x \vdash_{\text{EP}} a(\square x) . (b(!y) . \bar{c}\langle !y \rangle . \bar{a}\langle \square x \rangle \mid x(!\star))}}{\emptyset \vdash_{\text{EV}} \lambda z . a(\square x) . (b(!y) . \bar{c}\langle !y \rangle . \bar{a}\langle \square x \rangle \mid x(!\star))}}$$

The use in **EHO** $\pi(\mathcal{IC})$ of a distinct set of input channels may still be seen as rigid. For instance, it prevents from accepting $SERVER_{\square}$ in parallel with a client of the server itself (because the client uses the request channel of the server in output); similarly, it prevents from accepting reentrant servers (servers that can invoke themselves). As pointed out earlier, we are mainly interested in techniques capable of ensuring polynomial bounds

on *components* of concurrent systems (so for instance, bounds on the server, rather than on the composition of the server and a client). In any case, this paper represents a preliminary investigation, and further refinements or extensions of $\mathbf{EHO}\pi(\mathcal{SC})$ may well be possible.

5.1. Feasible Termination

The proof of feasible termination for $\mathbf{EHO}\pi(\mathcal{SC})$ is similar in structure to the one for $\mathbf{SHO}\pi$ (see Section 4.1). However, some additional difficulties due to the presence of spawning arise.

The auxiliary notions we needed in the proof of feasible termination for $\mathbf{SHO}\pi$ can be easily extended to $\mathbf{EHO}\pi(\mathcal{SC})$ as follows: The architecture of the soundness proof is similar to the one for linear processes. The box depth, duplicability factor and weight of a process are defined as for soft processes, plus:

$$\begin{aligned} \mathbb{B}(\lambda \square x.P) &= \mathbb{B}(P); \\ \mathbb{B}(\square V) &= \mathbb{B}(V) + 1; \\ \mathbb{B}(a(\square x).P) &= \mathbb{B}(P); \\ \\ \mathbb{D}(\lambda \square x.P) &= \max\{\mathbb{D}(P), \mathbb{FO}(x, P)\}; \\ \mathbb{D}(\square V) &= \mathbb{D}(V); \\ \mathbb{D}(a(\square x).P) &= \max\{\mathbb{D}(P), \mathbb{FO}(x, P)\}; \\ \\ \mathbb{W}_n(\lambda \square x.P) &= \mathbb{W}_n(P); \\ \mathbb{W}_n(\square V) &= n \cdot \mathbb{W}_n(V) + 1; \\ \mathbb{W}_n(a(\square x).P) &= \mathbb{W}_n(P) + 1. \end{aligned}$$

Informally, the spawning operator \square acts as $!$ in all the definitions above. The weight $\mathbb{W}(P)$, still defined as $\mathbb{W}_{\mathbb{D}(P)}(P)$ is again an upper bound to the size of P , but is not guaranteed to decrease at any reduction step. In particular, spawning can make $\mathbb{W}(P)$ bigger. As a consequence, two new auxiliary notions are needed. The first one is similar to the weight of processes and values, but is computed without taking into account whatever happens after an input on a channel $a \in \mathcal{SC}$. It is parametric on a natural number n and is defined as follows:

$$\begin{aligned}
\mathbb{I}_n(\star) &= \mathbb{I}_n(x) = \mathbb{I}_n(\mathbf{0}) = 1; \\
\mathbb{I}_n(\lambda x.P) &= \mathbb{I}_n(\lambda x.P) = \mathbb{I}_n(\lambda \square x.P) = \mathbb{I}_n(P); \\
\mathbb{I}_n(!V) &= \mathbb{I}_n(\square V) = n \cdot \mathbb{I}_n(V) + 1; \\
\mathbb{I}_n(P \mid Q) &= \mathbb{I}_n(P) + \mathbb{I}_n(Q) + 1; \\
\mathbb{I}_n(a(x).P) &= \mathbb{I}_n(a(!x).P) = \mathbb{I}_n(a(\square x).P) = \begin{cases} 0 & \text{if } a \in \mathcal{SC} \\ \mathbb{I}_n(P) + 1 & \text{otherwise} \end{cases} \\
\mathbb{I}_n(\bar{a}\langle V \rangle.P) &= \mathbb{I}_n(V) + \mathbb{I}_n(P); \\
\mathbb{I}_n((\nu a)P) &= \mathbb{I}_n(P); \\
\mathbb{I}_n(PQ) &= \mathbb{I}_n(P) + \mathbb{I}_n(Q) + 1.
\end{aligned}$$

The *weight before input* $\mathbb{I}(P)$ of a process P is simply $\mathbb{I}_{\mathbb{D}(P)}(P)$. As we will see, $\mathbb{I}(P)$ is guaranteed to decrease at any reduction step, but this time it is not an upper bound to the size of the underlying process. The second auxiliary notion captures the potential growth of processes due to spawning and is again parametric on a natural number n :

$$\begin{aligned}
\mathbb{P}_n(\star) &= \mathbb{P}_n(x) = \mathbb{P}_n(\mathbf{0}) = 0; \\
\mathbb{P}_n(\lambda x.P) &= \mathbb{P}_n(\lambda x.P) = \mathbb{P}_n(\lambda \square x.P) = \mathbb{P}_n(P) \\
\mathbb{P}_n(!V) &= n \cdot \mathbb{P}_n(V); \\
\mathbb{P}_n(\square V) &= n \cdot \mathbb{P}_n(V) + n \cdot \mathbb{W}_n(V); \\
\mathbb{P}_n(P \mid Q) &= \mathbb{P}_n(P) + \mathbb{P}_n(Q); \\
\mathbb{P}_n(a(x).P) &= \mathbb{P}_n(a(!x).P) = \mathbb{P}_n(a(\square x).P) = \begin{cases} 0 & \text{if } a \in \mathcal{SC} \\ \mathbb{P}_n(P) & \text{otherwise} \end{cases} \\
\mathbb{P}_n(\bar{a}\langle V \rangle.P) &= \mathbb{P}_n(V) + \mathbb{P}_n(P); \\
\mathbb{P}_n((\nu a)P) &= \mathbb{P}_n(P); \\
\mathbb{P}_n(VW) &= \mathbb{P}_n(V) + \mathbb{P}_n(W).
\end{aligned}$$

Again, the *potential growth* $\mathbb{P}(P)$ of a process P is $\mathbb{P}_{\mathbb{D}(P)}(P)$. Proposition 3, Lemma 4 and Lemma 5 from Section 4.1 continue to hold for $\mathbf{EHO}\pi(\mathcal{SC})$, and their proofs remain essentially unchanged. Proposition 4 is true only if the weight before input replaces the weight:

Proposition 6. If $\emptyset \vdash_{\text{SP}} Q$ and $Q \rightarrow_{\text{L}} P$, then $\mathbb{I}(Q) > \mathbb{I}(P)$.

The potential growth of a process P cannot increase during reduction. Moreover, the weight can increase, but at most by the decrease in the potential growth. Formally:

Proposition 7. If $\emptyset \vdash_{\text{SP}} Q$ and $Q \rightarrow_{\text{L}} P$, then $\mathbb{P}(Q) \geq \mathbb{P}(P)$ and $\mathbb{W}(Q) + \mathbb{P}(Q) \geq \mathbb{W}(P) + \mathbb{P}(P)$.

Polynomial bounds on all the attributes of processes we have defined can be proved:

Proposition 8. For every process P , $\mathbb{W}(P) \leq |P|^{\mathbb{B}(P)+1}$, $\mathbb{I}(P) \leq |P|^{\mathbb{B}(P)+1}$ and $\mathbb{P}(P) \leq \mathbb{B}(P)\mathbb{W}(P)$.

And, as for **SHO** π , we get a polynomial bound in the number of reduction steps from any process:

Theorem 4. There is a family of polynomials $\{p_n\}_{n \in \mathbb{N}}$ such that for every process P and for every m , if $P \rightarrow_{\perp}^m Q$, then $m, |Q| \leq p_{\mathbb{B}(P)}(|P|)$.

Proofs for the results above have been elided. Their structure, however, reflects the corresponding proofs for **SHO** π (see Section 4.1). As an example, proofs of propositions 6 and 7 are both structured around appropriate substitution lemmas.

6. Conclusions

Goal of this preliminary essay was to verify whether we could apply to process algebra the technologies for resource control that have been developed in the so-called “light logics” and have been successfully applied so far to paradigmatic functional programming. We deliberately adopted a minimalistic approach: applications between processes restricted to values, the simplest available logic, a purely linear language (i.e., no weakening/erasing on non marked formulas), no types, no search for maximal expressivity.

Various issues remain to be investigated. To begin with, one may wonder whether other complexity conscious fragments of linear logic can be used in place of **SLL** as guideline for box control. **SLL** is handy, because of its simplicity, but we do believe that analogous results could be obtained starting from Light Affine Logic (Asperti & Roversi 2002). This would also allow unrestricted erasing of processes, leaving marked boxes only for duplication. Another possible issue for the future is to individuate a richer language of processes, still amenable to the soft (or light) treatment. Section 5 suggests a possible direction, but many others are possible. Related to this is the general challenging question of the meaning of complexity classes in the process realm.

In the paper, we have proved polynomial bounds for **SHO** π , obtained from the the Higher-Order π -calculus by imposing constraints inspired by Soft Linear Logic. We have then considered an extension of **SHO** π , taking into account features specific to processes, notably the existence of channels: in process calculi a reduction step does not need to be anonymous, as in the λ -calculus, but may result from an interaction along a channel. An objective of the extension was to accept processes that are programmed to have unboundedly many external actions (i.e., interactions with their environment) but that remain polynomial on the internal work performed between any two external activities. Our definition of the extended class, **EHO** $\pi(\mathcal{IC})$, relies on the notion of input channel — a channel that is used in a process only in input. This allows us to have more flexibility in the permitted forms of copying. We have proposed **EHO** $\pi(\mathcal{IC})$ because this class seems mathematically simple and practically interesting. These claims, however, need to be sustained by more evidence. Further, other refinements of **SHO** π are possible. Again, more experimentation with examples is needed to understand where to focus attention.

Summarizing, we started with a question (“Can ICC be applied to process algebra?”)

and ended up with a positive answer and many more different questions. But this is a feature, and not a bug.

References

- R. M. Amadio & F. Dabrowski (2007). ‘Feasible Reactivity in a Synchronous π -calculus’. In *PPDP 2007*, pp. 221–230. ACM.
- A. Asperti & L. Roversi (2002). ‘Intuitionistic Light Affine Logic’. *TOCL* **3**(1):1–39.
- U. Dal Lago, et al. (2009). ‘Taming Modal Impredicativity: Superlazy Reduction’. In *LFCS 2009*, vol. 5407 of *LNCS*, pp. 137–151.
- R. Demangeon, et al. (2010a). ‘Termination in Higher-Order Concurrent Calculi’. In *FSEN 2009*, vol. 5961 of *LNCS*, pp. 81–96.
- R. Demangeon, et al. (2010b). ‘Termination in Impure Concurrent Languages’. In *CONCUR 2010*, vol. 6269 of *LNCS*, pp. 328–342.
- T. Ehrhard & O. Laurent (2008). ‘Acyclic Solos and Differential Interaction Nets’. Technical report PPS Paris VII.
- T. Ehrhard & L. Regnier (2006). ‘Differential Interaction Nets’. *TCS* **364**(2):166–195.
- J.-Y. Girard (1987). ‘Linear Logic’. *TCS* **50**:1–102.
- J.-Y. Girard (1998). ‘Light Linear Logic’. *I&C* **143**(2):175–204.
- N. Kobayashi & D. Sangiorgi (2008). ‘A Hybrid Type System for Lock-Freedom of Mobile Processes’. In *CAV 2008*, vol. 5123 of *LNCS*, pp. 80–93.
- Y. Lafont (2004). ‘Soft Linear Logic and Polynomial Time’. *TCS* **318**(1-2):163–180.
- D. Sangiorgi & D. Walker (2001). *The π -calculus: A Theory of Mobile Processes*. Cambridge University Press.
- P. Wadler (1994). ‘A Syntax for Linear Logic’. In *MFPS 1993*, vol. 802 of *LNCS*, pp. 513–529.
- N. Yoshida, et al. (2001). ‘Strong Normalisation in the π -Calculus’. In *LICS 2001*, pp. 311–322. IEEE.