



HAL
open science

Multi-resolution Classification of Urban Areas Using Hierarchical Symmetric Markov Mesh Models

Ihsen Hedhli, Gabriele Moser, Sebastiano B Serpico, Josiane Zerubia

► **To cite this version:**

Ihsen Hedhli, Gabriele Moser, Sebastiano B Serpico, Josiane Zerubia. Multi-resolution Classification of Urban Areas Using Hierarchical Symmetric Markov Mesh Models. IEEE GRS/ISPRS Joint Urban Remote Sensing Event (JURSE), Mar 2017, Dubai, United Arab Emirates. hal-01415568

HAL Id: hal-01415568

<https://inria.hal.science/hal-01415568>

Submitted on 13 Dec 2016

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Multi-resolution Classification of Urban Areas Using Hierarchical Symmetric Markov Mesh Models

Ihsen Hedhli
ESPRIT,

PU Algorithm, Tunisia
Email: ihsen.hedhli@esprit.tn

Gabriele Moser, Sebastiano B. Serpico
DITEN department,

University of Genoa, Italy
Email: Gabriele.moser@unige.it

Josiane Zerubia
UCA, INRIA,

Sophia-Antipolis Méditerranée Center, France.
Email: josiane.zerubia@inria.fr

Abstract—In this paper we investigate a new hierarchical method for high resolution remotely sensed image classification. The proposed approach integrates an explicit hierarchical graph-based classifier, which uses a quad-tree structure to model multi-scale interactions, and a symmetric Markov mesh random field to deal with pixelwise contextual information at the same scale. The choice of a quad-tree and the symmetric Markov mesh allow taking benefit from their good analytical properties (especially causality) and consequently applying time-efficient non-iterative inference algorithms.

I. INTRODUCTION

In this paper we address the problem of constructing statistical models of images using Hierarchical Hidden Markov modeling techniques for high resolution remotely sensed image classification of urban areas. The main difficulty is to develop a classifier that jointly utilizes the benefits of multi-band and multi-resolution input data while maintaining a good trade-off between accuracy and computation time. [1]–[4]. Classification techniques as examples of inverse problems solvers, can be regarded as the process that estimates hidden information (or latent variables) x (i.e., urban land cover class labels) from observations y (i.e., satellite data) attached to a set of nodes S . In this framework, Markov random field (MRF) models are widely used classification since they provide a convenient and consistent way of integrating contextual information into the classification scheme [5]. They represent a major methodological approach in the classification of images of urban areas because of their capability to fuse spatial-contextual and multi-scale information on the target thematic classes. Because of their generally non-causal nature, MRF models lead to iterative inference algorithms that are computationally demanding, because they require Metropolis or Gibbs sampling processes. By contrast, MRF models defined according to hierarchical structures exhibit good methodological and application-oriented properties including causality, thanks to the use of appropriate graphs [6] such as a quad-tree structure [7]. In practice, this structure sometimes yields "blocky" effects in the final classification map because of the non-adaptive topology of the quad-tree. Here, the quad-tree approach is extended and a novel contextual multi-scale

technique is proposed to classify multi-resolution remote sensing data that incorporates spatial contextual information and mitigates possible blocky artifacts by using a Markov mesh random field (MMRF) [8]. Unlike conventional MRFs, MMRF can be used not only to incorporate spatial information at each scale of the quad-tree but also to keep the causality of the resulting hierarchical model. However, MMRFs and their lattice models exhibit a well-known weakness, i.e., they may favor artifacts aligned with a direction departing from one corner of the image (they are "corner-dependent") [9]. Consequently, the integration of a hierarchical MRF and a spatial Markov mesh model does not necessarily exhibit an anisotropic behavior and can be affected by the use of a non-regular (non-symmetric) neighborhood. To mitigate this drawback several techniques have been recently introduced in the literature. Quadrilateral MRFs were introduced in [9], in which the non-regularity problem is avoided by using four Markov meshes related to the different corners of the lattice and enforcing them into a unique field definition; however, the model is still non-symmetric. To overcome these limitations from both mathematical and practical points of view, in [10] a new random field was established: a symmetric, corner-independent, and isotropic model that incorporates the dependency of a pixel on all its neighbors using a symmetric MMRF. The aim of the present paper is to develop a multi-resolution classifier for urban areas using remote sensing data. The input images are inserted in a hierarchical structure on the basis of their spatial resolution. This approach is aimed at both exploiting multi-scale information, which is known to play a crucial role in high-resolution image analysis, and supporting contextual information at each scale.

II. HIERARCHICAL HIDDEN MARKOV MESH MODELS

A. MRF and MMRF techniques

Hierarchical MRFs on quad-trees rely on a causality concept captured by the factorization of the prior distribution in terms of causal transition probabilities [11]. In practice, this structure tends to generate "blocky" effects in the final classification map. To mitigate this artifact, let us consider another important class of random fields. MMRFs, also known as causal MRF or




Fig. 3. Hybrid structure that combines a spatial grid using an SMMRF and a hierarchical MRF via a quad-tree.

B. MPM inference

When the causality property holds, non-iterative classification algorithms can be applied. In particular, a recursive procedure for a quad-tree is feasible for the marginal posterior mode (MPM) criterion [7], i.e.:

$$\forall s \in S, x_s^* = \arg \max_{x_s \in \Lambda} p(x_s|y), \quad (3)$$

which produces the configuration that maximizes, on each site s , the a posteriori marginal $p(x_s|y)$ over the finite set Λ of thematic classes in the considered urban area.

To resolve recursively the optimization problem in (3), one could use the same conditional independence assumptions as the ones developed in [16] for the case of a multi-temporal multi-resolution model. The posterior marginal $p(x_s|y)$ of the label of each node s could be expressed as a function of the posterior marginal $p(x_{s^-}|y)$ of the parent node s^- in the quad-tree and the posterior marginals $p(x_{\tilde{s}}|y)$ where \tilde{s} is each one of the sites in the set $\partial(s)$ of the causal neighbors of s . Formally:

$$p(x_s|y) = \sum_{x_{s^-}, x_{\partial(s)}} \frac{p(x_s, x_{s^-}, x_{\partial(s)}|y_{d(s)})}{\sum_{x_s} p(x_s, x_{s^-}, x_{\partial(s)}|y_{d(s)})} p(x_{s^-}|y) \prod_{\tilde{s} \in \partial(s)} p(x_{\tilde{s}}|y) \quad (4)$$

The formulation in (4) allows calculating recursively the posterior marginal $p(x_s|y)$ at each node s while the probabilities $p(x_s, x_{s^-}, x_{\partial(s)}|y_{d(s)})$ are produced. Thus, this simplifies to the determination of the other probabilities based on:

$$p(x_s, x_{s^-}, x_{\partial(s)}|y_{d(s)}) = \frac{p(x_s|x_{s^-})p(x_{s^-})}{p(x_s)} \left[\prod_{\tilde{s} \in \partial(s)} \frac{p(x_s|x_{\tilde{s}})p(x_{\tilde{s}})}{p(x_s)} \right] p(x_s|y_{d(s)}) \quad (5)$$

In (5), the first factor $p(x_s|x_{s^-})$ corresponds to the child-parent transition probability; $p(x_s)$ is the prior probability; $p(x_s|x_{\tilde{s}})$ is the causal neighborhood transition probability at the same scale; and $p(x_s|y_{d(s)})$ is the partial posterior marginal probability.

For more details on proofs and conditional-independence assumptions, one could refer to the original formulation in Laferté et al. [7] for the quad-tree, or to the formulation in Hedhli et al. [16] for the multi-temporal case, or Hedhli et al. [15] for the MMRF case.

IV. EXPERIMENTAL RESULTS

We applied the developed hierarchical classification approach to a multi-resolution dataset that consists of a panchromatic and a multi-spectral Pléiades images acquired over Port-au-Prince (Haiti). To fit with the dyadic decomposition imposed by the quad-tree, the finest resolution of the multi-resolution pyramid (level 0) was set equal to the finest resolution of the input panchromatic image (i.e. 0.5 m). Co-registered multi-spectral images (at 2 m) were integrated at level 2 of the pyramid. To employ the multi-resolution information, and to avoid an "empty" tree level (level 1), we integrate additional information by using a hierarchical decomposition (Daubechies 10 wavelet decomposition) of the panchromatic image.

Manually annotated non-overlapping training and test sets were selected by a remote sensing specialist in homogeneous areas (no borders were taken into account). Five classes were chosen: water, urban areas, vegetation, sand and containers. We compare the proposed method with the classification results obtained using the following techniques: 1) the original MPM formulation used by Laferté et al. [7]. In this case, the classification is obtained recursively over the scales and the use of a quad-tree in the MPM scheme yields blocky segmentations (details can be found in [11]), and 2) the contextual hierarchical approach using the unbalanced MMRF (details can be found in [15]).

The classification results are presented in Fig. 4 and numerically assessed via accuracy estimates (Tab. I). The classification map obtained when using the proposed approach shows satisfactory results, especially as compared to the original hierarchical classification technique based on the MPM criterion in [7] which yields blocky classification (see Fig. 4(b)). These artifacts are mitigated by incorporating spatial contextual information. The proposed method was also compared to an extended version of the method in [7] in which the blocky artifacts were reduced by employing an unbalanced MMRF [15]. Comparing to this method, the proposed technique mitigates the corner-dependent artifact due to the fact that each pixel depends on a non-symmetric neighborhood, as highlighted with black arrows in Fig. 4(c).

V. CONCLUSION

The proposed method is aimed at performing hierarchical classification using input multi-resolution imagery. It combines

	water %	urban %	vegetation %	containers %	soil %	over all %	computation time
Proposed method	100	92	89	81	94	91	147 seconds
method in [7]	100	62	76	72	91	80	120 seconds
method in [15]	100	74	83	86	92	87	154 seconds

TABLE I

RESULTS OBTAINED USING A PLÉIADES DATASET (IMAGE SIZES =1000 X 1600 PIXELS): CLASS ACCURACIES, OVERALL ACCURACY, AND COMPUTATION TIME.




Fig. 4. classification maps of optical(Pléiades) image (a) using the original method proposed in [7] (b), the previous method in [15] (c) and the new proposed method (d).

a causal hierarchical MRF model using a quad-tree and a Symmetric Markov mesh to preserve contextual information at each scale by applying a non-iterative classification algorithm using the MPM criterion. Experimental results with HR satellite imagery of a very high-resolution urban scene suggest that the method allows to effectively incorporate spatial information in the hierarchical classification process and provides higher accuracies than previous techniques. Indeed, it is confirmed experimentally that MMRFs and their lattice models are corner-dependent, and that the proposed approach is effective in circumventing this drawback by using a Symmetric Markov Mesh Random Field. The proposed method, in the application to a challenging urban area classification problem, is demonstrated able to combine the computational and modeling benefits of hierarchical and symmetric mesh

MRF models, while preventing their individual artifacts.

ACKNOWLEDGMENT

The authors wish to thank the French Space Agency (Centre National des Etudes Spatiales, CNES) for providing the data used in the experiments and for partial financial support.

REFERENCES

- [1] L. Gómez-Chova, D. Tuia, G. Moser, and G. Camps-Valls, "Multimodal classification of remote sensing images: a review and future directions," *Proceedings of the IEEE*, vol. 103, no. 9, pp. 1560–1584, 2015.
- [2] C. Pohl and J. van Genderen, "Remote sensing image fusion: an update in the context of digital earth," *International Journal of Digital Earth*, vol. 7, no. 2, pp. 158–172, 2014.
- [3] J. Clark and A. Yuille, *Data fusion for sensory information processing systems*. Springer Science & Business Media, 2013, vol. 105.
- [4] E. Waltz, J. Llinas *et al.*, *Multisensor data fusion*. Artech house Norwood, MA, 1990, vol. 685.
- [5] H.-C. Li, W. Hong, Y.-R. Wu, and P.-Z.-Fan, "On the empirical-statistical modeling of SAR images with generalized gamma distribution," *IEEE J. Sel. Top. Signal Process.*, vol. 5, no. 3, pp. 386–397, 2011.
- [6] M. Basseville, A. Benveniste, and A. Willsky, "Multiscale autoregressive processes, part i: Schur-levinson parametrizations, and part ii: Lattice structures for whitening and modelling," *IEEE Transaction on Signal Processing*, vol. 40, no. 8.
- [7] J.-M. Laferté, P. Pérez, and F. Heitz, "Discrete Markov image modeling and inference on the quadtree," *IEEE Transactions on Image Processing*, vol. 9, no. 3, pp. 390–404, 2000.
- [8] D. Pickard, "Unilateral markov fields," *Advances in Applied Probability*, pp. 655–671, 1980.
- [9] Q. Razlighi, N. Kehtarnavaz, and A. Nosratinia, "Computation of image spatial entropy using quadrilateral Markov random field," *IEEE Transactions on Image Processing*, vol. 18, no. 12, pp. 2629–2639, 2009.
- [10] S. Yousefi, N. Kehtarnavaz, and Y. Cao, "Computationally tractable stochastic image modeling based on symmetric markov mesh random fields," *IEEE Transactions on Image Processing*, vol. 22, no. 6, pp. 2192–2206, 2013.
- [11] P. Pérez, A. Chardin, and J.-M. Laferté, "Noniterative manipulation of discrete energy-based models for image analysis," *Pattern Recognition*, vol. 33, no. 4, pp. 573–586, 2000.
- [12] K. Abend, T. J. Harley, and L. Kanal, "Classification of binary random patterns," *IEEE Transactions on Information Theory*, vol. 11, no. 4, pp. 538–544, 1965.
- [13] J. Besag, "Nearest-neighbour systems and the auto-logistic model for binary data," *Journal of the Royal Statistical Society (B)*, pp. 75–83, 1972.
- [14] S. Yousefi and N. Kehtarnavaz, "Generating symmetric causal Markov random fields," *Electronics letters*, vol. 47, no. 22, p. 1, 2011.
- [15] I. Hedhli, G. Moser, J. Zerubia, and S. Serpico, "Contextual multi-scale image classification on quadtree," in *IEEE International Conference on Image Processing*, 2016.
- [16] I. Hedhli, G. Moser, J. Zerubia, and S. B. Serpico, "A New Cascade Model for the Hierarchical Joint Classification of Multitemporal and Multiresolution Remote Sensing Data," *IEEE Transactions on Geoscience and Remote Sensing*, 2016, accepted for publication in the IEEE Transactions on Geoscience and Remote Sensing (TGRS).