

The Design and Implementation of Email Archiving System Based on J2EE

Hu Hongwei, Yu Ping, Zhou Nan

► **To cite this version:**

Hu Hongwei, Yu Ping, Zhou Nan. The Design and Implementation of Email Archiving System Based on J2EE. Daoliang Li; Yingyi Chen. 8th International Conference on Computer and Computing Technologies in Agriculture (CCTA), Sep 2014, Beijing, China. IFIP Advances in Information and Communication Technology, AICT-452, pp.160-166, 2015, Computer and Computing Technologies in Agriculture VIII. <10.1007/978-3-319-19620-6_20>. <hal-01420228>

HAL Id: hal-01420228

<https://hal.inria.fr/hal-01420228>

Submitted on 20 Dec 2016

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



The Design and Implementation of Email Archiving System Based on J2EE

1 Hu Hongwei, 2 Yu Ping, 3 Zhou Nan

¹Net Center, China Agricultural University, Beijing 100083,China

²Net Center, China Agricultural University, Beijing 100083,China

³Net Center, China Agricultural University, Beijing 100083,China

¹Tel.: 62737471, fax: 62736848

¹E-mail:huhongwei@cau.edu.cn

Abstract: With the increasingly widespread use of email and the increasing importance of email data, email archiving has become necessary for mail management. In view of this, we propose a solution of the design and implementation of email archiving system based on J2EE. This solution researches and analysis some key technologies of mail archiving such as mail backup, full-text indexing, email recovery an so on first ,and then designs a mail archiving system based on J2EE , resolves the mail real-time backup, full-text search and others.Finally,this system has been applied in actual mail archiving work . Experimental results show that the mail archiving system based on J2EE can achieve real-time email backup and rapid email recovery , this solution can effectively help enterprise users to resolve the problem of email archiving .

Key words:email archiving;J2EE; Journaling; full text search;email recovery

1. Introduction

With the rapid development of information technology and the increasingly widespread use of internet , email has become one of the most widely used communication tools in the world because of it's fast, efficient and low cost.

The increasingly widespread use of e-mail makes the email data more important. In modern societ,email data has become critical information assets for government, enterprises and individuals,and plays an increasingly important role in financial report, commercial negotiations, statistical analysis , decision support and so on.

However,there are some information security risk in using email because of the failures of the email system and the user's faulty operation.In recent years,many problems frequent frequent occurrence while in using email, such as data corruption,data loss and so on, and it Seriously affecting the use of secure e-mail.

The increasing importance of e-mail data and email security incidents occur frequently has raised new demands for the security and integrity of the mail system.

Therefore, building a mail archiving system which can achieve real-time email backup and rapid email recovery has become an important part of modern email management work.

Email archiving system is a solution which can achieve mail data migration, protection and management target, it contains a plurality of functional modules,such as mail backup, full-text indexing, email recovery, Statistical Analysis and so on.

In order to achieve the target of long-term store users' email data ,the email backup module backup mail data to mail archiving system from mail server using the mail backup technoloy.

In the full-text indexing module, mail content and attachments can be indexed and added to the index database,which can improve the retrieval efficiency of e-mail data.

The mail recovery module achieves the restore function, which can restroe the data message archiving server to the user's mailbox, or export email data file to the users.

The information of mail server and email archiving server can be analyzed by the statistical analysis module , This information can be displayed in various forms, such as charts ,graphics, tables and so on.

Application and research shows that the mail archiving system can resolve some problems ,such as offsite backup,long-term storage, category management, real-time retrieval, Rapid Restore and so on.This makes it possible to long-term store and effective use of email data,it also can help manager to analyze email data and make effective decisions.

Generally speaking, email archiving system currently used broadly divided into three classes: email archiving system based on backup technology;email archiving system based on email gateway system and pure software email archiving system.In this paper,we first study and analyze email archiving technology and J2EE paltform,then we design and implement an email archiving system based on J2EE,than can backup,index,restore the email data,and last this system has been tested ,compared and analyzed.Application and research show this system can effectively solve backup and restore problem of the mass mail,and it provides security guarantee for e-mail application.

2 Analyze of email archiving system

2.1 System Structure Analyze

From a structural point of view, the email archiving system is divided into two main parts, data backup part and backed data manage part. The main function of backup part is to apply the backup mechanism to backup the email data, which are received by email server to mail archiving server, and deletes expired backup mail data regularly; the backed data manage part achieves the function of backed data online query, statistics and restore and so on. The overall structure of the email archiving system is shown in Figure 1.




Fig 1 The overall structure of the email archiving system

2.2. System Modules Analyze

From the perspective of functional modules, mail archiving system consists of several major subsystems as follows: backup subsystem, index and backed email query subsystem, restore subsystem, statistical analysis subsystem, user management subsystem and configuration subsystem, as shown in Figure 2. In this paper, we mainly discuss four system: email data backup subsystem, mail index and backed email query system, email restore subsystem, statistical analysis subsystem and user management subsystem.




Fig 2 email archiving system functions Framework

3. Implementation of email archiving system

3.1. Email backup subsystem

The mail backup subsystem mainly achieve the function of email backup, and it was divided into three modules, email data acquisition, data store and backed data management.

In this paper, we apply the journaling method to acquire email data from email server. We first change some email manage system parameter to make the mails which are send and received by mail server are all copied to the journaling mailbox. Then the mails which were copied to the journal mailbox will be dumped into the mail archiving server. And last the email which was backuped will be deleted from the journaling mailbox to reduce the pressure of the mail server.

In the mail archiving system, archived email data was stored in a mixed- methods of database and file system. The meta data of the mail was stored in the database, the content and the attachment of the mail was stored in the data file. This method has two advantages. On the one hand, it can improve the efficiency of archived email and meet the demand of managing massive data, on the other hand, it can achieve fast retrieval of archived messages and improve the retrieval efficiency of archived email data.

Taking into account the demand of massive mail data long-term backup and the capacity limitations of the storage system, we conduct a mail backup duplicate checking processing. The email sent to multiple users was retained only a single copy. In order to further save storage space, this email archiving system also performed a compression process on the mail contents and attachments.

In order to achieve email backup function, we developed a backup management software which was called "emailbackup", this software applies multiple threads method to read and store email data, and significantly improves the backup efficiency of archived mail.

After setting the parameter of interval time, threads number and backup time of the "mailbackup" software, it will regularly read mail from the journal mailbox and store data to the email archiving server, and also delete expired backups mail in order to save storage space.

In this paper, we design two methods to set system parameters: the first method is manual operation, administrator can manually set the interval time, threads number and backup time of the "mailbackup" software based on frequencies of email transmission and performance of email archiving server.

3.2. Index and query subsystem

Research shows that a prerequisite for the effective management and use of archiving email is to achieve fast retrieval of archived email. However, because the enterprise-class email archiving system stores tens of millions or even billions of email, so it will reduce the efficiency of retrieval of archived email if we adopt a common approach to retrieve archived data, and it will not meet the need for fast retrieval of archived email.

In this paper, we design an archiving email full-text indexing system based on Lucene in order to achieve fast retrieval of archived email.

Lucene is an open-source full-text search engine toolkit^[1], and has been widely used in many files. After analyzing the performance requirements of email archiving system, we design a full-text retrieval subsystem of archived mail based on Lucene.

This subsystem consists of two parts. The first part is the module of creating and maintaining archived email index; the second part is the module of index database retrieving. The structure of the archived mail full-text retrieval subsystem is shown in figure 3.




Fig. 3. The structure of the full-text retrieval subsystem

The establishment of archived email index is achieved by adding an index record to the index database.

In this paper, we achieve the function of archived email index combined with the process of email backup. The email information will be supplied to the email index system when the email is backed up, and then the email index system will achieve full-text and different attributes index by establishing index with email header, sender, recipient, delivery time, email content and attachments.

The creation and maintenance of mail index is achieved by three classes of Lucene: `IndexWriter`, `Document` and `File`^[2].

Index retrieving is the process to retrieve email information from index database based on the web interface supplied by the retrieving system. The retrieving interface of Lucene consists of `QueryParser`, `IndexSearcher` and `Hits`^[3].

In the full-text retrieval subsystem, we can get the email serial number through email header, sender, recipient, delivery time and other information, then we will get email content and attachment stored in email archiving server.

3.3. Archiving email restore and export

Because of the failures of the email system and the user's faulty operation, the user's email often lose, accidentally deleted or damaged issues. Therefore, the restore of the archived email to the email user has to be a major function of email archiving system.

Email archiving system can restore users' email by sending archived email to the users or export email file to users.

In the process of email restore, we can achieve the email restore by JavaMail interface where retrieving the email information.

JavaMail is a Java interface used to send, receive, read mail which was supplied by Sun Company^[4], and it has been widely used in email system^[5]. In this paper, we design an email restore subsystem used JavaMail, which was called "MailSender". This subsystem achieves the function of restoring email to email management from the email archiving system.

The structure of the email restore subsystem is shown in figure 3.




Fig. 4. The structure of the email restore subsystem

3.4. User Management and limitation

In the email archiving system, the safe of archived email is very important. The safe levels of the email archiving system consists of several levels, such as software level, operation system level, hardware level and network safe level.

In the process of software design, properly setting user limitations is an important work for software level safe.

We divided the users of email archiving system into two categories, common user and administrator user.

The common user is matched to the email user, he can query and restore the archived email.

The administrator user is the administrator of the email archiving system, administrator is divided into three categories: the system operator, email auditor and the super administrator.

The responsibilities of system operator is to manage common users and query email basic information, he can manage users that are from one or some email groups. The system operator can only read email's basic information, such as header, sender, recipient, delivery time and so on, but he can't read email's content.

The email auditor can read email content and audit email information within the scope of relevant laws and regulations, the audit users were assigned the super administrator.

The responsibilities of super administrator is to manage the system operators and email auditors, and he will set proper parameter information of the email archiving system.

4. Test and Analyze

In order to test performance of the email archiving system, we carried out test on a university and a company. The parameters of email archiving system were set below, the threads number of backup system is three and the interval time is thirty seconds.

The thirty day's test shows that the email archiving system can achieve the demand of email real-time backup, and the full-text index subsystem can accurately retrieve mail from more than ten million email data in second-class time, and it also achieves the function of restore email data in sub-second time.

Analysis showed that the email archiving system can meet the need of enterprise-class email archiving work

5. Conclusions

Email archiving system has become an important tool in email management work, and plays an important role in the email security and audit work.

In the paper, we design a pure software email archiving system based on J2EE after studying the technology of email archiving. The software can work on windows, linux, unix and other operating systems, and can be applied to a variety of databases, such as Mysql, Oracle, Sql Server and so on.

The email archiving system designed by this paper can meet the demand of email archiving in the premise of reducing the dependence on hardware and software environment, it also improves the applicability of email archiving products and takes a new way for the development and promotion of email archiving system.

References

- [1]. LI Xiao-li, DU Zhen-long Investigation on Personalized Search Engine Based on Lucene, Computer Engineering, Vol.16, Issue 19, 2010, pp. 258-260.
- [2]. GUAN Jian-he, GAN Jian-feng Design and implementation of web search engine based on Lucene, Computer Engineering and Design, Vol.28, Issue 2, 2007, pp. 489-491.
- [3]. Bai Kun Geng Guohua Study And Application Of Vertical Search Engine Based On Lucene And Heritrix, Computer Applications and Software, Vol.26, Issue 1, 2009, pp. 258-260.
- [4]. ZHU An-qing, WANG Hui-jin, GAO He-fu Design and implementation of message system in MIS based on J2EE, Computer Engineering and Design, Vol.26, Issue 10, 2005, pp. 2775-2777.
- [5]. ZHONG Luo, LIU Ling, XIA Hong-xia Development Research of Web Mail System Based on JavaMail API, JOURNAL OF WUHAN UNIVERSITY OF TECHNOLOGY, Vol.28, Issue 6, 2006, pp.84-86.