

Personas for Requirements Engineering

Cindy Mayas, Stephan Hörold, Heidi Krömker

► **To cite this version:**

Cindy Mayas, Stephan Hörold, Heidi Krömker. Personas for Requirements Engineering. 1st and 2nd International Workshop on Usability- and Accessibility-Focused Requirements Engineering (UsARE 2012 / UsARE 2014), Jun 2012, Zurich, Switzerland. pp.34-46, 10.1007/978-3-319-45916-5_3. hal-01631318

HAL Id: hal-01631318

<https://hal.inria.fr/hal-01631318>

Submitted on 9 Nov 2017

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Personas for Requirements Engineering

Opportunities and Challenges

Cindy Mayas, Stephan Hörold, and Heidi Krömker

Technische Universität Ilmenau, Media Production Group, Ilmenau, Germany
{cindy.mayas, stephan.hoerold, heidi.kroemker}@tu-ilmenau.de

Abstract. Knowledge about users is often used as a prerequisite for the identification of requirements, but it is not systematically integrated into the requirements engineering process. Personas provide a tool for the adequate documentation of users' attributes and support the development team throughout the entire development process. Based on five research and development projects using personas, this approach describes the opportunities and challenges of the integration of personas and the persona creation process within the different activities of requirements engineering.

Keywords: personas · requirements engineering · software engineering

1 Introduction

The development process of software, products and services can be structured differently, e.g. in a linear way, following a waterfall model [1], or in an iterative way, following a spiral model [2]. Nowadays, an increasing use of agile, iterative or incremental software development processes can be observed [3], which result from different workflows and changing attitudes towards development. Within these kinds of development processes, some decisions don't have to be made at the beginning and can be adjusted along the development. These adjustments often result from technical issues and challenges, or from incorporate phases of coordination with clients. While technical or organizational adjustments are realized, it is essential to validate them with user requirements. Therefore, knowledge about users is a prerequisite to keep up with these changes. However, this valuable knowledge about users is often neglected after the requirements specification [6].

Providing access to this original knowledge about users along the development process can support an agile, incremental, or iterative development. In this regard, personas [4], which are commonly used in user-centered design and human-computer interaction activities, are not only a suitable method for the adequate documentation of users' attributes, but also a tool for empathizing with users' aims and needs [5]. Personas can be used by the development team for requirements engineering activities throughout the entire development process and in addition to user-centered design activities.

The integration of personas, as a kind of user description, in the requirements engineering activities, improves two aspects of the development: (1) considering multifaceted user needs in the early phases of development, when functional key decisions are taken, (2) continuous integration, verification and revision of user requirements to evaluate developed prototypes and intermediate products.

In the following, the opportunities and challenges of the integration of personas in the different activities of the requirements engineering process are described, based on the practice of five research and development projects using personas. The described approach is based on the work of Schneidewind et al. [6] and extends this work in regard to the entire development process, using the persona method as a tool for keeping requirements vivid along the development process.

2 Requirements Engineering Activities

Requirements engineering provides “a structured set of activities, which are followed to derive, validate and maintain a system requirements document” [7]. These requirements engineering activities are often described as a linear process, which results in a validated final requirements document, used as a basis for system planning and implementation [8]. Within the further development process, additional managing activities have to be undertaken, in order to react on changing needs of stakeholders or changing environmental or organizational conditions [7].

These requirements management activities are closely related to the requirements engineering activities. In addition, agile development processes also demand a more dynamic dealing with requirements. Especially in the context of software development, prototyping, testing, and evaluation of the system might implicate changes of the requirements documents, which have to be replicable and revisable [9]. The approach of Nuseibah and Easterbrook [10] not only considers the developing activities of requirement documentation but also these evolving activities to adapt changes. In order to emphasize the incremental character of these activities, this approach is transferred to the spiral model of Kotonya and Sommerville [7], as shown in figure 1. As a consequence, the following activities [10] have to be undertaken iteratively.

2.1 Eliciting Requirements

The elicitation activities provide methods and techniques to capture information about goals, domain knowledge, stakeholders and actors, as well as the operational environment of the system [8]. The core eliciting activities are part of the first iteration of the requirements engineering process. As a result, an informal statement of requirements is developed as a basis for further activities. Changes of requirements imply a reinterpretation or recollection of the information material in further iterations.

2.2 Modelling and Analyzing Requirements

Modelling activities result in abstract descriptions respectively diagrams, based on specific modelling languages, and present the core activities of the requirements engineering process [10]. In addition, the analyzing activities include the detection and resolving of conflicts between requirements and the determination of the bounds of the system [8]. Both, modelling and analyzing, are essential activities in all iterations and result in a common understanding of the requirements.

2.3 Communicating Requirements

The aim of the communication activities is the description of the requirements in an explicit and comprehensible language or notation [10]. Next to the specification of the requirements, the kind of the documentation in a logic or natural, formal or informal language is also essential for the further usage of the resulting draft of the requirements document. Along with the documentation of the concrete system requirements, the description of the context of use, including users, tasks, and usage environment [11], should be communicated.




Fig. 1. Spiral model of the requirements engineering activities (based on the approaches of Kotonya and Sommerville [7] and Nuseibah and Easterbrook [10])

2.4 Agreeing Requirements

The agreeing activities are often called validation, with the aim to check the requirements document for consistency and completeness [7], for instance via requirements reviews. Moreover, the agreement with all stakeholders and the consideration of their goals and conflicts [10] is an essential basis for the beginning of the following iterations.

2.5 Evolving Requirements

The evolving activities include methods and tools for the management of changes. A very important precondition for this requirements management is the traceability to check the impact of changes to further requirements [12]. These activities have to accompany all the other activities of eliciting, analyzing, communicating, and agreeing continuously, in order to recognize potential risks of changes during the whole process.

3 Challenges of User Requirements

According to IEEE, requirements are “a documented representation of a condition or capability” that either “must be met or possessed by a system or system component” or is “needed by a user to solve a problem or achieve an objective” [13]. In contrast to system requirements, which are derived from organizational, domain and platform restrictions [14], user requirements are based on the user needs [15]. In development processes, user requirements are often neglected or reduced to design aspects of the user interface [16,17]. However, user requirements include information about users, tasks, and the environment [11], which concern not only usability aspects but also key decisions of system design and functionality.

As a consequence, user requirements can provide a basis for the system development and the evaluation process. This approach requires a holistic integration of user needs into the requirements engineering process. But the characteristics of user needs involve some challenges for the requirements engineering process. The challenges have been identified within five research and development projects. The projects differ in their duration, team size, goals, and their area of application, as shown in table 1.

Table 1. Overview of research and development projects

Project	Duration	Team size	Goal	Area of application
Project A	3.5 years	20 members	Communication standard	Public transport
Project C	2.5 years	7 members	Mobile planning application	Logistics
Project B	2 years	5 members	Predictive diagnosis system	Automotive industry
Project D	2 years	3 members	B2B system	E-commerce
Project E	0.5 years	2 members	Public display user interface	Public transport

Elicitation challenge: User needs are independent from the planned solution.

The expectations of users often depend on their previous experiences with systems [18]. As a consequence, users are not able to imagine innovative system solutions or interactions, which differ from their current workflows. In order to provide flexible, open, and unbiased user requirements, it is important to identify the core goals and tasks of the users in detail, independently from current or future solutions. Otherwise, there is the risk of anticipating planned solutions, without considering the real user needs.

Analyzing challenge: User needs are rather imprecise and vague and partly even contradictory and illogical.

User needs often concern a complex task or goal of a user [18], which might be reached by different means and ways. Especially, systems, which are developed for several user groups, have to meet different user needs. But these needs respectively wishes might be inconsistent or illogical, not only in regard to different user groups, but also in regard to a single user. It is the responsibility of the usability and requirements engineers to solve these conflicts according to the best solution for the user, in order to reach the core goals and solve the tasks.

Communication challenge: User needs leave scope for interpretation along the development process.

The development and design process of a product integrates different stakeholders and developers with different opinions. Cooper et al. point out, that the user can be used to justify different personal opinions within a discussion, without having the user needs in mind, but the own idea of the product [5]. Therefore, a common understanding of the user based on real user data is needed, which can be understood by all involved stakeholders.

These mentioned challenges lead to the result, that there is a high potential to improve the user descriptions for requirements engineering activities. Current user descriptions are modeled in a very structured way, which is not sufficiently vivid and flexible. For instance, user roles focus on the tasks, but neglect the users' motivation and actions as well as the context of use [11]. These approaches give a short overview, but do not enable the developer to feel empathy with the user, in order to also consider user needs into new upcoming development decisions. When key decisions are only taken from the developers' point of view or even the developers interpret their own needs as user needs, the project risks failing to meet the real user needs.

4 Describing Users with Personas

Software, requirements and usability engineering have a set of different methods to describe users in regard to the needed detail level and purpose of the description. Personas provide a method to communicate typical behavior, motivation and goals of users in order to personify a group of users [4]. Personas are archetypes, which are

derived from the dispositions and behavior of real people, but describe fictitious and clearly distinguishable characters. Compared to other methods for user descriptions, the strengths of personas [5] are:

- User-oriented determination of product characteristics based on goals and tasks,
- Universal communication tool for different stakeholders within the development process, especially to discuss challenges and solutions, based on a common understanding of the users,
- Ad hoc evaluation tool, to reflect decisions and changes from a users' point of view.

Commuter Michael Baumann

"The main thing is, that I arrive punctually at the destination!"

PERSONAL INFORMATION

34 years old, single

profession: corporate consultant

hometown: Stuttgart

hobbies: biking, gliding

characteristics: punctual, ecology-minded...

PUBLIC TRANSPORT PROFILE

Commuter

daily use of commuter traffic system

occasional use for business trips

knowledge of a place: good

knowledge of the system: good

ticket: monthly ticket

transport mode: street car, train

alternatives: bike, car

restriction: none

preferences: comfort, quietness, work en route

SUMMARY

Michael Baumann is a 34 year old, single corporate consultant from Stuttgart, who uses and prefers public transport over the car to get to work. He is punctual, endowed with technical affinities and tries to live ecology-minded. Due to his regular travel, Michael knows his daily routine and the public transport system well. His journey is about 35 minutes long and takes him to the center of Stuttgart. During his journey he has to transfer once and therefore he predominantly uses the street car, which gets him to work and back quickly.

Michael does not want any unnecessary information during his daily way to work, which already is familiar to him. He only uses passenger information in the event that something would not work out as planned. In that case, Michael expects that he would be informed about disturbances as soon as possible, ideally before setting off on a journey, so that he is able to avoid the disturbance by using an alternative connection.



EXPECTATIONS

Michael expects...

- real time information about service disturbances
- quick alternative connections
- no unnecessary information

DAILY ROUTINE

Every day Michael takes the street car to his place of work in downtown Stuttgart. He knows his daily travel routine by heart. He must transfer once every 20 minutes. Michael has attempted the same journey by car, but the constant traffic jams and the cumbersome search for a parking space became too stressful in the long run. In addition, he wants to travel ecology-minded and sees his best travel opportunities in public transport, in order to fulfill this desire. Public transport enables Michael a worry free daily routine. His monthly ticket enables him to travel stress free: the journey in general actually affords him relaxation in comparison to travel by car. He has gotten used to short delays and has scheduled 5 minutes of spare time, so as to get to his office at the latest by 8 o'clock. Major delays always get him in trouble with his boss and Michael's day schedule gets completely mixed up. This often continues to aggravate him on his way back home.

Fig. 2. Example of a persona

In general, the activities of the process for creating personas vary slightly between different authors [5], [19]. But all creating processes focus on the described strengths of personas and are based on qualitative and quantitative data, derived from analysis and statistics. Therefore, the approaches follow the same basic steps [20] starting with an identification of variables and values, followed by an identification of patterns, and the description of the persona, e.g. as shown in figure 2, and its validation. The following overview presents the core activities of each step of the persona creation:

1. **Identifying variables and values** includes the operationalization of the activities, attitudes, aptitudes, motivations and skills [5] of the potential users, in respect to the product. The values represent specific manifestations of a variable, which differ from user to user and are revealed by qualitative and quantitative user research methods, for instance in interviews and observations, statistical reviews.
2. **Identifying patterns** maps the processed user data to a value of each variable. As a next step, the most frequent combinations of values are analyzed and classified into typical behavioral disposition. These patterns build the basis for the creation of the “skeleton” of the persona.
3. **Describing personas** enriches the patterns with demographic variables. Next to a name, age, and hobbies, some attributes of the character, a personal story, and a picture are added to the persona, in order to encourage more empathy with the user.
4. **Validating personas** includes the verification of the final typical dispositions of the personas as well as the agreement process with the stakeholders of the system and their political, organizational and legal restrictions.

The integration of personas into the requirements engineering process concerns two fields of work. Firstly, the creation process of the persona itself has to be integrated into the requirements engineering process. This integration of working activities is mainly related to the first iteration of the requirements engineering process, as shown in section 5. Secondly, the usage of the personas, as a result of the persona creation process, provides advantages for several requirements engineering activities in further iteration, which are described in section 6.

5 Integrating the Persona Creation Process

Current approaches to integrate user descriptions into the requirements engineering process are largely limited to the eliciting and analysis activities [21,22]. Some approaches also suggest the integration of several user-centered design activities, such as user studies and usability testing, into the requirements engineering process [23,24]. The usage of personas as user descriptions were suggested by Castro, Acuña and Juristo [25], who developed an advanced persona technique and integrated the identified detailed creation activities within the whole requirements process. In this way, the developed persona is an additional result at the end of the requirements engineering process.

In contrast, we recommend to create the persona in the first iteration of the requirements engineering process, in order to provide the results of the persona creation as an added value to the majority of the requirements engineering activities in further iterations.

The development of personas is a creation process, which consists of different activities, as described in section 3. These activities of persona creation are comparable to the requirements engineering activities, and transferable to the requirements engineering process, as shown in figure 3. Within the first elicitation phase, information about the context of use is collected, which build an important basis for both, the development of personas and further requirements. By these means, the variables and

values defining the characteristics of the personas are identified, next to the first informal statement of requirements. As a next step, the elicited information is structured and analyzed for the identification of behavioral patterns of personas. The typical language to communicate personas is the textual form in combination with a picture (cf. fig. 2), which should be added to the draft of the requirements document. Finally, these descriptions are validated and can be agreed with the stakeholders in combination with other requirements documents.




Fig. 3. Integration of personas into the requirements engineering process

6 Opportunities of the Integration of Personas into the Requirements Engineering Activities

The integration of the created personas provides benefits for the different requirements engineering activities. Each benefit is supported by an example from a research and standardization project on passenger information in public transport, which provides a context of use with different actors, tasks and systems in a mobile environment. Therefore, the examples focus on a complex field of applications, which is similar to other fields of applications where the mentioned challenges typically arise.

6.1 Eliciting Requirements

Benefit: Personas support the identification of actors and scenarios. Often, the development process focuses not only on one type of user in a specified scenario, but also on several actors within the context of use. Personas support the identification of these actors, based on their characteristics, and describe them from a holistic point of view. Therefore, scenarios can be derived more easily and different aspects of the usage and accompanying contexts can be addressed.

Example. Within the mentioned field of application of passenger information, actors include passengers and personnel of transport companies, which e.g. can be divided into operators, dispatchers and service staff. The term “passengers” represents a heterogeneous group of users, e.g. tourists and commuters, which can be described with personas [20]. Scenarios can cover typical situations, e.g. the daily route to work, or special situations, e.g. disturbances, including the different perspectives of the personas [26].

Benefit: Personas support the specification and prioritization of use cases. Use cases [27] can be derived from personas and scenarios to cover the different aspects in a more abstract way. Within the same process, personas can be used to prioritize use cases. The description of a persona supports an individual analysis of use cases and thereby overcomes the abstract actor oriented approach, where a prioritization can be hardly connected to the different users. Compared to the definition of use cases by Cockburn [27], which includes the context of use, stakeholders and their interests, as well as preconditions and end conditions, personas and scenarios already provide these information and extend them by adding motivations, goals and other personal characteristics.

Example. The decision, whether a function to support sightseeing information or a function to support alternative routing in disturbances situations, should be favored within a passenger information system, can hardly be derived from use cases alone. It requires information about the context of use, especially the users and connected scenarios. This information can lead to the result, that alternative routing information will be used by different personas, while sightseeing is used solely by the tourist persona. Therefore, the alternative function will most likely receive a higher priority.

6.2 Modelling and Analyzing Requirements

Benefit: Personas support the prioritization of requirements. Requirements are usually not all equal in their priority. Priorities can be given in regard to clients’ wishes, technical feasibility or user needs. The comprehensive knowledge, combined with the persona descriptions, facilitates the comparison of the requirements of different users for the development team. In addition, personas serve as a neutral and agreed basis for discussion.

Example. Within passenger information systems, different time related information can be found. Therefore, the list of requirements will include a number of requirements focusing on this time related information. A decision, as to whether the remaining minutes to departure or the time of departure should be used, or if real-time information is needed, can be made based on the needs of the personas.

Benefit: Personas support the deeper understanding of requirements. In order to manage development challenges and requirements changes, the development team should have a deeper understanding of the requirements. In contrast to separated requirements lists, personas can provide additional information to get a holistic view of the requirements. Therefore, an adequate traceability of requirements and personas is an important prerequisite.

Example. The development of the passenger information system included a set of requirements, which focuses on information and different presentation functions. Personas support developers implementing these functions by providing a context for the requirement. In a passenger information system not only the mere information, but also the combination with other information provides useful support for the passenger.

6.3 Communicating Requirements

Benefit: Personas support the comprehensible communication of requirements to stakeholders. As described in the previous benefits, the memorable and comprehensible descriptions of personas in natural language and pictures can play an important role for the eliciting and analyzing activities. The same advantages support the identification with users, their needs and goals for the different stakeholders. An integration of the personas into the requirements document therefore improves the understanding of the whole requirements document.

Example. The developed personas for users of a passenger information were presented in a booklet [26]. The persona booklet was easy to handle and permanently available to all developers and stakeholders. In addition, further types of information, such as presentations, positioned figurative representations, or integrations into the daily routines also support the communication and the memorization of personas for the developers.

6.4 Agreeing Requirements

Benefit: Personas support the validation of requirements. The usage of personas during validation activities ensures the consideration of the user perspective during requirements reviews or testing. Thereby, personas can not only indicate an incompleteness of requirements, but also help to solve conflicts between the stakeholders.

Example. In order to validate the requirements for a passenger information system, typical user requests to the system were derived from each persona. Subsequently, the requirements were checked to ensure a response to these requests, according to the specific user needs and expectations. In later iterations, these user requests could also be used for system and component tests, in order to ensure the correct responses to the requests.

6.5 Evolving Requirements

Benefit: Personas support the tracing of requirements. Along the development process, requirements are changed due to different reasons, e.g. technical issues or results of usability evaluations. Personas can not only support the decision and evaluation process of these changes by integrating the users' perspective, but also keep track of related requirements and influences resulting from these changes. In addition, personas can be used to measure the compliance to requirements from another perspective. In regard to the final product, the persona perspective provides more reliable results, as the perspective is already based on the final users.

Example. Even when a function is rated with high priority, situations along the development process can arise, where the requirements related to this function are questioned, due to different reasons. For instance, the departure timer within a mobile passenger application was questioned within the development process. The assessment of neglecting this function using the personas revealed that this function can be considered as an added value for several personas, but the departure timer does not represent a key function to solve a task. As a result, the requirements of the departure timer were removed.

7 Conclusion

Today, requirements engineering lacks a well-established process to combine personas as a type of user descriptions and requirements engineering activities. However, personas are already used to overcome different challenges along the development and requirements engineering process [28,29,30,31]. Therefore, personas can be considered as a powerful method to provide vivid descriptions and requirements along the development and requirements engineering process. In addition, the persona method bridges the gap between requirements engineering, user-centered software development and human-computer-interaction.

Based on the experiences of development and research projects of different scale and content, the described approach shows solutions to integrate the persona creation process and the persona artefacts in the requirements engineering activities. The benefits of the usage of personas and their exemplary application are described for well-established methods of requirements engineering. However, the validation of these findings still requires a systematical analysis of the requirements engineering activities in further development projects.

Personas provide a user-oriented overall context, which includes tasks, values, and motivations, for single requirements. The integration of personas into development projects ensures the consideration of the user needs in all requirements engineering activities and supports the solution of conflicts between requirements, as described by Miller and Williams [28]. By these means, personas support the requirements engineering process, serve as a stable reference for agile and iterative development processes and increase the usability of the final products.

Acknowledgements. The application example is part of the IP-KOM-ÖV project, which was funded by the German Federal Ministry of Economy and Technology (BMWi) grant number 19P10003L.

References

1. Royce, W.W.: Managing the Development of Large Storage Systems. In: Technical Papers of Western Electronic Show and Convention (WesCon), Los Angeles, USA (1970)
2. Boehm, B.W: A Spiral Model of Software Development and Enhancement. In: ACM SIGSOFT Software Engineering Notes, vol.11 issue 4, pp. 14-24. (1986)
3. Sommerville, I.: Software Engineering, 9th ed., Addison Wesley, Harlow (2011)
4. Cooper A.: The Inmates are Running the Asylum, Macmillan, New York (1999)
5. Cooper, A., Reimann, R., Cronin, D.: About Face 3: The Essentials of Interaction Design, no. 3, Wiley Publishing, Inc., Indianapolis (2007)
6. Schneidewind, L., Hörold, S., Mayas, C., Krömker, H., Falke, S., Pucklitsch, T.: How personas support requirements engineering. In: Proceedings of the First International Workshop on Usability and Accessibility Focused Requirements Engineering (UsARE '12), pp. 1-5. IEEE Press, Piscataway, NJ, USA (2012)
7. Kotonya, G., Sommerville, I.: Requirements Engineering – Processes and Techniques, John Wiley & Sons, Chichester (1997)
8. Abran, A., Moore, J.W., Bourque, P., Dupuis, R.: Guide to the Software Engineering Body of Knowledge (SWEBOK), IEEE Computer Society, Los Alamitos, California (2004)
9. Sawyer, P., Sommerville, I., Viller, S.: Capturing the Benefits of Requirements Engineering. In: IEEE Software 16, 2, 78-85. <http://dx.doi.org/10.1109/52.754057> (1999)
10. Nuseibah, B., Easterbrook, S.: Requirements engineering: a roadmap. In: Proceedings of the Conference on The Future of Software Engineering (ICSE '00), pp. 35-46. ACM, New York, NY, USA, doi=10.1145/336512.336523 (2000)
11. ISO-International Organization for Standardization: ISO 9241-210:2010: Ergonomics of human-system interaction - part 210: human-centred design for interactive systems (2010)
12. Hofmann, H. F., Lehner, F.: Requirements engineering as a success factor in software projects. In: Software IEEE, vol.18, no.4, pp. 58-66, doi: 10.1109/MS.2001.936219 (2001)
13. IEEE Standards Board: IEEE Standard Glossary of Software Engineering Terminology, IEEE Standard 610.12-1990, IEEE Press, New York (1990)
14. Bruegge, B., Dutoit, A. H.: Object-oriented software engineering: using UML, patterns, and Java, 3rd ed., Pearson, Boston (2010)
15. ISO-International Organization for Standardization: ISO/IEC TR 25060: Systems and software engineering – Systems and software product Quality, Requirements and Evaluation (SQuaRE) - Common Industry Format (CIF) for usability: General framework for usability-related information (2010)

16. Jackson, M.: *Software Requirements & Specifications*, Addison-Wesley, Harlow (1995)
17. Heiskari, J., Kauppinen, M., Runonen, M., Mannisto, T.: Bridging the Gap Between Usability and Requirements Engineering. In: *Requirements Engineering Conference, 2009. RE '09. 17th IEEE International*, pp. 303-308 (2009)
18. Hackos, J.T., Redish, J.: *User and Task Analysis for Interface Design*, Wiley Computer Publishing, New York (1998)
19. Pruitt, J., Adlin, T.: *The Persona Lifecycle: Keeping People in Mind throughout Product Design*, Elsevier, Amsterdam (2006)
20. Mayas, C., Hörold, S., Krömker, H.: Meeting the Challenges of Individual Passenger Information with Personas. In: *Advances in Human Aspect of Road and Rail Transportation*, pp. 822-831. CRC Press, Boca Raton (2013)
21. Whitehead, J.: Collaboration in software engineering: a roadmap. In: *Proceedings of International Conference on Software Engineering (FOSE '07)*, May 2007, pp. 214-225. doi.acm.org/10.1145/1253532.1254720 (2007)
22. Ferré, X.: Integration of usability techniques into the software development process. In: *Proceedings of ICSE 2003 Workshop on Bridging the Gaps Between Software Engineering and Human-Computer Interaction (ICSE Workshop on SE-HCI)*, pp. 28-35, (2003)
23. Paech, B., Kohler, K.: Usability engineering integrated with requirements engineering. In: *Proceedings of ICSE 2003 Workshop on Bridging the Gaps Between Software Engineering and Human-Computer Interaction (ICSE Workshop on SE-HCI)*, pp. 36-40, (2003).
24. Sousa, K. S., Furtado, E.: RUPi - a unified process that integrates Human-Computer Interaction and software engineering. In: *Proceedings of ICSE 2003 Workshop on Bridging the Gaps Between Software Engineering and Human-Computer Interaction (ICSE Workshop on SE-HCI)*, pp. 41-48, (2003)
25. Castro, J. W., Acuña, S. T., Juristo, N.: Enriching Requirements Analysis with the Personas Technique. In: *Proceedings of the International Workshop on Interplay between Usability Evaluation and Software Development (I-USED 2008)*, (2008)
26. Mayas, C., Hörold, S., Krömker, H.: Internet Protokoll basierte Kommunikationsdienste im öffentlichen Verkehr: Das Begleitheft für den Entwicklungsprozess - Personas, Szenarios und Anwendungsfälle aus AK2 und AK3 des Projektes IP-KOM-ÖV, urn:nbn:de:gbv:ilm1-2012200028 (2012)
27. Cockburn, A.: *Writing Effective Use Cases*, Addison-Wesley, Boston (2000)
28. Miller, G., Williams, L.: *Personas: Moving Beyond Role-Based Requirements-Engineering*, Microsoft and North Carolina State University (2006)
29. Sim, W. W., Brouse, P. S.: Empowering Requirements Engineering Activities with Personas, *Procedia Computer Science*, Volume 28, pp. 237-246, (2014)
30. Aoyama, M.: Persona-and-scenario based requirements engineering for software embedded in digital consumer products, In: *Proceedings of the 13th IEEE International Conference on Requirements Engineering*, IEEE Computer Society, pp.85-94, (2005)
31. Lopez-Lorca, A. A., Miller, T., Pedell, S., Mendoza, A., Keirman, A., Sterling, L.: One size doesn't fit all: diversifying "the user" using personas and emotional scenarios, In: *Proceedings of the 6th International Workshop on Social Software Engineering (SSE 2014)*. ACM, New York, pp. 25-32, (2014)