

Conceptual Development Process of Mass-customizable Data Analytics Services for Manufacturing SMEs

Hyunseop Park, Bongjun Ji, Minchul Lee, Junhyuk Choi, Jeesu Lee, Seung
Bang, Hyunbo Cho

► **To cite this version:**

Hyunseop Park, Bongjun Ji, Minchul Lee, Junhyuk Choi, Jeesu Lee, et al.. Conceptual Development Process of Mass-customizable Data Analytics Services for Manufacturing SMEs. IFIP International Conference on Advances in Production Management Systems (APMS), Sep 2017, Hamburg, Germany. pp.194-201, 10.1007/978-3-319-66923-6_23 . hal-01666176

HAL Id: hal-01666176

<https://hal.inria.fr/hal-01666176>

Submitted on 18 Dec 2017

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Conceptual Development Process of Mass-customizable Data Analytics Services for Manufacturing SMEs

Hyunseop Park, Bongjun Ji, Minchul Lee, Junhyuk Choi, Jeesu Lee, Seung Hwan Bang, and Hyunbo Cho*

Department of Industrial and Management Engineering, POSTECH, Pohang, South Korea
*hcho@postech.ac.kr

Abstract. In the Industry 4.0 era, numerous manufacturing enterprises have tried to obtain a smart manufacturing system. A key component of a smart manufacturing system is data analytics to support optimal decision-making in production systems. Consequently, many IT service providers have developed data analytics services. However, many small- and medium-sized enterprises (SMEs) have very low penetration of data analytics services compared to large enterprises because of the low profitability for IT service providers. Mass-customizable data analytics (McDA) services, which can be applied to various manufacturing SMEs, can give IT service providers the opportunity to increase their sales and thus their profits by applying services to more companies at little extra cost. This paper proposes a conceptual development process of McDA services for manufacturing SMEs and suggests future research issues. We believe that this paper can contribute to the dissemination of a smart manufacturing system.

Keywords: New service development · Data analytics service · Manufacturing SMEs · Intelligent manufacturing

1 Introduction

In the Industry 4.0 era, numerous manufacturing enterprises have attempted to adopt smart manufacturing systems to enhance their competitiveness [1, 2]. Smart manufacturing systems support intelligent decision-making for quick responses to new situations using real-time data [1, 3]. A key component for realizing smart manufacturing systems is data analytics [4]. Data analytics for smart manufacturing systems supports optimal decision-making by facilitating diagnosis, optimization, and prognostics for many problems in production, such as scheduling and equipment maintenance, based on manufacturing data [1]. Consequently, many IT service providers have recently tried to develop data analytics services.

However, because of the low profitability for IT service providers, manufacturing SMEs have very low penetration of data analytics services compared to large enterprises. One of the reasons for the low profitability is that the way in which most IT service providers develop customized services on a one-to-one basis is very costly [5]. Mass-customizable data analytics (McDA) services, which is developed in a one-to-

many manner, can give IT service providers the opportunity to increase their sales and thus their profits by applying services to more companies at little extra cost.

Despite the advantages of McDA services, they are difficult to systematically develop because there is no knowhow or guidance for IT service providers with little experience on their development. Therefore, we developed a conceptual development process model that can serve as a reference for McDA service development.

This paper proposes a conceptual development process of McDA services for manufacturing SMEs. The proposed development process was constructed by reviewing related literature and actual data analytics service development projects. We conducted research with various manufacturing SMEs and the Korean government (Ministry of Trade, Industry and Energy). This paper is organized as follows. Section 2 reviews the relevant studies to understand the proposed process. Section 3 describes the proposed conceptual development process of McDA services for manufacturing SMEs. Finally, Section 4 summarizes this paper and suggests future work.

2 Literature Review

This section reviews two studies to define the activities needed to develop McDA services: the common new service development (NSD) process [6] and cross-industry standard process for data mining (CRISP-DM) [7]. The NSD process is used to define activities for developing service concepts that are commonly needed for manufacturing SMEs. CRISP-DM is used to define activities for data analytics. The reviewed studies are considered basic knowledge in this paper.

2.1 Common New Service Development Process

Studies on the NSD process have organized activities for service development well. In particular, Kim and Meiren [6] formed a common NSD process based on six existing NSD processes. The common NSD process consists of five activities: opportunity identification, customer understanding, concept development, process design, and refinement and implementation [6]. Opportunity identification is recognizing opportunities for new services or improvements in existing services. Customer understanding is defining the target customers and identifying their needs. Concept design is generating the service concept based on the service opportunities and customer needs. Process design is developing the processes by which the service is produced and delivered. Refinement and implementation is testing and performing pilot runs of the service; after necessary enhancements and adjustments, a full-scale launch of the service is made, and a post-launch review is conducted.

2.2 Cross-industry Standard Process for Data Mining

The following study of process model for data analytics is used to define data analytics activities. Among the many process models for data analytics, CRISP-DM is the most widely used because it works well in most data analytics [8]. CRISP-DM consists of

six activities: business understanding, data understanding, data preparation, modeling, evaluation, and deployment [7]. Business understanding focuses on understanding the project objectives and requirements from a business perspective and then converting this knowledge into a definition of data analytics to design a preliminary project plan that achieves the objectives. Data understanding starts with an initial data collection and proceeds with activities in order to get familiar with the data, identify data quality problems, discover first insights into the data, or detect interesting subsets to form hypotheses for hidden information. Data preparation covers all activities to construct the final dataset from the initial raw data. For modeling, various modeling techniques are selected and applied, and their parameters are calibrated to optimal values. Evaluation involves determining if some important business issue has not been sufficiently considered. Deployment is an activity of deploying data analytics and giving the guidelines for using it.

3 Conceptual Development Process of Mass-customizable Data Analytics Services for Manufacturing SMEs

This section presents a conceptual development process of McDA services for manufacturing SMEs using IDEF0 representation. The development of the process was initiated by a literature review and our project of developing cloud services for situational analysis and decision-making based on manufacturing big data.

3.1 Overview of IDEF0

IDEF0 is an activity modeling method that is designed to describe activities and the relationships between them [9]. Activities in the IDEF0 model are influenced by inputs, controls, outputs, and mechanisms (ICOMs). Each activity receives certain inputs, is constrained by controls, and derives output by various mechanisms.

The IDEF0 model is hierarchically structured according to the detail level of the representation. Fig. 1 shows A-0, which represents the most general level of McDA service development. Inputs are the items changed by the activity. In the McDA service development, manufacturing decision-making problems, SME needs, and the initial data correspond to the inputs. Controls are factors that trigger the activity and constrain its execution. Characteristics of common problems, data analytics applicability, real service cases, workflow components, and user requirements correspond to the controls. Outputs are the results of the activity. McDA services and evaluation results correspond to the outputs. Mechanisms are means used to perform the activity. Service developers, data analysts, programming tools, and users are the mechanisms in this case.




Fig. 1. Basic IDEF0 representation of an activity overlaid on McDA service development's A0

3.2 Level-1 Activities

This section defines nine level-1 activities decomposed from A0 based on the reference processes mentioned in Section 2. Table 1 presents which activities of the reference processes are referenced in level-1 activities and what changes. The activities are semantically divided into two main phases: massification (A1–A4) and customization (A5–A9). In the massification phase, the service concepts that are commonly needed by many manufacturing SMEs are developed, and the analytics workflow is designed in advance. During the customization phase, the analytics service is customized to the manufacturing SMEs. A data analytics process that concentrates on the customization is costly and time-consuming because this has to be done separately for each manufacturing SME. Thus, in order to increase the efficiency, tasks should be conducted in the massification phase as much as possible, and only tasks for which customization is essential should be left in the customization phase.

Proposed development process			Reference process		
Phase	Activities	Changes	Activities of common NSD process	Activities of CRISP-DM	
Massification	A1 Identify common problems	• See opportunity as solving the decision-making problems that are common in the manufacturing industry	Opportunity identification		
	A2 Understand SMEs	• Set customer to SMEs	Customer understanding		
	A3 Develop service concept		Concept development		
	A4 Design analytics workflow	• Unlike CRISP-DM, design a data analytics workflow in advance	Process design	Data understanding-1 • Understand the data that target data analytics services commonly use	Modeling-1 • Select modeling techniques • Generate test design
Customization	A5 Check context for customization	• Perform business understanding and data understanding simultaneously		Business understanding	Data understanding-2 • Understand the initial data for what applies
	A6 Prepare data			Data preparation	
	A7 Build analytics model	• Let programming tool perform it automatically according to a pre-defined analytics workflow		Modeling-2 • Build model • Assess model	
	A8 Deploy analytics service		Refinement & Implementation	Deployment	
	A9 Evaluate analytics service			Evaluation	

Table 1. Level-1 activities of proposed development process

3.3 Proposed Development Process

This section describes the proposed development process consisting of level-1 activities using IDEF0 representation. Fig. 2 shows the conceptual development process of McDA services for manufacturing SMEs. Each activity is discussed below.




Fig. 2. IDEF0 model of 'Develop McDA services for SMEs'

A1 Identify common problems. Developing services for decision-making problems that occur only in the applicable company cannot be widely applied to other companies. This initial activity derives manufacturing decision-making problems that can be universally solved and widely occurring in various manufacturing industries and companies. Various manufacturing decision-making problems such as production scheduling, quality control, inventory management, and equipment maintenance can be collected based on a literature review and case studies. The service developer makes a list of common manufacturing decision-making problems by extracting problems with common characteristics from the collected problems. There are two criteria used to characterize common problems: industry-wide commonality and technically universal resolvability.

A2 Understand SMEs. This activity identifies the needs of SMEs and derives the requirements of the data analytics service. It is necessary to collect the needs of SMEs by consulting with domain experts, focus groups of manufacturing SMEs, and case studies before this activity. Next, service developers review whether the collected needs are met through data analytics. Finally, the needs that can be met through data analytics are defined as the requirements of the service. An example of a service requirement may be a reduction in equipment maintenance costs.

A3 Develop service concept. In this activity, the target service concept is generated on the basis of common problems that meet the service requirements of SMEs. The service objectives and data analytics goals are determined to satisfy the requirements. As an example of an abstract service concept, it can be defined as providing data analytics that diagnose equipment failures in real time to reduce maintenance costs. Service developers should refer to actual service cases to develop a concrete service concept.

A4 Design analytics workflow. This activity involves designing the analytics workflow, which is the operational processes of the data analytics service. It begins with defining the required full dataset to solve the problem of the target service concept. Typical contexts, which are the cases that are typically considered in data analytics for a particular environment, are then defined. Next, the appropriate data preprocessing techniques and analytics techniques for each context are determined. Finally, the analytic workflow is designed by combining the techniques appropriate to each context at each analytic step, such as data preprocessing and modeling.

In practice, when data analytics services are being developed for diagnosing equipment conditions, typical required data are defined, such as vibrations, acoustic, pressure, moisture, humidity, temperature, and environment. Through interviews, case studies, and review papers, we can assume the following typical contexts: satisfying all requested data, no labeled data for equipment conditions, imbalanced data, etc. If there is no labeled data for equipment conditions, the unsupervised learning technique may be suitable for modeling. The analytics workflow is designed by combining the techniques suitable for each context.

The history of the workflow must be stored and managed in the system. Accumulated analytics workflow histories can help with automating all phases of data analytics in a variety of contexts. Even if a new context occurs, it can be customized with minor modifications.

A5 Check context for customization. This activity, which is the first of the customization phase, checks the context of the application target. Data analysts compare the initial data and the user requirements with the typical context of the previously designed analytics workflow and select the most similar context among the defined contexts.

A6 Prepare data. This activity includes all tasks for constructing the initial data to match the required dataset in the analytics workflow as much as possible. Tasks in this activity are often performed multiple times, and the order is unspecified. Tasks include data collection, data cleaning, data integration, and data formatting.

A7 Build analytics model. In this activity, the analytic techniques specified in the analytics workflow apply. The modeling techniques are applied to build the data analytics model, and their parameters are calibrated to optimal values. The best data analytics model with optimal hyperparameter settings can be found through self-validation.

A8 Deploy analytics service. In this activity, the service providers deploy the data analytics service. Service providers transform the analytics model into a service that reflects the user's service requirements. Finally, the McDA service is deployed to manufacturing enterprises.

A9 Evaluate analytics service. In the final activity, service users review and evaluate the developed data analytics service based on user requirements and the performance of data analytics service. If the performance of the data analytics is insufficient, the cause is categorized as an insufficient dataset or incorrect workflow. If the poor performance is due to a deficient dataset, the service developer should go back to A6 to prepare a dataset that best meets the required dataset. If it is due to wrong workflow, the service developer should return to A6 to add the workflow for this context.

4 Conclusion and Future Work

McDA services can be applied to various manufacturing enterprises in a one-to-many manner. In this paper, we formalize activities and their relationships in our reference process model using IDEF0 for developing McDA services for manufacturing SMEs. Based on our reference process model, we expect IT service providers to be able to easily develop McDA services for manufacturing SMEs. Furthermore, this paper is expected to contribute to the proliferation of smart manufacturing systems in manufacturing SMEs.

Several future works are needed. First, the specific tasks and outcomes needed in each activity should be presented through an application of the proposed process to a wide variety of manufacturing SMEs. A relevant project is in progress, and the issues can be identified after all the activities are performed. Second, a system capable of providing McDA services should be developed. We are currently working on an architectural design for McDA services based on cloud services and service-oriented architecture [10]. Third, standardization is important for interoperation of the sensors and systems of various manufacturing SMEs with the data analytics service system.

Acknowledgment. This research was supported by Industry Core Technology Development Project funded by the Ministry of Trade, Industry and Energy (Project name: “Development of Cloud Service for Situational Analysis and Decision Making based on Manufacturing Big Data”, Project number: 10063369).

References

1. Shin, S., Woo, J., Rachuri, S.: Predictive analytics model for power consumption in manufacturing. In: 21st CIRP Conference on Life Cycle Engineering. pp. 153-158. Elsevier, Amsterdam (2014).
2. Choi, S., Jun, C., Zhao, W.B., Noh, S.D.: Digital manufacturing in smart manufacturing systems: Contribution, barriers, and future directions. In: Advances in Production Management Systems (APMS) 2015, Part 2, IFIP AICT, vol. 460, pp. 21-29. Springer, Berlin (2015).
3. Jung, K., Morris, K.C., Lyons, W.K., Leong, S., Cho, H.: Mapping strategic goals and operational performance metrics for smart manufacturing systems. In: 2015 Conference on Systems Engineering Research. pp. 184-193. Elsevier, Amsterdam (2015).
4. Manyika, J., Sinclair, J., Dobbs, R., Strube, G., Rasse, L., Mischke, J., Remes, J., Roxburgh, C., George, K., O'Halloran, D., Ramaswami, S.: Manufacturing the future: The next era of global growth and innovation. McKinsey Global Institute, Atlanta (2012).
5. Elgammal, A., Papazoglou, M., Kramer, B., Constantinescu, C.: Design for customization: A new paradigm for product-service system development. In: The 9th CIRP IPSS Conference on Circular Perspectives on Product/Service-Systems, pp. 345-350. Elsevier, Amsterdam (2017).
6. Kim, K., Meiren, T.: New service development process. In: Salvendy, G., Karwowski, W. (eds.) Introduction to Service Engineering, pp. 253-267. Wiley, Hoboken (2010).
7. Wirth, R., Hipp, J.: CRISP-DM: Towards a standard model for data mining. In: Proceedings of the 4th International Conference on the Practical Applications of Knowledge Discovery and Data Mining, pp. 29-39. Association for the Advancement of Artificial Intelligence, Palo Alto (2000).
8. Mariscal, G., Marban, O., Fernandez, C.: A survey of data mining and knowledge discovery process models and methodologies. Knowl. Eng. Rev. 25, 137 (2010).
9. IEEE 1320.1.: IEEE Standard for Functional Modeling Language – Syntax and Semantics for IDEF0. The Institute of Electrical and Electronics Engineers, New York (1998).
10. Delen, D., Demirkan, H.: Data, information and analytics as services. Decis. Support Syst. 55, 259-363 (2013).