Collaborative Operations Using Process Alarm Monitoring

Patrik Urban, Lenka Landryová

► To cite this version:

Patrik Urban, Lenka Landryová. Collaborative Operations Using Process Alarm Monitoring. IFIP International Conference on Advances in Production Management Systems (APMS), Sep 2017, Hamburg, Germany. pp.441-448, 10.1007/978-3-319-66923-6_52 . hal-01666191

HAL Id: hal-01666191

<https://hal.inria.fr/hal-01666191>

Submitted on 18 Dec 2017

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Distributed under a Creative Commons Attribution| 4.0 International License

Collaborative Operations Using Process Alarm Monitoring

Patrik Urban, Lenka Landryova

Department of Control Systems and Instrumentation, VSB - Technical University Ostrava,
17.listopadu 15, Ostrava, the Czech Republic

patrik.urban@vsb.cz, lenka.landryova@vsb.cz

Abstract. We discuss alarm monitoring in process control supported by best practice used and standards implemented into recently developed engineering tools. Our paper describes aspects of a joint project development in the specific engineering company and VSB-Technical University of Ostrava. Our work focuses on monitoring assets and viewing status of conditions with help of data files acquired during commissioning process implementing the technology into practice. Alarm and event data received from technology process were analyzed according to standardized approaches with the aim to point out further limitations of alarm reports and develop an engineering tool for configuration of event and alarm limits of monitored variables in a control system during the commissioning phase under operation conditions.

Keywords: Alarms, Commissioning, Data, Monitoring, Project, Process.

1 Introduction to Collaborative Operations

In many engineering systems, the ability to anticipate and provide well-defined alarm of an impending critical event is of great importance. Various critical events can have different degrees of severity and in fact may occur during normal operation of the system. According to (Rodney, M., 2004) "An alarm may be given for any number of thermal sensation complaint events that occur over a specified time period. As such, an optimal alarm system can be designed to warn facility managers of impending complaints that might occur within a specified time period, to aid them in making critical decisions about building operations."

Diagnostics, error detection and its further processing bring other points of view at the critical state or situation monitoring. Errors or failures can occur on hardware parts of control systems, as well as in the software operating systems and programming logic controllers (PLCs), user application software or the behavior of a controlled process. Standardized procedures (Tiegelkamp, J., 2010) provide reports indicating system response to various conditions of error or malfunction. The new generation PLC has standardized basic functionality and engineers use highly sophisticated tools to program it for a variety of applications. Standardization also supports ability to integrate systems

assembled from standardized software components such as editors, compilers, and export and import utilities, with open interfaces for repeated functionality. Tools that were previously provided as separate and distinct modules, for example, human-machine interfaces (HMIs), simulation and/or visualization modules are now standardized interfaces of control systems, see the photo in Fig.1 showing the control room with operators and their workstations.

Fig. 1. Illustrative photo of a control room with operators and their workstations running applications with HMI (Source: A photo from a project)

During engineering practice, new knowledge constantly comes from the observed phenomena during operation and production, and the observation shows that events in many cases repeat. By storing information about these events into database allows us to access those records later and process historical data files through familiar and proven methodologies for data processing. The standardized steps ensure that the data is accurate and relevant in order to validate the data processing. Furthermore, these steps correct the data processing and organize it in sequence and/or in different files, then sort the data or put them into categories (classification), reduce the details of data into their main points (summarization), combine multiple pieces of data (aggregation), collect, organize, analyze, interpret and present data into reports. This is the way, in which the knowledge is born from data (Hýl, R., Wagnerová, R., 2016).

Knowledge Discovery and Data Mining (KDD) is an interdisciplinary field focused on methodologies for extracting useful knowledge from data. These methodologies further develop mainly due to the rapid growth of online data access and due to the widespread use of the Internet and databases. The role of extracting knowledge from data originated from research. The further development is supported, among others, by the field of statistics, but the pattern recognition, machine learning, and data visualization earns its importance as well. Areas of monitoring and control, scheduling and diagnostics represent the increasing availability of large amounts of sensor data, due to different

sensors or connection to processes, its high dimensionality and variety, and complete nature of manufacturing optimization problems (Wuest, 2015).

Knowledge which comes from processed data measured during repeated observations, and evaluate common patterns, carries the added value to any development of reporting tools. The limitations of traditional Statistical Process Control (SPC) used in quality problem detection are well recognized. According to (IBM, 2012): “*Specifically, traditional SPC is largely reactive in nature, results in a large number of cumulative defects produced before alerting, and suffers from high rates of false alarms*”. Assuming the subject of observation is a control system operation, its evaluation focuses on the part of the data emerging during configuration of alarm limit states of monitored variables. Then a wide area of knowledge opens, which combines the knowledge and experience in the field of industrial automation, statistical process control, and knowledge and experience of people, operators, who work with these processes and in this operation (Grabot, B., et al., 2014).

2 Standardization in Integrated Process Control Systems

The compliance with standards and principles during design of operator workstations and supervisory control system configuration process have a direct impact on innovation processes and reflect development of new requirements for control system functionalities (Brand, K.-P., 2010). The shift occurred when a standardized means of communication and technology started to be dominated by the industrial Ethernet followed by IEC 61850 standard.

Capacity of today's communication networks allows us to work with current and voltage in the so-called digital world of zeros and ones by sensors directly at the measuring element of the system, at the switch. The measured and monitored value is heading as a data entry with its time stamp directly to plants processing this item.

Although IEC 61131 standard prescribes to every PLC programmer to follow standardized procedures (Karl-Heinz J. and Tiegelkamp M., 2001), another area that must be taken into consideration when designing the control system is the functional safety of machinery, equipment and its units. In terms of production process, this part is implemented in the machine and process control with the use of control algorithms and is performed automatically. Therefore, with large and distributed control systems, the role of supervision at operator workplaces gets much higher attention and growing importance than in the past.

Data acquisition from production and technological units along with the monitored values of variables set to reporting their limits expand sources of information used in decision-making and production management. This binds the now standardized aspects of the safety of people and the environment in the area, according to the standards IEC 61508 and EN 61511, and thus generally increases complexity of control systems connected to the aspect of human behavior.

Data acquired from the technology system with system architecture structured according to ISA95 Standard (Khedher A.B., Henry S., and Bouras A., 2011) during commissioning phase provides us with data log files that contain items that hold information

about each triggered alarm, see also Fig. 3. The ISA95 organizes individual parameters of specific equipment, on which alarm settings are configured for process control, and these show the information from the log files divided accordingly (MESA, 2013).

3 Real Time Data Acquisition From Control System Operation

As an example of supervisory control, we describe here the area of an alarm management system. Such system is dealing with alarm logs giving a feedback for better understanding at the level of the human-machine interface in order to improve and support the engineering work on the design, configuration and implementation of the system for an operator supervising the production and managing alarms.

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466	467	468	469	470	471	472	473	474	475	476	477	478	479	480	481	482	483	484	485	486	487	488	489	490	491	492	493	494	495	496	497	498	499	500	501	502	503	504	505	506	507	508	509	510	511	512	513	514	515	516	517	518	519	520	521	522	523	524	525	526	527	528	529	530	531	532	533	534	535	536	537	538	539	540	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	560	561	562	563	564	565	566	567	568	569	570	571	572	573	574	575	576	577	578	579	580	581	582	583	584	585	586	587	588	589	590	591	592	593	594	595	596	597	598	599	600	601	602	603	604	605	606	607	608	609	610	611	612	613	614	615	616	617	618	619	620	621	622	623	624	625	626	627	628	629	630	631	632	633	634	635	636	637	638	639	640	641	642	643	644	645	646	647	648	649	650	651	652	653	654	655	656	657	658	659	660	661	662	663	664	665	666	667	668	669	670	671	672	673	674	675	676	677	678	679	680	681	682	683	684	685	686	687	688	689	690	691	692	693	694	695	696	697	698	699	700	701	702	703	704	705	706	707	708	709	710	711	712	713	714	715	716	717	718	719	720	721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740	741	742	743	744	745	746	747	748	749	750	751	752	753	754	755	756	757	758	759	760	761	762	763	764	765	766	767	768	769	770	771	772	773	774	775	776	777	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794	795	796	797	798	799	800	801	802	803	804	805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845	846	847	848	849	850	851	852	853	854	855	856	857	858	859	860	861	862	863	864	865	866	867	868	869	870	871	872	873	874	875	876	877	878	879	880	881	882	883	884	885	886	887	888	889	890	891	892	893	894	895	896	897	898	899	900	901	902	903	904	905	906	907	908	909	910	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	931	932	933	934	935	936	937	938	939	940	941	942	943	944	945	946	947	948	949	950	951	952	953	954	955	956	957	958	959	960	961	962	963	964	965	966	967	968	969	970	971	972	973	974	975	976	977	978	979	980	981	982	983	984	985	986	987	988	989	990	991	992	993	994	995	996	997	998	999	1000	1001	1002	1003	1004	1005	1006	1007	1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029	1030	1031	1032	1033	1034	1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049	1050	1051	1052	1053	1054	1055	1056	1057	1058	1059	1060	1061	1062	1063	1064	1065	1066	1067	1068	1069	1070	1071	1072	1073	1074	1075	1076	1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089	1090	1091	1092	1093	1094	1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126	1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1144	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	1155	1156	1157	1158	1159	1160	1161	1162	1163	1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175	1176	1177	1178	1179	1180	1181	1182	1183	1184	1185	1186	1187	1188	1189	1190	1191	1192	1193	1194	1195	1196	1197	1198	1199	1200	1201	1202	1203	1204	1205	1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232	1233	1234	1235	1236	1237	1238	1239	1240	1241	1242	1243	1244	1245	1246	1247	1248	1249	1250	1251	1252	1253	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265	1266	1267	1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280	1281	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291	1292	1293	1294	1295	1296	1297	1298	1299	1300	1301	1302	1303	1304	1305	1306	1307	1308	1309	1310	1311	1312	1313	1314	1315	1316	1317	1318	1319	1320	1321	1322	1323	1324	1325	1326	1327	1328	1329	1330	1331	1332	1333	1334	1335	1336	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346	1347	1348	1349	1350	1351	1352	1353	1354	1355	1356	1357	1358	1359	1360	1361	1362	1363	1364	1365	1366	1367	1368	1369	1370	1371	1372	1373	1374	1375	1376	1377	1378	1379	1380	1381	1382	1383	1384	1385	1386	1387	1388	1389	1390	1391	1392	1393	1394	1395	1396	1397	1398	1399	1400	1401	1402	1403	1404	1405	1406	1407	1408	1409	1410	1411	1412	1413	1414	1415	1416	1417	1418	1419	1420	1421	1422	1423	1424	1425	1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436	1437	1438	1439	1440	1441	1442	1443	1444	1445	1446	1447	1448	1449	1450	1451	1452	1453	1454	1455	1456	1457	1458	1459	1460	1461	1462	1463	1464	1465	1466	1467	1468
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

In our work we dealt with system modules determined for alarm handling and alarm management and focused on operator performance, when alarm is raised, what actions need to be done, metrics and benchmark values for design principles. The files with data regarding the time, values, set limits, acknowledgment status, frequency of events, date of last reset interval, alarm log creation, and similar information were acquired from the exported data from the control system alarm logs and elaborated as described further.

4 Implementing Control Systems in Operation With the Support of Human-Machine Interface

The problems occurring during implementing control systems into operation will show and can be identified based on looking into data from the control system during the commissioning phase of a project and talking to the operators of the technological process at the customer site. Discussions with the operators about the system implementation and further alarm performance analysis from the real time operation is also supported by using methodology from approved standards, such as the ISA 18.2 and EEMUA 191 (ANSI/ISA-18.2, 2009). These two standards prescribe the function of alarm systems and recommend their design. (Emerson Process Management, 2015). Together with the definition for specific areas, they also set the average number of alarms per day, and the maximum number of received alarms per 10 minute period. The operator should not be overloaded with more than 1 or 2 alarms within 10 minutes. The overloaded operator is then defined as the operator working under condition, when more than 10 alarms are received and displayed at an operator workstation within a 10 minute time period. According to the EEMUA 191 standard, alarm performance parameters, such as:

- Average alarm intensity
- Maximum alarm intensity
- Percentage of alarm intensity beyond reasonable target

can be set for each 10 minute period. The ISA 18.2 Standard further recommends not using more than 3 or 4 types of alarm priorities and more than 5% of alarms set for the highest priority (Honeywell Process Solutions, 2011).

Having these parameters defined and standardized in a process industry, it is possible to analyse data logs in several ways. For example, looking at the problems occurring during implementing control systems into operation and during the Functional Acceptance Test (FAT), the acceptance testing conducted at the site determines if the requirements of a specification or contract are met, which involve performance tests.

By acquiring data from the control system during this phase of a project, the commissioning engineers realize that the same data logs indicate and provide much more information about the real time operation. This motivated us to analyze alarm logs from different technological processes and corresponding operator responses from the supervisory control system in plants, where the control system was implemented (Urban, P. and Landryová, L., 2016).

5 Designing and Testing the Engineering Tool for HMI Part of the Control System

The first step to design the analysis procedure was the data preparation by calculation done with the data files with the aim to determine time intervals for logs according to the Alarm Rate definition.

Table 1. The Example Of Calculated Frequency Of Alarms For Each Equipment And Defined Interval (Source: Authors' data processing files)

Equipment	Different time [min]	Time of generation one alarm [min]	10 [min]	20 [min]	30 [min]	...	...	160 [min]	170 [min]	180 [min]
L21/00	154115	180,00	0	0	0			0	0	1

For example, the time difference between the last reset of the equipment L21/00, date in *Reset date* column, and the log creation, date in *Create log date* column of Table 1, was 154115 minutes. For this equipment data log, 854 alarms correspond to the given time interval; The average time calculated for events logged into the equipment was 180 min., the result was written to the Table 1 and this step was applied for other equipment and their data logs.

Fig. 3. A flowchart and a part of the code for the design of the engineering tool algorithm (Source: Authors' design of algorithm)

The Fig. 3 shows a flowchart for the code, based on which the engineering tool was built. The results were tested and compared with the manual calculations and verified the correct function. The commissioning engineer can now import the log file from a control system into this tool, and the program code will prepare the alarm model with the help of its Array Mapper according to the standards described above. The algorithm will then create the time intervals and will process the alarm data into form ready for graphical format according to the EEMUA 191 standard.

6 Conclusion

The main objectives of this work were to address the extensive amount of analyzed data logs and develop and provide a tool for engineering, which will help project commissioning engineers and process systems operators to manage alarms in control systems and meet the standards. The engineering tool developed for the purpose of alarm system analyses enables now a commissioning engineer to analyze the newly configured control system before it runs in full operation on various technology and protects the operators from alarm overload defined in the EEMUA 191 standard.

Fig. 4. Engineering Tool was tested as a console application for PC user interface and a smart phone user (Source: Authors' scan and a photo of a mobile phone)

The engineering tool now joins the group of tools used in the practice and enables interoperability of control systems and human operators, defined as the component of an intelligent production company management communicating by IoT (Internet of Things) and IoS (Internet of Services). Using this tool provides the “virtualization”, as it gives the ability of interconnecting the physical systems and a virtual model with a simulation during commissioning phase before the system is in a full time operation. Furthermore, the tool supports the decentralization idea for decision-making in subsystems and the ability of working in real-time, which is the key factor for any communication, decision-making and control of process systems. Finally yet importantly, the newly developed tool configurability and modularity comprehend the Industry 4.0.

Acknowledgement

This paper was written based on work supported by “Advanced Methods of Machine and Process Control” project SP2017/106 at the VŠB – Technical University of Ostrava.

References

1. ANSI/ISA–18.2 Management of Alarm Systems for the Process Industries. 2009. Triangle Park, North Carolina 27709: ISA. ISBN 8-1-936007-19-6.
2. Brand, K.-P. Special Report IEC 61850. ABB journal [online]. 2010(8): 30 [cit. 2015-12-20]. Available from: https://library.e.abb.com/public/a56430e1e7c06fdcf12577a00043ab8b/3BSE063756_en_ABB_Review_Special_Report_IEC_61850.pdf
3. Emerson Process Management. DeltaV™ Analyze [online]. In: . 2015, s. 8 [cit. 2015-12-13]. Available from: http://www2.emersonprocess.com/siteadmincenter/PM%20DeltaV%20Documents/ProductDataSheets/DV_PDS_DeltaV_Analyze.pdf
4. Grabot, B. et al., eds. Advances in Production Management Systems: Innovative and Knowledge-based Production Management in a Global-local World: IFIP WG 5.7 International Conference, APMS 2014, Ajaccio, France, September 20-24, 2014, Proceedings. Vol. 439. Springer, 2014.
5. Honeywell Process Solutions. Alarm Management Standards – Are You Taking Them Seriously? [online]. 2011 [cit. 2015-12-30]. Available from <https://www.honeywellprocess.com/library/marketing/whitepapers/honeywell-alarm-manager-alarm-management-standards-taken-seriously-wp817.pdf>
6. Hýl, R. and Wagnerová, R. Control of mechanical systems with uncertainties. In Proceedings of 17th International Carpathian Control Conference ICCCC'2016. Tatranská Lomnica, Slovakia, May 29- June 01, 2016, pp. 259-264. ISBN: 978-146738606-7, DOI: 10.1109/CarpathianCC.2016.7501105.
7. IBM, 2012. ISC Engineering Services. IBM Quality Early Warning System.
8. JONES, A. Monitoring and Controlling Operations [online]. 2000. [cit. 2015-12-29]. Available from: <http://www.mel.nist.gov/msidlibrary/doc/iehandbook.pdf>
9. Karl-Heinz, J. and Tiegelkamp, M. IEC 61131-3: programming industrial automation systems: concepts and programming languages, requirements for programming systems, aids to decision-making tools. New York: Springer, c2001. ISBN 3540677526.
10. Khedher, A. B., Henry, S., and Bouras, A. "Integration between MES and product lifecycle management." Emerging Technologies & Factory Automation (ETFa), 2011 IEEE 16th Conference on. IEEE, 2011.
11. MESA, International. Business To Manufacturing Markup Language [online]. 2013 [cit. 2015-12-30].
12. Rodney, A. M. Optimal Prediction, Alarm, and Control in Buildings Using Thermal Sensation Complaints. PhD thesis, University of California, Berkeley, September 2004.
13. Urban, P., Landryová, L. Identification and evaluation of alarm logs from the alarm management system. In *Proceedings of 17th International Carpathian Control Conference ICCCC'2016*. Tatranská Lomnica, Slovakia, May 29- June 01, 2016, pp. 769-774. ISBN: 978-146738606-7, DOI: 10.1109/CarpathianCC.2016.7501199.
14. Wuest, T. (2015). Identifying product and process state drivers in manufacturing systems using supervised machine learning (Springer theses). New York, NY: Springer Verlag.