



HAL
open science

Extraction of formants of oral vowels and critical analysis for speaker characterization

Odile Mella

► **To cite this version:**

Odile Mella. Extraction of formants of oral vowels and critical analysis for speaker characterization. ESCA Workshop on Automatic Speaker Recognition, Identification and Verification, Apr 1994, Martigny, Switzerland. pp.193-196. hal-01739608

HAL Id: hal-01739608

<https://hal.inria.fr/hal-01739608>

Submitted on 21 Mar 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Extraction of formants of oral vowels and critical analysis for speaker characterization

Odile Mella

Abstract—

Keywords— speaker characterization, speaker identification, vowel formants.

1. INTRODUCTION

Methods for achieving automatic speaker recognition may be classified in two categories: pattern recognition based approaches and acoustic or phonetic feature extraction approaches. The former mainly apply and adapt to speaker recognition methods which have been already validated in automatic speech recognition such as template matching, hidden Markov models or neural networks. Such methods use implicitly interspeaker and intraspeaker variability of speech. Furthermore, in these approaches, the choice of the database on which speaker recognition methods are evaluated is not based on speaker recognition criteria. Most of them have been designed for speech recognition applications. So, their vocabulary is often restricted to common words like for instance the ten digits, which in English represent only half the English phonemes.

The second type of approaches examine linguistic units in order to extract features which are relevant for speaker characterization. Such approaches try to explicitly take into account the sources of interspeaker and intraspeaker differences. Most of the studies are related to the English language. We cannot here cite all of these experiments but they are described in [?]. Let us nevertheless quote U.G. Goldstein [?] and K.K. Paliwal [?] who investigate formants frequencies of respectively American English and British English vowels. In the French language, research in speaker characterization has mainly consisted of three studies. In 1971, P. Corsi carried out statistical analyses of several prosodic parameters and some segmental durations for 12 male speakers [?]. In [?], several phonetic, phonemic and prosodic features were analytically investigated from 5 male speakers' utterances. By contrast, J.F. Bonastre in [?] did not try to directly extract relevant features. He showed the improvement of phoneme-based speaker identification when a similar context is used for reference and trial phonemes.

The purpose of our study is to examine the relative efficiency of the first three formants of the seven French vowels: /i/, /e/, /ɛ/, /œ/, /a/, /ɔ/, /u/, with a preliminary neutral bilabial context /p/, /b/ and a subsequent lengthening context /R/.

O Mella is with the CRIN/CNRS & INRIA Lorraine, France. E-mail: mella@loria.fr.

2. DATABASE

The seven French vowels are a part of a larger set of preselected acoustic and phonetic parameters which are assumed relevant for speaker characterization. To investigate these parameters 17 sentences are built and uttered four times by 18 male and 21 female speakers, coming from the same geographic region (Lorraine).

The database utterances are lowpass filtered to 6800 Hz and sampled at a rate of 16 kHz using a 12-bit analog-to-digital converter. We then hand-label 680 utterances of 10 male speakers. A broad phonetic transcription, including some infraphonemic labels such as burst and breathing, has been aligned by putting segment boundaries on the speech signal. To obtain a homogeneous labelling, to code as many as possible the speaker's particularities and to allow for future feature analysis, we respect a set of strict rules for transcription and segmentation.

Among the 17 sentences, Table ?? only displays those including the triphones /p-vowel-R/ and /b-vowel-R/ but the original sentence numbering is kept.

TABLE I

THE SENTENCES WITH STUDIED TRIGRAMS UNDERLINED.

| | |
|----|--|
| 1 | Guy a <u>péri</u> bêtement du diabète en Italie. |
| 2 | La <u>porte</u> du garage tomba avec lourdeur. |
| 3 | La <u>partie</u> de belote dura toute la matinée. |
| 4 | Un bateau à <u>vapeur</u> a quitté le <u>port</u> . |
| 7 | En ski, la <u>godille</u> <u>permet</u> d'éviter les tournants. |
| 9 | Lequel des <u>bandits</u> guette près du <u>repaire</u> . |
| 10 | Le <u>trappeur</u> commun redoutait le loup-garou. |
| 11 | Douze <u>nains</u> <u>conspirent</u> derrière le <u>bosquet</u> . |
| 12 | Le <u>soldat</u> brisa la <u>baguette</u> de son <u>tambour</u> . |
| 13 | Goûtez-moi ce <u>cake</u> au <u>beurre</u> . |
| 15 | La <u>cousine</u> du <u>nain</u> <u>soupire</u> dans son <u>délice</u> . |
| 16 | Le <u>départ</u> de la <u>course</u> <u>Strasbourg-Paris</u> aura du retard. |

3. EVALUATION OF RELIABLE FORMANT FREQUENCIES

The use of formants in speaker characterization require very reliable formant frequencies. Therefore, we compare the speakers in the same phonemic context but also in the same syntactic and semantic context. And above all, we use the knowledge of the vowel and of its context to establish a method to determine very reliable values of the three frequencies of the first formants.

Every "final formant" frequency is obtained from three "intermediate formant" frequencies which have been eval-

uated at three close locations in the vowel, at the vowel center and at 8 ms on either side of the center. The localization of the center depends on the vowel duration: at 80 ms from the beginning if the duration is greater than 160 ms, at the middle otherwise.

Every intermediate formant frequency is itself the result of an LPC-pole assignment method. Every formant (final or intermediate) is defined as a three fields structure: a frequency, $F_i.fr$, a bandwidth $F_i.bw$ and a measure of disbelief, $F_i.df$, which is itself composed of two fields, df_1 and df_2 .

3.1 Determination of intermediate formants

The digitalized speech signal is preemphasized and, after applying a Hamming window, an autocorrelation analysis is carried out over frames of 256 samples (16 ms) to compute 18 LPC coefficients. Frequency-sorted poles with a bandwidth less than 1000 Hz are then extracted.

These poles are filtered a first time: when both poles have too close frequencies, only the pole with the lowest bandwidth is kept. For each vowel, in order to assign the remaining LPC poles to the first three formant frequencies of the vowel, a second filtering classified them according to three definition domains $D(F_i)$ and removed those not falling into any domain. These vowel-specific domains are frequential intervals in which the first three formant frequencies of the vowel in the preliminary context /p/ and the subsequent context /R/ are assumed to be for male speakers.

Three of the remaining poles are sequentially matched to the first three formants of the vowel according to an algorithm, which, for each formant F_i , takes into account first the number of poles included in $D(F_i)$ and then in priority order:

- the pole that has already been assigned to the formant F_{i-1} ,
- the poles that could be assigned to the formant F_{i+1} ,
- the relative candidates' bandwidths,
- the frequency proximity between the poles candidates and a reference value for the frequency of F_i for the given vowel.

The measure of disbelief df_1 is then set to 1 if the bandwidth of the retained pole is too large and to 0 otherwise. If no pole is available for a formant F_i , $F_i.fr$ is set to 0. Out of 5400 estimated formants, 1.3% had a null frequency, 95% stemmed from a single pole in $D(F_i)$, 3.5% from two poles and 0.2% from three poles.

3.2 Evaluation of reliable final formants

Table ?? shows how each final formant F_i is computed from the three intermediate formants as a function of the proximity of their three frequencies. Two frequencies are said to be close if they differ at most of E_i . Three frequencies are said to be close if each pair of them differ at most of E_i . We have chosen for E_i respectively 60 Hz for F_1 and 110 Hz for F_2 and F_3 . We based our choice on the results about the accuracy of formant frequency mea-

surements provided by R.B. Mosen and A.M. Engebretson [?].

TABLE II
FINAL FORMANT EVALUATION.

| Intermediate formants | Final formant | | |
|-----------------------------|---|--------|--------------------------------|
| | $F_i.fr$ | df_2 | df_1 |
| 3 close $F_i^n.fr$ | $\frac{1}{3} \sum_{n=1}^3 F_i^n.fr$ | 0 | $\sum 3 df_1$ |
| 3 null close $F_i^n.fr$ | 0 | 5 | 0 |
| 2 close $F_i^n.fr$ | $\frac{1}{2} \sum_{n=1}^2 F_i^n.fr$ | 2 | \sum both df_1 |
| 2 null close $F_i^n.fr$ | 0 | 4 | 0 |
| 2 pairs of close $F_i^n.fr$ | $\sum 3 F_i^n.fr$ or $\sum 2$ best $F_i^n.fr$ | 1 | $\sum 3 df_1$ or $\sum 2 df_1$ |
| 3 far $F_i^n.fr$ | 0 | 3 | $\sum 3 df_1$ |

As can be seen in Table ??, the higher the value of $F_i.df_2$, the less reliable the final formant. Moreover, the final formant frequency is coded by a zero when it seems too unreliable, so that it can not be used to discriminate speakers. Out of 1800 formants only 26 are forced to 0.

3.3 Results about reliability of formants

TABLE III
FINAL FORMANT RELIABILITY (IN %).

| Vowels | Very reliable | | | Reliable | | |
|--------|---------------|-------|-------|----------|-------|-------|
| | F_1 | F_2 | F_3 | F_1 | F_2 | F_3 |
| i_11 | 98 | 93 | 75 | 98 | 98 | 83 |
| i_15 | 95 | 97 | 69 | 97 | 100 | 79 |
| e_01 | 100 | 98 | 90 | 100 | 100 | 95 |
| ε_07 | 68 | 70 | 98 | 93 | 85 | 98 |
| ε_09 | 93 | 98 | 90 | 95 | 98 | 93 |
| a_03 | 70 | 83 | 80 | 83 | 93 | 85 |
| a_16 | 100 | 98 | 98 | 100 | 98 | 100 |
| ɔ_02 | 98 | 93 | 98 | 100 | 98 | 98 |
| ɔ_04 | 93 | 100 | 95 | 93 | 100 | 98 |
| u_08 | 83 | 78 | 43 | 83 | 93 | 65 |
| u_12 | 98 | 95 | 65 | 98 | 95 | 78 |
| u_16 | 88 | 90 | 85 | 90 | 90 | 88 |
| œ_04 | 100 | 100 | 100 | 100 | 100 | 100 |
| œ_10 | 100 | 93 | 98 | 100 | 98 | 100 |
| œ_13 | 93 | 88 | 90 | 95 | 93 | 95 |

For each studied triphone, formant reliability ratios (in %) are displayed in Table ?. First column mentions the vowel symbol followed by the sentence number. A very reliable formant has a null disbelief coefficient df_2 and a reliable formant a disbelief coefficient df_2 less than or equal to 1. An expected result that can be seen from the table is that the formant reliability depends on the syntactic and semantic localization vowel in the sentence. Given a vowel, the best reliability was reached for its stressed occurrences which appear at the end of words, syntagmes, and sentences. By contrast, its occurrences at the beginning of words or in grammatical words have less reliable formants

(ε_{07} versus ε_{09} and a_{03} versus a_{16}). More generally, the most reliable vowels are /e/, /œ/ and /ɔ/ while F_3 of /i/ and /u/ have unreliable values. Regarding /i/, this might be due to frication between /p/ and /i/ or to proximity of F_3 and F_4 frequencies.

4. RELEVANCE OF FORMANTS FOR SPEAKER CHARACTERIZATION

In order to evaluate the relative efficiency of studied vowels and to estimate the best formant linear combination for each of them, the formant values retained are used to conduct a speaker identification experiment. Its aim is to identify an unknown speaker from a group of ten known speakers by using his utterance of a given vowel.

4.1 Methodology

To allow for interpretation of results, only simple formant linear combinations are tested. A speaker is represented by a vector of one, two or three formants or by a vector of one, two or three differences between two formants.

For each speaker, 12 identification experiments are performed. Equation ?? provides the distance used to classify the speakers. Considering a vowel, $D(k_n, l_m)$ is the distance between the vector of the n^{th} vowel repetition uttered by speaker k and the vector of the m^{th} vowel repetition uttered by speaker l . The number of non-null components of each vector, I , depends on both the linear combination processed and the reliability of formants involved into the distance computation, because only non-null formants are taken into account.¹

$$D^2(k_n, l_m) = \frac{1}{I} \sum_{i=1}^I \frac{(x_i^{k_n} \cdot fr - x_i^{l_m} \cdot fr)^2}{a_i^2} \quad (1)$$

Several values are experimented for a_i , a weighting coefficient:

- the constant 1 with $x_i^{k_n} \cdot fr$ in Hz,
- the smallest of both components,
- the reference formant value related to both formants (cf. §??),
- the range of definition domain $D(F_i)$,
- the constant 1 with $x_i^{k_n} \cdot fr$ in Bark.

A disbelief measure composed of three fields df_1 , df_2 and df_3 was related to the distance. The first two fields proceed from the formant disbelief coefficients while df_3 took into account the lack of components in the distance computation due to null formants.

Two speaker identification modes are checked. In the first, the unknown speaker is identified as the speaker minimizing the distance. In the other, we use the disbelief measure to discriminate the two speakers who had got the two minimum distances, providing both distances were close. Thus, the recognized speaker is identified as the one having the most reliable formants.

¹The distance does no longer satisfy the definition of a mathematical distance.

For each vowel and for each type of combination of formant frequencies, a relevance indicator has been computed, the global speaker identification rate R .

4.2 Experimental results

4.2.1 Speaker identification modes

Generally, whatever the weighting, the vowel and the formant combination, taking into account the disbelief measure does not improve the speaker identification rate. Moreover, for every combination, this does not modify the order of relevance of the vowels. This is because the database sentences have been read and recorded in a quiet room and, as we showed previously, the formant measurements are almost all reliable. In what follows, only the simplest identification mode is assumed.

4.2.2 Vowel relevance for the formants F_3 , F_2 and F_1

Figure ?? shows speaker identification rates for each formant and for each of the 15 vowels in its context. It can be seen from this table that, for speaker identification, the average performance of F_3 is better than the average performances of both F_2 and F_1 .




Fig. 1. Speaker identification rate (in %) for each F_i .

• Formant F_3 .

With respect to F_3 , the most effective vowel for speaker identification is /u/, except if it is occurs at an unstressed localization in the sentence. More globally, we can notice that the occurrence u_08 in the preposition “pour” obtains the worst result whatever the formant combination.

The /u/ vowel is followed by the two other rounded vowels /ɔ/ and /œ/ and by /a/. With respect to the rounding, /a/ is rather neutral while with the subsequent context /R/ is rather back like /ɔ/ and

/u/.²

It has been showed that F_3 is related to the labialization degree and that an increase in labialization causes a lowering of F_3 frequency. On the other hand, the uvular context /R/ leads to an increase in F_3 frequency. We conjecture that speakers could be discriminated by the way they round and in a less extent by their variability in coarticulation.

Regarding earlier studies, F_3 of /u/ has been ranked as the second best feature for speaker identification but in the context /tu/ by M.R. Sambur [?] and as the sixth best feature by U.G. Golstein [?]. On the contrary, in K.K. Paliwal's study [?], the triphone /hud/ has obtained very poor performance. As far as we know, the relevance of F_3 for the /u/ vowel has not been individually experimented in French studies. As for F_3 of /a/, it has never been relevant in any of the English studies, at best ranked 16th out of 40 vowel formants in [?]. Then, G. Pérennou [?] has discriminated five male speakers by their way of using four allophones of the phoneme /a/ in a short text. But these allophones occurred in various consonant contexts while in our study the fixed back context should lead to a more homogeneous articulation among the speakers.

Figure ?? presents our more relevant vowels related to the non-uniform female/male formant frequency ratios (k_i) measured by G. Fant [?] and F. Lonchamp [?] and estimated by H. Traunmüller [?]. It can be seen that /u/ has the highest k_3 while /ɔ/ has the lowest. The /a/ and /œ/ have median k_3 . However, the dispersion of k_3 among the vowels is less than that of k_1 and k_2 .

- Formant F_2 .

Regarding F_2 , the most effective vowels are the high front /i/, the mid-high front /e/, the mid-low front ε_{09} and the central vowel œ_{13} . Over the ten male speakers, F_2 ranges for /i/ from 1850 to 2400 Hz and for /e/ 1700 to 2300 Hz.

Three sources of interspeaker differences could account for the relevance of F_2 of front and close vowels. The first is the anatomical source: it has been showed that, in front vowels, F_2 is related to the back cavity [?]. The second comes from the way the speaker articulates; he indeed can increase F_2 without damaging the perception of adjacent vowels. The last arises from the discrepancies among the speakers in connection with the coarticulatory effect of the uvular context.

Considering earlier studies, F_2 of /I/, close to the French /e/ in the articulatory triangle, is immediately ranked after F_3 of /u/ vowel in M.R. Sambur's study. Further, among the vowels experimented in K.K. Paliwal's study, F_2 of /I/, has showed the highest F-ratio. U.G. Goldstein, has not directly considered /I/, but she has ranked the maximum of F_2 during the diph-

tong /ɔI/ as the 5th most relevant feature, just before F_3 of /u/.

If we examine now Figure ??, we notice that our relevant vowels for F_2 correspond to the highest values of the k_2 ratio, especially for /i/ and /e/.

- Formant F_1 .

Let us now turn to F_1 . The speaker identification rates are globally small, but they split the studied vowels into two groups, the open vowels /a/, /œ/ and /ɔ/ which are relevant and the close ones /i/, /e/ and /u/ which are irrelevant, the vowel /ε/ being at the group boundary. The F_1 pertinence thus seems to be related to the openness. It could have two explanations. Either the speakers could have different opennesses, or the pertinence could come from an artefact of the LPC formant measurement which provide less accurate values for the low formant frequencies.

As for previous studies, U.G. Goldstein showed the relevance of F_1 for the diphthong /ɑr/ (ranked 2nd) and of the maximum of F_1 for the retroflex vowel /ʒ/ (ranked 10th). It seems difficult to compare the results of both studies because of the shape of the tongue (retroflex tongue tip) during the utterances of /r/ and /ʒ/. Nevertheless, it could be noted that /ʒ/ has F_1 and F_2 values close to the French /œ/ ones. Likewise, K.K. Paliwal showed that /ʒ/ and /Λ/, a mid-low central vowel, are relevant for F_1 (respectively ranked 2nd and 3rd). With respect to the French language, it can be only again mentioned the results in [?] about the allophones of the /a/ vowel.

Figure ?? shows that the /ɑr/, /a/ and /ε/ vowels have high k_1 . By contrast, the irrelevant vowels in our study match those having lowest k_1 .

4.2.3 Vowel relevance for the other formant combinations

Regarding the (F_i, F_j) combinations, (F_2, F_3) obtains the best speaker identification rates. In that case, the relevant vowels are /œ/ and ε_{09} , whatever the weighting. However, the Euclidian distance provides the highest rate (68% for œ_{04}) which decrease when the weighting gives less importance to F_3 .

For (F_1, F_3) combination, the relevance of ɔ_{04} vowel is effective whatever the weighting while that of /œ/ decrease when the weighting give less importance to F_3 (for instance, for œ_{04} from 56% with no weighting to 44% for the weighting with the inverse of the reference formant value).

For (F_1, F_2) combination, it can be quoted the relevance of the /i/ vowel in addition of those of /œ/ and ε_{09} .

For (F_1, F_2, F_3), the speaker identification rate rises to 75% for œ_{04} and for the euclidian distance. More globally, /œ/ and ε_{09} keep their relevance for the euclidian distance. But, they decrease when the weighting gives less importance to high frequencies, to the advantage of /i/ and /ɔ/. When K.K. Paliwal used the four formants of the English vowels to discriminate 10 speakers, he showed that the more relevant vowels were ʒ/ and /Λ/.

²The subsequent uvular context /R/ should lead to an articulation close to that of /ɑ/ but we have kept the transcription symbol /a/.

5. CONCLUSION

We have examined the relative efficiency of the first three formants of the seven French vowels: /i/, /e/, /ɛ/, /œ/, /a/, /ɔ/, /u/, with a preliminary neutral bilabial context /p/, /b/ and a subsequent lengthening context /R/. For that purpose, we have made sure that the formant frequencies were reliable. Thus, we have established a formant determination method based on the knowledge of the vowel and of its context. With respect to the isolated formants, some of our results match those of earliest studies especially for F_3 of the rounded vowels and for F_2 of the high front vowels. Moreover, we have found a certain relationship between our relevant vowels and the non-uniform female/male formant frequency ratios k_i . But our data and experiments are not enough to interpret this relationship, given the current anatomical interpretation of the non homogeneous k_i [?].