



Revise spelling of keywords and make them feature tests

Jens Gustedt

► To cite this version:

Jens Gustedt. Revise spelling of keywords and make them feature tests. [Research Report] N2392, ISO JTC1/SC22/WG14. 2019. hal-02167870

HAL Id: hal-02167870

<https://hal.inria.fr/hal-02167870>

Submitted on 28 Jun 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

June 8, 2019

Revise spelling of keywords and make them feature tests proposal for C2x

Jens Gustedt
INRIA and ICube, Université de Strasbourg, France

Over time C has integrated some new features as keywords (some genuine, some from C++) but the naming strategy has not been entirely consistent: some were integrated using non-reserved names (**const**, **inline**) others were integrated in an underscore-capitalized form. For some of them, the use of the lower-case form then is ensured via a set of library header files. The reason for this complicated mechanism had been backwards compatibility for existing code bases. Since now years or even decades have gone by, we think that it is time to switch and to use the primary spelling.

This is a follow-up paper to N2368 where we reduce the focus to the list of keywords that found consensus in the WG14 London 2019 meeting. Other papers will build on this for those keywords or features that need more investigation.

1. INTRODUCTION

Several keywords in current C2x have weird spellings as reserved names that have ensured backwards compatibility for existing code bases:

_Alignas	_Bool	_Decimal32	_Imaginary	
_Alignof	_Complex	_Decimal64	_Noreturn	_Thread_local
_Atomic	_Decimal128	_Generic	_Static_assert	

Many of them have alternative spellings that are provided through special library headers:

alignas	bool	imaginary	static_assert
alignof	complex	noreturn	thread_local

In addition, several important constants or language constructs are provided through headers and have not achieved the status of first class language constructs:

NULL	_Imaginary_I	offsetof
_Complex_I	false	true

The use of these different keywords make C code often more difficult or unpleasant to read, and always need special care for code that is sought to be included in both languages, C and C++. For all of the features it will be ten years since their introduction when C2x comes out, a time that should be sufficient for all users of the identifiers to have upgraded to a non-conflicting form.

Some of the constructs mentioned above have their own specificities and need more coordination with WG21 and C++. *E.g* a common mechanism is currently sought for the derived type mechanisms for **_Complex** and **_Atomic**, or a keyword like **_Noreturn** might even be replaced by means of the attribute mechanism that has recently been voted into C2x.

This paper repropose those keywords of N2368 that found direct consensus in WG14, in the expectation that the thus proposed modifications can be integrated directly into C2x:

alignas	bool	thread_local	true
alignof	static_assert	false	

Other proposals will follow that will tackle other parts of N2368 and beyond:

- Modify **false** and **true** to be of type **bool**.
- Make **noreturn** a keyword or replace it by an attribute.
- Introduce **nullptr** and deprecate **NULL**.
- Make **complex** and **imaginary** keywords and/or provide `__complex(T)` and `__imaginary(T)` constructs for interoperability with C++.
- Make **atomic** (or `__atomic`) a keyword that resolves to the specifier form of `_Atomic(T)`.
- Replace `_Complex_I` and `_Imaginary_I` by first-class language constructs.
- Make **offsetof** a keyword.
- Make **generic** a keyword that replaces `_Generic`.
- Make `decimal32`, `decimal64` and `decimal128` (or `dec32`, `dec64` and `dec128`) keywords that replace `_Decimal32`, `_Decimal64` and `_Decimal128`.

2. PROPOSED MECHANISM OF INTEGRATION

Many code bases use in fact the underscore-capitalized form of the keywords and not the compatible ones that are provided by the library headers. Therefore we need a mechanism that makes a final transition to the new keywords seamless. We propose the following:

- Require the keywords to be also macros that can be tested.
- Don't allow user code to change such macros.
- Allow the keywords to result in other spellings when they are expanded in with `#` or `##` operators.
- Keep the alternative spelling with underscore-capitalized identifiers around for a while.

With this in mind, implementing these new keywords is in fact almost trivial for any implementation that is conforming to C17.

- 7 predefined macros have to be added to the startup mechanism of the translator. They should expand to similar tokens as had been defined in the corresponding library headers.
- If some of the macros are distinct to their previous definition, the library headers have to be amended with `#ifndef` tests. Otherwise, the equivalent macro definition in a header should not harm.

Needless to say that on the long run, it would be good if implementations would switch to full support as keywords, but there is no rush, and some implementations that have no need for C++ compatibility might never do this.

3. PREDEFINED CONSTANTS

Predefined constants need a little bit more effort for the integration, because up to now C did not have named constants on the level of the language. We propose to integrate these constants by means of a new syntax term predefined constant.

For this proposal we only include **false** and **true**. Other proposals will follow for **nullptr** and maybe `_Complex_I` and `_Imaginary_I`.

3.1. Boolean constants

The Boolean constants **false** and **true** are a bit ambivalent because in C17 they expand to integer constants `0` and `1` that have type **int** and not **bool**. This is unfortunate when they are used as arguments to type-generic macros, because there they could trigger an unexpected expansion, namely for **int** instead of **bool**.

Nevertheless, **int** is the type that is currently used for them, so in this consensus paper we propose to stay with this. A follow-up paper will propose to change the type to **bool**.

4. FEATURE TESTS

As additional effect of having the keywords to be macros, too, the macros **bool** and **thread_local** (and eventual future **complex** or **atomic**) can be used as feature tests that are independent of library support and of the inclusion of the corresponding header.

5. REFERENCE IMPLEMENTATION

To add minimal support for the proposed changes, an implementation would have to add definitions that are equivalent to the following lines to their startup code:

```
#define alignas      _Alignas
#define alignof      _Alignof
#define bool         _Bool
#define false        0
#define static_assert _Static_assert
#define thread_local _Thread_local
#define true         1
```

At the other end of the spectrum, an implementation that implements all new keywords as first-class constructs can simply have definitions that are the token identity:

```
#define alignas      alignas
#define alignof      alignof
#define bool         bool
#define false        false
#define static_assert static_assert
#define thread_local thread_local
#define true         true
```

6. MODIFICATIONS TO THE STANDARD TEXT

This proposal implies a large number of trivial modifications in the text, namely simple text processing that replaces the occurrence of one of the deprecated keywords by its new version. These modifications are not by themselves interesting and are not included in the following. WG14 members are invited to inspect them on the VC system, if they want, they are in the branch “keywords”.

The following appendix lists the non-trivial changes:

- Changes to the “Keywords” clause 6.4.1, where we replace the keywords themselves (p1) and add provisions to have the new ones as macro names (p2) and establish the old keywords as alternative spellings (p4).
- Addition of a new clause 6.4.4.5 “Predefined constants” that implement the constants **false** and **true**, and that is anchored in 6.4.4 “Constants”.
- Addition of text to 6.10.8.1 “Mandatory macros” that lists the new keywords.
- Modifications of the corresponding library clauses (7.2, 7.15, 7.18, and 7.26).
- Mark `<stdalign.h>` and `<stdbool.h>` to be obsolescent inside their specific text and in clause 7.13 “Future library directions”.
- Update Annex A.

Appendix: pages with diffmarks of the proposed changes against the May 2019 working draft.

The following page numbers are from the particular snapshot and may vary once the changes are integrated.

6.4.1 Keywords

Syntax

- 1 *keyword*: one of

alignas	extern	sizeof	_Alignof
alignof	false	static	_Atomic
auto	float	static_assert	_Bool
bool	for	struct	_Complex
break	goto	switch	_Decimal128
case	if	thread_local	_Decimal32
char	inline	true	_Decimal64
const	int	typedef	_Generic
continue	long	union	_Imaginary
default	register	unsigned	_Noreturn
do	restrict	void	_Static_assert
double	return	volatile	_Thread_local
else	short	while	
enum	signed	_Alignas	

[Constraints](#)

- 2 [The keywords](#)

alignas	bool	static_assert	true
alignof	false	thread_local	

are also predefined macro names (6.10.8). None of these shall be the subject of a **#define** or a **#undef** preprocessing directive and their spelling inside expressions that are subject to the **#** and **##** preprocessing operators is unspecified.⁷⁴⁾

Semantics

- 3 The above tokens (case sensitive) are reserved (in translation phases 7 and 8) for use as keywords except in an attribute token, and shall not be used otherwise. The keyword **_Imaginary** is reserved for specifying imaginary types.⁷⁵⁾
- 4 [The following table provides alternate spellings for certain keywords. These can be used wherever the keyword can.](#)⁷⁶⁾

keyword	alternative spelling
alignas	_Alignas
alignof	_Alignof
bool	_Bool
static_assert	_Static_assert
thread_local	_Thread_local

6.4.2 Identifiers

6.4.2.1 General

Syntax

- 1 *identifier*:

identifier-nondigit
identifier identifier-nondigit
identifier digit

⁷⁴⁾[The intent of these specifications is to allow but not to force the implementation of the correspondig feature by means of a predefined macro.](#)

⁷⁵⁾One possible specification for imaginary types appears in Annex G.

⁷⁶⁾[These alternative keywords are obsolescent features and should not be used for new code.](#)

6.4.4 Constants

Syntax

- 1 *constant*:
- integer-constant*
floating-constant
enumeration-constant
character-constant
predefined-constant

Constraints

- 2 Each constant shall have a type and the value of a constant shall be in the range of representable values for its type.

Semantics

- 3 Each constant has a type, determined by its form and value, as detailed later.

6.4.4.1 Integer constants

Syntax

- 1 *integer-constant*:
- decimal-constant integer-suffix_{opt}*
octal-constant integer-suffix_{opt}
hexadecimal-constant integer-suffix_{opt}

decimal-constant:

nonzero-digit
decimal-constant digit

octal-constant:

0
octal-constant octal-digit

hexadecimal-constant:

hexadecimal-prefix hexadecimal-digit
hexadecimal-constant hexadecimal-digit

hexadecimal-prefix: one of

0x 0X

nonzero-digit: one of

1 2 3 4 5 6 7 8 9

octal-digit: one of

0 1 2 3 4 5 6 7

hexadecimal-digit: one of

0 1 2 3 4 5 6 7 8 9
a b c d e f
A B C D E F

integer-suffix:

unsigned-suffix long-suffix_{opt}
unsigned-suffix long-long-suffix
long-suffix unsigned-suffix_{opt}
long-long-suffix unsigned-suffix_{opt}

Forward references: common definitions `<stddef.h>` (7.19), the `mbtowc` function (7.22.7.2), Unicode utilities `<uchar.h>` (7.28).

6.4.4.5 Predefined constants

Syntax

1 *predefined-constant*:
 false
 true

Description

Some keywords represent constants of a specific value and type.

6.4.4.5.1 The `false` and `true` constants

Description

1 The keywords `false` and `true` represent constants of type `int` that are suitable for use as are integer literals. Their values are 0 for `false` and 1 for `true`.⁸⁶⁾

6.4.5 String literals

Syntax

1 *string-literal*:
*encoding-prefix*_{opt} " *s-char-sequence*_{opt} "

encoding-prefix:
 u8
 u
 U
 L

s-char-sequence:
s-char
s-char-sequence *s-char*

s-char:
any member of the source character set except
the double-quote " , backslash \ , or new-line character
escape-sequence

Constraints

2 A sequence of adjacent string literal tokens shall not include both a wide string literal and a UTF-8 string literal.

Description

3 A *character string literal* is a sequence of zero or more multibyte characters enclosed in double-quotes, as in "xyz". A *UTF-8 string literal* is the same, except prefixed by `u8`. A *wide string literal* is the same, except prefixed by the letter `L`, `u`, or `U`.

4 The same considerations apply to each element of the sequence in a string literal as if it were in an integer character constant (for a character or UTF-8 string literal) or a wide character constant (for a wide string literal), except that the single-quote ' is representable either by itself or by the escape sequence \', but the double-quote " shall be represented by the escape sequence \".

⁸⁶⁾Thus, the keywords `false` and `true` are usable in preprocessor directives.

6.10.8 Predefined macro names

- 1 The values of the predefined macros listed in the following subclauses¹⁹¹⁾ (except for `__FILE__` and `__LINE__`) remain constant throughout the translation unit.
- 2 None of these macro names, nor the identifier `defined`, shall be the subject of a `#define` or a `#undef` preprocessing directive. Any other predefined macro names shall begin with a leading underscore followed by an uppercase letter or a second underscore.
- 3 The implementation shall not predefine the macro `__cplusplus`, nor shall it define it in any standard header.

Forward references: standard headers (7.1.2).

6.10.8.1 Mandatory macros

- 1 ~~The~~ [In addition to the keywords](#)

<code>alignas</code>	<code>bool</code>	<code>static_assert</code>	<code>true</code>
<code>alignof</code>	<code>false</code>	<code>thread_local</code>	

[which are object-like macros that expand to unspecified tokens, the](#) following macro names shall be defined by the implementation¹⁹²⁾:

__DATE__ The date of translation of the preprocessing translation unit: a character string literal of the form "Mmm dd yyyy", where the names of the months are the same as those generated by the `asctime` function, and the first character of `dd` is a space character if the value is less than 10. If the date of translation is not available, an implementation-defined valid date shall be supplied.

__FILE__ The presumed name of the current source file (a character string literal).¹⁹²⁾

__LINE__ The presumed line number (within the current source file) of the current source line (an integer constant).¹⁹²⁾

__STDC__ The integer constant 1, intended to indicate a conforming implementation.

__STDC_HOSTED__ The integer constant 1 if the implementation is a hosted implementation or the integer constant 0 if it is not.

__STDC_VERSION__ The integer constant `yyyymmL`.¹⁹³⁾

__TIME__ The time of translation of the preprocessing translation unit: a character string literal of the form "hh:mm:ss" as in the time generated by the `asctime` function. If the time of translation is not available, an implementation-defined valid time shall be supplied.

Forward references: the `asctime` function (7.27.3.1).

6.10.8.2 Environment macros

- 1 The following macro names are conditionally defined by the implementation:

__STDC_ISO_10646__ An integer constant of the form `yyyymmL` (for example, 199712L). If this symbol is defined, then every character in the Unicode required set, when stored in an object of type `wchar_t`, has the same value as the short identifier of that character. The *Unicode required set* consists of all the characters that are defined by ISO/IEC 10646, along with all amendments and technical corrigenda, as of the specified year and month. If some other encoding is used, the macro shall not be defined and the actual encoding used is implementation-defined.

¹⁹¹⁾See "future language directions" (6.11.9).

¹⁹²⁾The presumed source file name and line number can be changed by the `#line` directive.

¹⁹³⁾See Annex M for the values in previous revisions. The intention is that this will remain an integer constant of type `long int` that is increased with each revision of this document.

7.2 Diagnostics <assert.h>

- 1 The header <assert.h> defines the **assert** and **static_assert** macros [macro](#) and refers to another macro,

```
NDEBUG
```

which is *not* defined by <assert.h>. If **NDEBUG** is defined as a macro name at the point in the source file where <assert.h> is included, the **assert** macro is defined simply as

```
#define assert(ignore) ((void)0)
```

The **assert** macro is redefined according to the current state of **NDEBUG** each time that <assert.h> is included.

- 2 The **assert** macro shall be implemented as a macro, not as an actual function. If the macro definition is suppressed in order to access an actual function, the behavior is undefined.

~~The macro expands to **_Static_assert**.~~

7.2.1 Program diagnostics

7.2.1.1 The **assert** macro

Synopsis

- ```
1 #include <assert.h>
 void assert(scalar expression);
```

##### Description

- 2 The **assert** macro puts diagnostic tests into programs; it expands to a void expression. When it is executed, if **expression** (which shall have a scalar type) is false (that is, compares equal to 0), the **assert** macro writes information about the particular call that failed (including the text of the argument, the name of the source file, the source line number, and the name of the enclosing function — the latter are respectively the values of the preprocessing macros **\_\_FILE\_\_** and **\_\_LINE\_\_** and of the identifier **\_\_func\_\_**) on the standard error stream in an implementation-defined format.<sup>207)</sup> It then calls the **abort** function.

##### Returns

- 3 The **assert** macro returns no value.

**Forward references:** the **abort** function (7.22.4.1).

<sup>207)</sup>The message written might be of the form:

```
Assertion failed: expression, function abc, file xyz, line nnn.
```

## 7.15 Alignment `<stdalign.h>`

~~The header defines four macros.~~

- 1 The obsolescent header `<stdalign.h>` defines two macros that are suitable for use in `#if` preprocessing directives. They are

```
__alignas_is_defined
```

and

```
__alignof_is_defined
```

which both expand to `true`.

## 7.18 Boolean type and values <stdbool.h>

- 1 The obsolescent header <stdbool.h> defines ~~four macros.~~  
expands to ~~`_Bool`.~~

~~Notwithstanding the provisions of 7.1.3, a program may undefine and perhaps then redefine the macros `bool` the following macro which is suitable for use in conditional preprocessing directives:~~

```
~~~~~_bool_true_false_are_defined
```

~~It expands to the constant `true`, `true`, and `false`.~~

## 7.26 Threads <threads.h>

### 7.26.1 Introduction

- 1 The header <threads.h> includes the header <time.h>, defines macros, and declares types, enumeration constants, and functions that support multiple threads of execution.<sup>339)</sup>
- 2 Implementations that define the macro `__STDC_NO_THREADS__` need not provide this header nor support any of its facilities.

which expands to the keyword `Thread_local`; The macros are

```
ONCE_FLAG_INIT
```

which expands to a value that can be used to initialize an object of type `once_flag`; and

```
TSS_DTOR_ITERATIONS
```

which expands to an integer constant expression representing the maximum number of times that destructors will be called when a thread terminates.

- 4 The types are

```
cond_t
```

which is a complete object type that holds an identifier for a condition variable;

```
thrd_t
```

which is a complete object type that holds an identifier for a thread;

```
tss_t
```

which is a complete object type that holds an identifier for a thread-specific storage pointer;

```
mtx_t
```

which is a complete object type that holds an identifier for a mutex;

```
tss_dtor_t
```

which is the function pointer type `void (*)(void*)`, used for a destructor for a thread-specific storage pointer;

```
thrd_start_t
```

which is the function pointer type `int (*)(void*)` that is passed to `thrd_create` to create a new thread; and

```
once_flag
```

which is a complete object type that holds a flag for use by `call_once`.

- 5 The enumeration constants are

```
mtx_plain
```

which is passed to `mtx_init` to create a mutex object that does not support timeout;

```
mtx_recursive
```

<sup>339)</sup>See “future library directions” (7.31.18).

### 7.31.10 Alignment <stdalign.h>

- 1 The header <stdalign.h> together with its defined macros `__alignas_is_defined` and `__alignas_is_defined` is an obsolescent feature.

### 7.31.11 Atomics <stdatomic.h>

- 1 Macros that begin with `ATOMIC_` and an uppercase letter may be added to the macros defined in the <stdatomic.h> header. Typedef names that begin with either `atomic_` or `memory_`, and a lowercase letter may be added to the declarations in the <stdatomic.h> header. Enumeration constants that begin with `memory_order_` and a lowercase letter may be added to the definition of the `memory_order` type in the <stdatomic.h> header. Function names that begin with `atomic_` and a lowercase letter may be added to the declarations in the <stdatomic.h> header.
- 2 The macro `ATOMIC_VAR_INIT` is an obsolescent feature.

### 7.31.12 Boolean type and values <stdbool.h>

- 1 The ~~ability to undefine and perhaps then redefine the macros `bool`, `true`, and `false`~~ header <stdbool.h> together with its defined macro `__bool_true_false_are_defined` is an obsolescent feature.

### 7.31.13 Integer types <stdint.h>

- 1 Typedef names beginning with `int` or `uint` and ending with `_t` may be added to the types defined in the <stdint.h> header. Macro names beginning with `INT` or `UINT` and ending with `_MAX`, `_MIN`, `_WIDTH`, or `_C` may be added to the macros defined in the <stdint.h> header.

### 7.31.14 Input/output <stdio.h>

- 1 Lowercase letters may be added to the conversion specifiers and length modifiers in `fprintf` and `fscanf`. Other characters may be used in extensions.
- 2 The use of `ungetc` on a binary stream where the file position indicator is zero prior to the call is an obsolescent feature.

### 7.31.15 General utilities <stdlib.h>

- 1 Function names that begin with `str` or `wcs` and a lowercase letter may be added to the declarations in the <stdlib.h> header.
- 2 Invoking `realloc` with a `size` argument equal to zero is an obsolescent feature.

### 7.31.16 String handling <string.h>

- 1 Function names that begin with `str`, `mem`, or `wcs` and a lowercase letter may be added to the declarations in the <string.h> header.

### 7.31.17 Date and time <time.h>

Macros beginning with `TIME_` and an uppercase letter may be added to the macros in the <time.h> header.

### 7.31.18 Threads <threads.h>

- 1 Function names, type names, and enumeration constants that begin with either `cond_`, `mtx_`, `thrd_`, or `tss_`, and a lowercase letter may be added to the declarations in the <threads.h> header.

### 7.31.19 Extended multibyte and wide character utilities <wchar.h>

- 1 Function names that begin with `wcs` and a lowercase letter may be added to the declarations in the <wchar.h> header.
- 2 Lowercase letters may be added to the conversion specifiers and length modifiers in `fwprintf` and `fwscanf`. Other characters may be used in extensions.

## Annex A (informative) Language syntax summary

- 1 NOTE The notation is described in 6.1.

### A.1 Lexical grammar

#### A.1.1 Lexical elements

(6.4) *token*:

*keyword*  
*identifier*  
*constant*  
*string-literal*  
*punctuator*

(6.4) *preprocessing-token*:

*header-name*  
*identifier*  
*pp-number*  
*character-constant*  
*string-literal*  
*punctuator*

each non-white-space character that cannot be one of the above

#### A.1.2 Keywords

(6.4.1) *keyword*: one of

|                |              |                      |                            |
|----------------|--------------|----------------------|----------------------------|
| <u>alignas</u> | extern       | sizeof               | <del>__Alignof</del>       |
| <u>alignof</u> | <u>false</u> | static               | <del>__Atomic</del>        |
| auto           | float        | <u>static_assert</u> | <del>__Bool</del>          |
| <u>bool</u>    | for          | struct               | <del>__Complex</del>       |
| break          | goto         | switch               | <del>__Decimal128</del>    |
| case           | if           | <u>thread_local</u>  | <del>__Decimal32</del>     |
| char           | inline       | <u>true</u>          | <del>__Decimal64</del>     |
| const          | int          | typedef              | <del>__Generic</del>       |
| continue       | long         | union                | <del>__Imaginary</del>     |
| default        | register     | unsigned             | <del>__Noreturn</del>      |
| do             | restrict     | void                 | <del>__Static_assert</del> |
| double         | return       | volatile             | <del>__Thread_local</del>  |
| else           | short        | while                |                            |
| enum           | signed       | <del>__Alignas</del> |                            |

#### A.1.3 Identifiers

(6.4.2.1) *identifier*:

*identifier-nondigit*  
*identifier identifier-nondigit*  
*identifier digit*

(6.4.2.1) *identifier-nondigit*:

*nondigit*  
*universal-character-name*  
other implementation-defined characters

(6.4.2.1) *nondigit*: one of

```

_ a b c d e f g h i j k l m
  n o p q r s t u v w x y z
  A B C D E F G H I J K L M
  N O P Q R S T U V W X Y Z

```

(6.4.2.1) *digit*: one of

```
0 1 2 3 4 5 6 7 8 9
```

## A.1.4 Universal character names

(6.4.3) *universal-character-name*:

```

\u hex-quad
\U hex-quad hex-quad

```

(6.4.3) *hex-quad*:

```
hexadecimal-digit hexadecimal-digit hexadecimal-digit hexadecimal-digit
```

## A.1.5 Constants

(6.4.4) *constant*:

```

integer-constant
floating-constant
enumeration-constant
character-constant
predefined-constant

```

(6.4.4.1) *integer-constant*:

```

decimal-constant integer-suffixopt
octal-constant integer-suffixopt
hexadecimal-constant integer-suffixopt

```

(6.4.4.1) *decimal-constant*:

```

nonzero-digit
decimal-constant digit

```

(6.4.4.1) *octal-constant*:

```

0
octal-constant octal-digit

```

(6.4.4.1) *hexadecimal-constant*:

```

hexadecimal-prefix hexadecimal-digit
hexadecimal-constant hexadecimal-digit

```

(6.4.4.1) *hexadecimal-prefix*: one of

```
0x 0X
```

(6.4.4.1) *nonzero-digit*: one of

```
1 2 3 4 5 6 7 8 9
```

(6.4.4.1) *octal-digit*: one of

```
0 1 2 3 4 5 6 7
```

(6.4.4.1) *hexadecimal-digit*: one of

```

0 1 2 3 4 5 6 7 8 9
a b c d e f
A B C D E F

```

(6.4.4.3) *enumeration-constant*:

*identifier*

(6.4.4.4) *character-constant*:

' *c-char-sequence* '

**L**' *c-char-sequence* '

**u**' *c-char-sequence* '

**U**' *c-char-sequence* '

(6.4.4.4) *c-char-sequence*:

*c-char*

*c-char-sequence c-char*

(6.4.4.4) *c-char*:

any member of the source character set except  
the single-quote ' , backslash \ , or new-line character

*escape-sequence*

(6.4.4.4) *escape-sequence*:

*simple-escape-sequence*

*octal-escape-sequence*

*hexadecimal-escape-sequence*

*universal-character-name*

(6.4.4.4) *simple-escape-sequence*: one of

\ ' \ " \ ? \ \

\ a \ b \ f \ n \ r \ t \ v

(6.4.4.4) *octal-escape-sequence*:

\ *octal-digit*

\ *octal-digit octal-digit*

\ *octal-digit octal-digit octal-digit*

(6.4.4.4) *hexadecimal-escape-sequence*:

\ x *hexadecimal-digit*

*hexadecimal-escape-sequence hexadecimal-digit*

### A.1.5.1 Predefined constants

(6.4.4.5) *predefined-constant*:

**false**

**true**

## A.1.6 String literals

(6.4.5) *string-literal*:

*encoding-prefix*<sub>opt</sub> " *s-char-sequence*<sub>opt</sub> "

(6.4.5) *encoding-prefix*:

**u8**

**u**

**U**

**L**

(6.4.5) *s-char-sequence*:

*s-char*

*s-char-sequence s-char*