

A Modeling Framework to Assess Strategies Alignment Based on Collaborative Network Emotions

Beatriz Andres, Filipa Ferrada, Raul Poler, Luis M. Camarinha-Matos

▶ To cite this version:

Beatriz Andres, Filipa Ferrada, Raul Poler, Luis M. Camarinha-Matos. A Modeling Framework to Assess Strategies Alignment Based on Collaborative Network Emotions. 19th Working Conference on Virtual Enterprises (PRO-VE), Sep 2018, Cardiff, United Kingdom. pp.349-361, 10.1007/978-3-319-99127-6 30. hal-02191158

HAL Id: hal-02191158 https://inria.hal.science/hal-02191158

Submitted on 24 Jul 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



A Modeling Framework to Assess Strategies Alignment based on Collaborative Network Emotions

Beatriz Andres¹, Filipa Ferrada^{2,3}, Raul Poler¹, Luis M. Camarinha-Matos^{2,3}

Research Centre on Production Management and Engineering (CIGIP), Universitat
 Politècnica de València (UPV). Calle Alarcón, 03801 Alcoy, Spain

Faculty of Sciences and Technology, New University of Lisbon, Portugal
 Juninova Institute, Centre of Technology and Systems, Portugal
 {bandres, rpoler}@cigip.upv.es, {faf, cam}@uninova.pt

Abstract. The Collaborative Networks (CN) discipline has been largely studied in last decades, addressing different problems and proposing solutions for the robust establishment of collaborative processes, within the enterprises willing to collaborate. The main aim of CN research is, therefore, to generate approaches that enable creating effective relationships in the long term, to achieve stable and agile alliances. The concept of alignment among the CN partners has been considered since the beginning of CN research. Nevertheless, novel perspectives of study in CN, such as the consideration of collaborative emotional states, within the CN, have been introduced in recent years. This paper connects the research area of strategies alignment and the CN emotion models. Accordingly, a modelling framework to assess strategies alignment considering the emotional environment within the CN is proposed. The modelling framework allows representing how the enterprises emotions affect in the selection and alignment of formulated enterprises' strategies.

Keywords: collaborative networks, strategies alignment, collaborative network emotions, system dynamics.

1 Introduction

Research works on the Collaborative Networks (CN) discipline has been increasing since its appearance, proof of this is the wide variety of articles published in the area [1]. As a result, a wide range of knowledge is available in the context of CN. This knowledge has been summarized in [2], through a taxonomic approach that gathers relevant collaborative processes, as well as models, guidelines and tools designed to support their proper execution. The proposed approaches, contributing to the research area of CN, encompass collaborative processes from strategic to tactical and operational decision-making. The strategic decision-making level includes the following collaborative processes: coordination mechanisms design, decision system design, network design, partners' selection, partners' coordination and integration, performance management system design, product design, and strategy alignment. At the tactical decision-making level, the proposed approaches deal with contracts' negotiation, coordination mechanisms management, demand forecast, knowledge

management, operations planning, performance management and measurement, costs and profits sharing, uncertainty management, etc. Finally, the collaborative processes at the operational decision-making level refer to information exchange management, interoperability, inventory management, lot sizing, order promising process, process connection, and scheduling.

The notion of alignment has been present since the origins of the CN discipline. This term is related with the integration and complementation of resources and capabilities of the different enterprises participating in the CN [3]. The main aim of the alignment is to achieve long term and sustainable collaborative relationships. In this regard, some authors have associated the idea of alignment with gaining better performance levels [4]. Accordingly, the alignment of CN partners has been studied in different areas, including value systems alignment [5] and strategies alignment [6][7].

Moreover, recent research in the discipline of CN is moving towards the need to provide socio-technical systems capable of recognizing the social and organizational complexity of the CN environment. In this direction, "human-tech" friendly systems resorting to cognitive models of human factors such as trust or emotion are being introduced. For instance, the collaborative emotion (C-EMO) modelling framework proposed in [8], adopts and integrates some models from the human psychology, sociology and affective computing areas. It consists on applying the emotional processes of humans to the CN context, creating the notion of "emotion" in CN and providing mechanisms to estimate the CN's and the organization's "emotional states" giving, in this way, support to decision-making processes.

In this context, this work is guided by the following research question "What would be a suitable framework to adequately support companies on modelling, assessment and resolution of the strategies alignment process from a collaborative perspective, considering the companies' collaborative emotional context?". In this line, the work presented in this paper, proposes a modelling framework for the assessment of strategies alignment having into account the emotional state of the collaborative environment and a simulation methodology based on system dynamics to model the inherent collaboration complexity. The proposed approach connects the research areas of collaborative enterprises' strategies alignment and the emotion models.

The remainder of this paper is organized as follows: Section 2 introduces the system dynamics simulation method, well regarded to model complex systems. Section 3 presents an overview and a relational view of the strategies alignment and the C-EMO models. Section 4 presents a modelling framework to assess the collaborative enterprises' strategies alignment regarding the emotional state. Section 5 includes a numerical example to provide an intuitive insight of the developed modelling framework and the derived simulation results. The work is concluded in Section 6, where future research lines are also identified.

2 System Dynamics Simulation Methodology in CN

The reason why analytical models are sometimes difficult to apply in complex systems, and particularly to CN, is because mathematical formulae can be very

complicated and interfere with finding a solution in a reasonable time [9]. In this regard, simulation methods are more fruitful when dealing with CN, considering their capability of modelling suitable degrees of realism of the CN and attaining accurate system's description. CN are characterized by being complex systems formed by a diversity of autonomous and heterogeneous organizations, which are geographically distributed, and that collaborate to better achieve common or compatible goals [10]. This definition is analogue to the characterization of complex systems in system dynamics (SD) simulation methods: (i) decentralized nature, in which the system's behaviour arises from the self-organization of its components without these being controlled by any extrinsic entity to the system, (ii) the presence of loops of causality and nonlinear feedback, and (iii) the fact that it contains several self-contained units that can interact, evolve and adapt their behaviour to changes in the environment [11].

Moreover, with SD simulation, researchers can model and simulate interactions among different sub-systems leading in this way, to the overall system behaviour [12]. SD results in a different approach of the traditional if-then-else simulation methodologies; as such, it has been applied in many research fields, such as supply chain management and performance [13] [14], healthcare economic evaluation forecasting [15], biomedical sciences [16], partners selection [17], climate monitoring and water resource management [18], predicting social trends like technology adoption [19], and market changes forecasting [20].

Typically, SD simulation methods have been also applied jointly with multi-agent systems (MAS), with the aim of developing models in which a group of agents, individually and explicitly represented, interact in an environment in which certain variables evolve following a dynamic pattern [21].

3 Background

This section provides a brief overview of the strategies alignment model (SAM) and the C-EMO modelling framework. The adopted modelling approaches are given in both cases. An integrated view of both presented models is given, aiming at highlighting the associated theoretical body of knowledge with the intention of proposing a modelling framework to assess the strategies alignment considering CN emotions, as later described on section 4.

3.1 Strategies Alignment Model

Let us consider that two enterprises, a distributor (e_I) and a manufacturer (e_2) in a CN, each one defines two objectives (o_{ix}) and formulates two strategies (S_{is}) . Each objective has an associated KPI to measure its performance. For instance, e_I defines o_{II} : Increase product sales by 10%, and o_{I2} : Reduce product costs by 30%; and formulates S_{II} : Invest 0.5 m.u on marketing activities, and S_{I2} : Carry out negotiations with other manufacturers to reduce purchase costs. Similarly, e_2 defines o_{2I} : Increase the profit by 15%, and o_{22} : Reduce the amount of product that cannot be sold by

100%; and formulates S_{21} : Use different distribution channels to sell the product in other markets, and S_{22} : Buy a machine to manufacture derivative products, reprocessing the product that cannot be sold (that is, low cost product). With this example it can be seen that S_{12} is not compatible with S_{21} , because S_{12} is dedicated to establishing new relationships with other manufacturers, which will imply reduction of the benefit defined in o_{21} . In addition, if e_1 conducts negotiations with other manufacturers (S_{12}), the o_{22} will be negatively influenced. Moreover, the activation of S_{21} has a negative influence on o_{11} , defined to increase sales of the product; and the o_{12} defined to reduce the costs of the product. Considering the above, S_{12} and S_{21} are identified as non-aligned strategies, if they are activated at the same time. On the other hand, S_{11} and S_{22} are considered as aligned strategies since they have a positive influence on the achievement of the defined objectives.

Carrying out collaboratively the strategies alignment process allows considering all objectives of the companies in the CN when deciding which strategies are the best to activate, achieving greater levels of adaptability, agility and competitiveness.

The SAM model [6] allows to formally represent the influences that the strategies activated in a company have on the performance indicators (KPI) defined to measure the achievement of the objectives, in all the CN companies. It will allow to model (i) the intra-enterprise influences, that is, the influences that the strategies formulated in a company have on the objectives defined in the same company; and (ii) interenterprise influences, that is, the influences that the strategies formulated in a company have on the objectives defined in the other companies of the CN.

SAM's main objective is to identify, amongst all defined strategies, those that have a higher level of alignment. SAM calculates the improvement or worsening of the KPIs when a strategy is activated. Thus, the developed model supports companies in making decisions regarding the number of strategy units (u_S_{is}) to be activated, and the time when these strategies must be activated (ti_S_{is}) in order to maximize network's performance, (KPI_{net}) . Let's suppose that the strategy defined is, S_{is} : Buy *machines* (at maximum 3); translating this strategy to one unit of strategy, u_S_{is} : Buy 1 machine; the activation of one unit of strategy (u_S_{is}) has the associated cost of buying one machine (i.e. S_{is} -mu = 10000 m.u.).

In order to model the process of strategies alignment, a set of five objects have been defined: (i) set of networks, net = (1, ..., NET); (ii) set of enterprises i forming the network, i = (1, ..., I); (iii) set of objectives x defined by each enterprise, x = (1, ..., I)X); (iv) set of key performance indicators (KPIs) k to measure the level of objectives' achievement, k = (1, ..., K); and (v) the set strategies s formulated by each enterprise in order to achieve the objectives, s = (1, ..., S). The influence that one strategy formulated by an enterprise $i(S_{is})$ has on a particular KPI defined by an enterprise i to measure the objective x_i (KPI_{ixk}) is modelled through the function f inf S_{is} KPI_{ixk} (see Fig. 1). This function, is a piecewise function that depends on the time $[f_l(t)]$. For modelling f inf S_{is} KPI_{ixk} a normalised horizon is used as the unit (H=1) and the duration parameters are distributed in this H of time: (i) d_I S_{is} , delay, time period between the initial time of activation of S_{is} (ti S_{is}) and the time when the KPI_{ixk} is started to be influenced by the activated S_{is} ; (ii) d_2 S_{is} , time period between when S_{is} starts to influence the KPIixk until the maximum level of influence is achieved $(inf_S_{is}KPI_{ixk})$; (iii) d_3S_{is} , time period in which S_{is} is exerting the highest influence (inf_ S_{is} _ KPI_{ixk}) on the KPI_{ixk} ; (iv) d_4 _ S_{is} , total duration of S_{is} ; (v) ti_ S_{is} identifies the starting point of activation of the S_{is} and allows modelling that not all the strategies are activated at the same time. Accordingly, the SAM allows identifying and assessing the strategies that are aligned and positively influence the objectives defined by all the network enterprises; enabling the increase of the network KPI.




Fig. 1. Curve (f inf S_{is} KP I_{ixk}) that models the influence of S_{is} on the KP I_{ixk}

3.2 C-EMO Modeling Framework

The Collaborative Emotion modeling framework (C-EMO), [22] represents a system that appraises emotions of CN members with different skills and characteristics and reasons about the way emotions affect those members and the entire collaborative environment. It gives support to the notion of emotions in the context of a CN and is grounded on the theories of human-emotion found in psychology and sociology. C-EMO comprises the concepts of CNE (collaborative network emotion), IME (individual member emotion) and ANE (aggregated network emotion) and assumes the modeling of any typology of CN. C-EMO is built using object-oriented models providing two main constructs (IME and ANE models), each comprising its attributes and their relationships, as presented in Fig. 2: (i) *Individual Member Emotion (IME model)* for appraising the emotion of each CN member individually and examining the effects this emotion has on both the CN member behavior and the CN environment; and (ii) *Aggregated Network Emotion (ANE model)* for estimating the overall emotion present in the CN and examine the effects such emotion has on the network environment and on its members.

The theories that give support to the C-EMO are adapted from the theories of human emotion and consist of a combination of the dimensional theory and the components of emotion from the appraisal theory. The former is based on the Russel's circumplex model of emotion [15] which facilitated a good adaptation from the human model to the organizational model, through its well-defined structure for representing emotions. It comprises two dimensions of CNE: The *Valence* which is the dimension that represents the pleasure-displeasure continuum, and the *Arousal* that represents the level of activation, novelty and expectation of the emotional

stimuli. Hence, CNEs can be defined with positive or negative valence and high or low arousal, and the emotions that are proposed to describe the "emotional states" of CN members are **excitement** (val>0, aro>0), **contentment** (val>0, aro<0), **frustration** (val<0, aro>0) and **depression** (val<0, aro<0). The four components of CNE which are based on the Scherer's [23] components of emotion, are: cognitive or appraisal component, feeling component, motivational component and expression component. Both the IME model and the ANE model building blocks represent the four CNE components.




Fig. 2. C-EMO Modeling Framework

3.3. Integrated View of SAM and C-EMO

The diagram of Fig. 3 represents in a schematic way, an integrated view of the two approaches used in this paper, SAM and the C-EMO. Both approaches are linked through the degree of impatience (α_i^{Sis}) , which is the output data of the C-EMO and is used as an input data of the SAM. Parameter α_i^{Sis} is widely explained in section 4, but roughly speaking, the degree of impatience is the extent of rapidness into which the enterprise is willing to obtain the maximum level of KPI_{ixk} . The α_i^{Sis} is generated in the IME model of the C-EMO, which is modelled in the Emotion element using the SD method. Values of α_i^{Sis} near 0 indicate that the enterprise i is more patient to obtain the expected level of KPI_{ixk} , when the strategy S_{is} is activated. Parameter α_i^{Sis} is an input to the SAM and is used through translating α_i^{Sis} in time units (t_s) , when the S_{is} is activated. Moreover, SAM calculates the $t_m S_{is}$, which is the actual time when the maximum level of the KPI_{ixk} is achieved, being S_{is} activated. In order to consider the impatience emotion in SAM, the proposed extension of SAM considers the comparison between the $t_{-}S_{is}$ (obtained from α_i^{Sis}) and $t_{m_{-}}S_{is}$. Accordingly, if the time in which the enterprise i is willing to achieve the maximum level of KPI_{ixk} is higher than the real time in which the maximum level of the KPI_{ixk} is achieved ($t S_{is} > t_m S_{is}$), then the strategy S_{is} is activated; and therefore, aligned with all the KPIs defined by each of the CN partners, and with the impatience emotion of all the CN partners.

Otherwise, when $t_S_{is} < t_m_S_{is}$, the S_{is} will not be activated. Finally, the extended SAM, will allow to identify the amount of extra monetary units that the enterprise i can invest in each strategy Sis, in order obtain in a quicker way the maximum level of KPI_{ixk} , and comply with the condition $t_S_{is} > t_m_S_{is}$. It is assumed that, the higher amount of extra monetary units invested implies a lower time needed to obtain the maximum level of KPI_{ixk} . Thus, if the enterprise is very impatience (higher values of α_i^{Sis}), this is translated in a lower t_S_{is} , therefore more extra monetary units will be need to invest.




Fig. 3. Integrated view of SAM and the IME model of the C-EMO modelling framework

4 Modelling Framework

The proposed modelling framework uses as a base the SAM model, extending it for the consideration of emotions when a strategy is collaboratively activated between partners of a CN. The C-EMO modelling framework, as previous described, considers gathering all the affective states from two variables Valence and Arousal. Accordingly, the IME can be understood as a linear combination of these two dimensions and the emotional state of an enterprise is described as ei(t) = $\langle Vi(t), Ai(t) \rangle$. The IME, therefore depends on the time. Following the CNE dimensional approach, there is one possible active emotion for each circumplex quadrant: excitement, contentment, frustration and depression. In order to connect both models, the IME model of C-EMO and SAM, a new combination of valence and arousal is introduced in order to define the patience and impatience emotions. In the same way, the IME model, via its system dynamics model, is adjusted to comprise the new modelling parameters and appraise the new emotions. The emotion impatience, is then used as an input to the extended SAM. The degree of impatience is related with the time unit, in which each CN partner is willing to achieve the maximum level of KPI_{ixk} , when a particular strategy S_{is} is activated.

First, it must be stated that strategies can be defined at short, medium or long term: (i) short term (ST): actions that are designed with the aim of obtaining immediate results, between one day and, at the most, one month; e.g. an advertisement campaign in the media; (ii) medium term (MT): actions to remain active without despairing in short-term action or falling into the passivity of the long term; e.g. collaborative distribution, through contacting related distribution companies and reaching an agreement to cross-ship products to open a wider distribution channel and attract potential customers in the short term; and (iii) long term (LT): actions designed and conceptualized with a vision for the future, whose positive results do not begin to be noticed until after 6 months and a year since their implementation, but they bring a lot of value and last in the future; e.g. an R+D action to create a new product.

Second, the degree of impatience is estimated through the proposed extension of the IME model. The result of IME consists of a value of α_i^{Sis} that varies from 0 to 1, so that $\alpha_i^{Sis} = [0,1]$; being α_i^{Sis} a real number. The α_i^{Sis} is related with the time that the enterprise e_i is willing to wait, when the strategy is activated, until it obtains the maximum level of KPI_{ixk} . Parameter α_i^{Sis} is directly related with the horizon defined in the SAM, which is normalised, H=I, and is inverse to t S_{is} ; thus, t $S_{is} = I - \alpha_i^{Sis}$:

- $\alpha_i^{Sis} = 0$ ($t_S_{is} = 1$) indicates that the enterprise e_i does have a lot of patience, so that once the strategy is activated, the enterprise is not worried about the time in which it will obtain the maximum level of KPI_{ixk} . This may cause a problem because once the strategy S_{is} is activated, and the enterprise is investing on S_{is} , it could happen that S_{is} does not arrive to generate a good level of performance (KPI_{ixk}). This could imply that the enterprise is losing money while waiting for S_{is} to start generating results (increase the KPI_{ixk}).
- $\alpha_i^{Sis} = 1$ ($t_S_{is} = 0$) indicates that e_i does not have patience, so that once the strategy is activated, the enterprise is willing to obtain the desired results immediately. It is characterised by the fact that the enterprise does not see the results, of the activated strategy, immediately, and stops the investment. This may cause a problem because it could happen that the results (achieve the higher level of KPI_{ixk}) are going to be visible in a near time, but not immediately. The enterprise can lose the investment, but if it would wait a little bit, the results could start to be visible, and the maximum level of the KPI_{ixk} could be achieved.
- $0 < \alpha_i^{Sis} \le 0.5$ (1 > t $S_{is} \ge 0.5$) means that e_i is not as passive as when $\alpha_i^{Sis} = 0$.
- $0.5 < \alpha_i^{Sis} < 1$ $(0.5 > t_i^{Sis} > 0)$ means that e_i is not as restlessness and impetuousness as when $\alpha_i^{Sis} = 1$.

Finally, the degree of impatience of each enterprise e_i (α_i^{Sis}) is also defined according to the three types of strategies (ST, MT and LT). C-EMO models the degree of impatience in a specific enterprise depending on the type of strategies defined at the short, medium and long term. It could happen that the enterprises are less patience when formulating short term strategies, because they manifest quickly their results; and the enterprises are more patience when formulating long term strategies, because the results need more time to be reflected in the KPIs:

- $a_i^{Sis_ST}$: degree of impatience when e_i formulates S_{is} in the short term;
- $\alpha_i^{Sis_MT}$: degree of impatience when e_i formulates S_{is} in the medium term;
- $\alpha_i^{Sis_LT}$: degree of impatience when e_i formulates S_{is} in the long term.

In order to answer the research question presented in Section 1, the SAM is extended by considering the following flow diagram (Fig. 4); the shadowed squares

mark the proposed extensions. The notation and formulas (Table 1), which relate the emotion perspective with the SAM are also described.




Fig. 4. Extended SAM: Flow diagram

Table 1. Nomenclature and SD formulation

Nomenclature	
Parameter	Definition
bi_Sis_extra_mu	number of extra monetary units that the enterprise i invest in each strategy S_{is} formulated
alpha_Sis_ST	degree of impatience when the strategy S_{is} is characterized by being for the short term $[0,1]$
alpha_Sis_MT	degree of impatience when the strategy S_{is} is characterized by being for the medium term [0,1]
alpha_Sis_LT	degree of impatience when the strategy S_{is} is characterized by being for the long term [0,1]
u_Sis	units of strategy S_{is} activated
Dynamic variable	Definition
slope_Sis_KPIixk	slope of the ramp in represented in f inf S_{is} $KPI_{ixk}(t)$ multiplied by the number of extra monetary units that the enterprise i invest in each strategy S_{is} formulated time in which the maximum level of the KPI_{ixk} is achieved when the S_{is} is
tm_Sis	activated (t.u.)
t_Sis_imp	time in which the enterprise is willing to achieve the maximum level of KPI_{ixk} , when the S_{ic} is activated (t.u.)
t_Sis	time that relates the degree of impatience with the time in which the enterprise is willing to achieve the maximum level of KPI_{ixk} , when the S_{is} is activated (t.u.)
fulfill_t_Sis_imp	1 when (t_Sis_imp*u_Sis)>=0; 0 otherwise
Stock variable	Definition
bi_Sis_extra_total	extra monetary units that the enterprise i is willing to invest at maximum in each strategy S_{is} formulated
SD Formulation	
bi Sis extra total = bi	_Sis_extra_total - bi_Sis_extra_mu
slope_Sis_KPIixk =	((1+bi_Sis_extra_mu) · u_Sis · val_Sis_KPlixk dimension_KPlixk)/
d2_Sis.get(index_Sis)	
$tm_Sis = d1_Sis.get(incompare)$	dex_Sis) + d2_Sis.get(index_Sis)
$t_Sis_imp = t_Sis_im_S$	is
$t_Sis = 1-alpha_Sis_ST$	71 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
fulfill t Sis imp = $((t, s)$	Sis imp*u Sis $>=0$? 1:0

The parameter $bi_Sis_extra_mu$ acts as a new decision variable of the SAM, identifying the number of extra monetary units that enterprise i has to invest in each formulated strategy S_{is} , apart from the budget initially defined. The slope of function $f_inf_Sis_KPI_{ixk}(t)$ is higher because it is multiplied by the extra budget used $(bi_Sis_extra_mu)$; therefore, more quickly reaches the maximum level of KPI_{ixk} . But also, as the enterprise invests more money for the activation of the strategy S_{is} , the maximum level of KPI_{ixk} also increases. In the extension of SAM it is considered that

the relation between the $bi_Sis_extra_mu$ and the KPI_{ixk} is 1:I. When the strategy S_{is} has a positive influence in the KPI_{ixk} , the more extra money invested in a particular strategy ($bi_Sis_extra_mu$), the higher level of KPI_{ixk} is reached. If the influence is negative, the higher extra money invested, the lower level of KPI_{ixk} is reached. The extended SAM also includes the restrictions related with the parameters $bi_Sis_extra_total$ and t_Sis_imp , which must be positive, and the parameter $fulfill_t_Sis_imp$, which must be equal to 1.

5 Case Study

An example is presented with the main aim of illustrating the proposed approach. This example considers two enterprises (e_1 and e_2), each one defining two objectives (e_1 : o_{11} and o_{12} ; e_2 : o_{12} and o_{22}): (i) o_{11} : Increase the product sales by a 10%; (ii) o_{12} . Reduce the costs of the product by a 5%; (iii) o_{21} : Increase the enterprise profit by a 15%; (iv) o_{22} : Reduce the quantity of product that cannot be sold by 100 %. The achievement of the objectives is measured through the KPI_{ixk} . In order to achieve the objectives, each enterprise formulates two strategies (e_1 : S_{11} and S_{12} ; e_2 : S_{21} and S_{22}), with different levels of application: (i) S_{11} : Increase the marketing activities on the product (ST); (ii) S_{12} : Conduct negotiations with the manufacturing partner to reduce purchasing costs (LT); (iii) S_{21} : Open new distribution channels to spread out the product in other markets (MT); (iv) S_{22} : Product promotions (ST). The input data gathered directly from the enterprises is stored in Table 2, in which the data related with the strategies durations and costs can be seen as well as the values of influence $val_s S_{12} = KPI_{122}$ estimated by each enterprise and the budget.

Table	2.	Input	data
I abic		mpat	uuuu

						En	terprise 1	$b_1 = 3$					
										kpi ₁₁₁		kpi ₁₂₁	
$S_{11} = u_{-}S_{11}$?	$ti_{-}S_{II}$?	$c_{-}S_{11}$	2	$d_{1}_{-}S_{11}$	0,05 d ₂ _5	0,0	d ₄ _S ₂₁ 0,6	W ₁₁₁	0,5	w_{121}	0,5
$b1_S_{11}$ extra_mu	?	$alpha_S_{11_}ST$	0,1	$b1_S_{11_}extra_total$	10					$Threshold_kpi_{111}$	0,2	$Threshold_kpi_{121}$	0,1
										val_S ₁₁ _kpi ₁₁₁	0,8	val_S ₁₁ _kpi ₁₂₁	-0,0
$S_{12} u_{-}S_{12}$?	$ti_{-}S_{12}$?	$c_{-}S_{12}$	3	$d_1 _S_{12}$	0,2 d ₂ _3	0,03	$d_4 S_{21} = 0.5$	val_S ₁₂ _kpi ₁₁₁	0,3	val_S ₁₂ _kpi ₁₂₁	0,7
b1_S ₁₂ _extra_mu	?	$alpha_S_{12_}MT$	0,9	b1_S ₁₂ _extra_total	10					val_S ₂₁ _kpi ₁₁₁	-0,1	val_S ₂₁ _kpi ₁₂₁	-0,3
										val_S ₂₂ _kpi ₁₁₁	0,3	val_S ₂₂ _kpi ₁₂₁	0,2
						En	terprise 2	b2 = €	i				
										kpi 211		kpi 221	
$S_{21} u_{-}S_{21}$?	ti_S_{21}	?	$c_{-}S_{21}$	6	$d_1 _S_{21}$	0,1 d ₂ _3	0,0	$d_{4} S_{21} = 0.75$	w ₂₁₁	0,5	w_{221}	0,5
$b2_2S_{21}$ extra_mu	?	$alpha_S_{12_}LT$	0,6	$b2_{-}S_{12_{-}}extra_{-}total$	10					$Threshold_kpi_{211}$	0,3	$Threshold_kpi_{221}$	0,15
						=				val_S ₂₁ _kpi ₂₁₁	0,7	val_S ₂₁ _kpi ₂₂₁	0
$S_{22} = u_{-}S_{22}$?	ti_S_{22}	?	$c_{-}S_{22}$	5	$d_{1}_{-}S_{21}$	0,05 d ₂	0,0	l d ₄ _S ₂₁ 0,5	val_S ₂₂ _kpi ₂₁₁	0,2	val_S ₂₂ _kpi ₂₂₁	0,8
b2_S ₂₂ _extra_mu	?	$alpha_S_{22_}ST$	0,95	bi_S ₂₂ _extra_total	10					val_S ₁₁ _kpi ₂₁₁	0,3	val_S ₁₁ _kpi ₂₂₁	0,4
						_				val_S ₁₂ _kpi ₂₁₁	-0,2	val_S ₁₂ _kpi ₂₂₁	-0,3

Two scenarios are compared for the validation of the SAM using C-EMO. Scenario 1 uses data of Table 2, and enterprise 2 identifies an $alpha_S22_ST = 0.95$. In scenario 2 the enterprise 2 reduces by 0,05 the degree of impatience, so that $alpha_S22_ST = 0.9$. Results (Table 3) with the initial input data (scenario 1) show that the S_{II} and S_{2I} must be activated in one unit, providing a KPI of the network equal to 2,6315. The solution in scenario 2, shows that the S_{II} and S_{22} must be activated in one unit, giving a KPI of the network equal to 3,927; a 37% higher than in the scenario 1. Therefore the proposed approach, allows to support the CN enterprises, advising that slight differences in the degree of impatience could change

the activation of aligned strategies increasing on higher values of enterprise and network KPIs.

Table 3. Results

Scenario 1	u_S ₁₁	1	u_S ₁₂	0	u_S ₂₁	1	u_S ₂₂	0	KPI ₁	0,907	KPI ₂	4,356	KPI _{net}	2,6315
Scenario 2	u_S ₁₁	1	u_S ₁₂	0	u_S_{21}	0	u_S ₂₂	1	KPI ₁	3,479	KPI_2	4,375	KPI _{net}	3,927

6 Conclusions

A connection between two relevant approaches in the scope of CN discipline is presented, aiming at proposing a new modelling framework to support companies on modelling, assessment and resolution of the strategies alignment process considering their collaborative emotional state. Both approaches are based on SD simulation method. An integrated view diagram relating SAM and C-EMO models is proposed. It starts with the calculation of the degree of impatience within the IME model of C-EMO. The degree of impatience is translated in time units and serves as an input to SAM, which identifies the strategies to be activated accordingly and computes the extra monetary units to be invested in the strategies execution in order to accelerate obtaining the maximum level of KPI_{ixk} monetary.

Future work will rely on extending the proposed approach, from a decentralized perspective. Accordingly, future developments will pass by jointly using system dynamics and agent-based (AB) simulation methodologies. With the introduction of AB, the proposed approach will work at two levels, (i) at the CN level, modelling the complex system as a collection of autonomous decision making entities called agents, and; (ii) at the individual level, where each agent individually evaluates its situation and takes decisions following a set of rules that are modeled with the system dynamics method.

References

- [1] L. M. Camarinha-Matos, "Collaborative Networks in Industry and the role of PRO-VE," *Int. J. Prod. Manag. Eng.*, vol. 2, no. 2, pp. 53–57, 2014.
- [2] B. Andres and R. Poler, "Models, guidelines and tools for the integration of collaborative processes in non-hierarchical manufacturing networks: a review," *Int. J. Comput. Integr. Manuf.*, vol. 2, no. 29, pp. 166–201, 2016.
- [3] U. Bititci, V. Martinez, P. Albores, and J. Parung, "Creating and Managing Value in Collaborative Networks," *Int. J. Phys. Distrib. Logist. Manag.*, vol. 34, no. 3/4, pp. 251– 268, 2004.
- [4] B. Carbo, "Align the Organization for Improved Supply Chain Performance.," ASCET Proj., vol. 2, pp. 244–447, 2002.
- [5] P. Macedo and L. Camarinha-Matos, "Value Systems Alignment Analysis in Collaborative Networked Organizations Management," Appl. Sci., vol. 7, no. 12, p. 123, 2017.
- [6] B. Andres and R. Poler, "A decision support system for the collaborative selection of strategies in enterprise networks," *Decis. Support Syst.*, vol. 91, pp. 113–123, 2016.
- [7] B. Andres, P. Macedo, L. M. Camarinha-Matos, and R. Poler, "Achieving Coherence

- between Strategies and Value Systems in Collaborative Networks," *Collaborative Systems for Smart Networked Environments, Springer, IFIP Series* 434/2014., pp. 261–272, 2014.
- [8] F. Ferrada and L. M. Camarinha-Matos, "A System Dynamics and Agent-Based Approach to Model Emotions in Collaborative Networks," *Technological Innovation for Smart* Systems, Springer, IFIP AICT 490, pp. 29-43, 2017.
- [9] F. Campuzano and J. Mula, Supply Chain Simulation. A System Dynamics Approach for Improving Performance. Springer London Dordrecht Heidelberg New York, 2011.
- [10] L. M. Camarinha-Matos and H. Afsarmanesh, "Collaborative networks: a new scientific discipline," J. Intelligent Manufacturing, vol. 16, No 4-5, pp439-452, 2005.
- [11] T. Vicsek, "Complexity: The bigger picture," Nature, vol. 418, no. 6894, p. 131, 2002.
- [12] J. Sterman, G. Richardson, and P. Davidsen, "Modelling the Estimation of Petroleum Resources in the United States," *Technol. Forecast. Soc. Chang.*, vol. 33, no. 3, pp. 219–249, 1998.
- [13] D. Vlachos, P. Georgiadis, and E. Iakovou, "A system dynamics model for dynamic capacity planning of remanufacturing in closed-loop supply chains," *Comput. Oper. Res.*, vol. 34, no. 2, pp. 367–394, 2007.
- [14] F. Campuzano-Bolarín, J. Mula, and D. Peidro, "An extension to fuzzy estimations and system dynamics for improving supply chains," *Int. J. Prod. Res.*, vol. 51, no. 10, pp. 3156–3166, 2013.
- [15] P. Barton, S. Bryan, and S. Robinson, "Modelling in the economic evaluation of health care: selecting the appropriate approach," *J. Heal. Serv. Res. Policy*, vol. 9, no. 2, pp. 110– 118, 2004.
- [16] T. Eldabi, R. J. Paul, and T. Young, "Simulation Modelling in Healthcare: Reviewing Legacies and Investigating Futures," J. Oper. Res. Soc. Spec. Issue Oper. Res. Heal., vol. 58, no. 2, pp. 262–270, 2007.
- [17] B. Andres, R. Poler, L. M. Camarinha-Matos, and H. Afsarmanesh, "A simulation approach to assess partners selected for a collaborative network," *Int. J. Simul. Model.*, vol. 16, no. 3, pp 399-411, 2017.
- [18] A. Gohari, A. Mirchi, and K. Madan, "System Dynamics Evaluation of Climate Change Adaptation Strategies for Water Resources Management in Central Iran," *Water Resour. Manag.*, vol. 31, no. 5, pp. 1413–1434, 2007.
- [19] D. Fishera, J. Norvell, S. Sonka, and M. J. Nelson, "Understanding technology adoption through system dynamics modeling: implications for agribusiness management,"," *Int. Food Agribus. Manag. Rev.*, vol. 3, pp. 281–296, 2000.
- [20] J. M. Lyneisa, "System dynamics for market forecasting and structural analysis," *Syst. Dyn. Rev.*, vol. 16, no. 1, pp. 3–25, 2000.
- [21] A. Borshchev and A. Filippov, "From System Dynamics and Discrete Event to Practical Agent Based Modeling: Reasons, Techniques, Tools," in *The 22nd International Conference of the System Dynamics Society*, 2004.
- [22] F. Ferrada, "C-EMO: A Modeling Framework for Collaborative Network Emotions Doctoral dissertation, Nova University of Lisbon, Portugal, 2017. Retrieved from: https://run.unl.pt/handle/10362/26857," 2017.
- [23] K. R. Scherer, "Emotions are emergent processes: they require a dynamic computational architecture," Rev. of. Philos. Trans. R. Soc. Biol. Sci., vol. 364, no. 1535, pp. 3459–3474, 2009.