



HAL
open science

Joint Channel Coding of Consecutive Messages with Heterogeneous Decoding Deadlines in the Finite Blocklength Regime

Homa Nikbakht, Malcolm Egan, Jean-Marie S Gorce

► **To cite this version:**

Homa Nikbakht, Malcolm Egan, Jean-Marie S Gorce. Joint Channel Coding of Consecutive Messages with Heterogeneous Decoding Deadlines in the Finite Blocklength Regime. [Research Report] RR-9434, Inria - Research Centre Grenoble – Rhône-Alpes. 2021. hal-03360567

HAL Id: hal-03360567

<https://inria.hal.science/hal-03360567>

Submitted on 9 Nov 2021

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Joint Channel Coding of Consecutive Messages with Heterogeneous Decoding Deadlines in the Finite Blocklength Regime

Homa Nikbakht, Malcolm Egan, Jean-Marie Gorce

**RESEARCH
REPORT**

N° 9434

November 2021

Project-Teams MARACAS



Joint Channel Coding of Consecutive Messages with Heterogeneous Decoding Deadlines in the Finite Blocklength Regime

Homa Nikbakht, Malcolm Egan, Jean-Marie Gorce

Project-Teams MARACAS

Research Report n° 9434 — version 1 — initial version November 2021 —
revised version Novembre 2021 — 21 pages

Abstract: A standard assumption in the design of ultra-reliable low-latency communication systems is that the duration between message arrivals is larger than the number of channel uses before the decoding deadline. Nevertheless, this assumption fails when messages rapidly arrive and reliability constraints require that the number of channel uses exceeds the time between arrivals. In this paper, we study channel coding in this setting by jointly encoding messages as they arrive while decoding the messages separately, allowing for heterogeneous decoding deadlines. For a scheme based on power sharing, we analyze the probability of error in the finite blocklength regime. We show that significant performance improvements can be obtained for short packets by using our scheme instead of standard approaches based on time sharing.

Key-words: URLLC, Finite Blocklength Regime, Heterogeneous Decoding Deadline

Homa Nikbakht, Malcolm Egan and Jean-Marie Gorce are with the Laboratoire CITI, a joint laboratory between the Institut National de Recherche en Informatique et en Automatique (INRIA), the Université de Lyon and the Institut National de Sciences Appliquées (INSA) de Lyon. 6 Av. des Arts 69621 Villeurbanne, France. ({homa.nikbakht, malcom.egan, jean-marie.gorce}@inria.fr)

This work was funded by INRIA Nokia Bell Labs ADR "Network Information Theory" and by the French National Agency for Research (ANR) under grant ANR-16-CE25-0001 - ARBURST.

**RESEARCH CENTRE
GRENOBLE – RHÔNE-ALPES**

Inovallée
655 avenue de l'Europe Montbonnot
38334 Saint Ismier Cedex

Résumé : Une hypothèse standard dans la conception de systèmes de communication ultra-fiables et de latence ultra-faible est que la durée entre les arrivées de messages est plus grande que le nombre d'utilisations de canaux avant la date limite de décodage. Néanmoins, cette hypothèse échoue lorsque les messages arrivent rapidement et que les contraintes de fiabilité nécessitent que le nombre d'utilisations du canal dépasse le temps entre les arrivées. Dans cet article, nous étudions le codage de canal dans ce contexte en codant conjointement les messages à mesure qu'ils arrivent tout en décodant les messages séparément, ce qui permet des délais de décodage hétérogènes. Pour un schéma basé sur le partage de puissance, nous analysons la probabilité d'erreur dans le régime de longueur de bloc finie. Nous montrons que des améliorations significatives des performances peuvent être obtenues pour les paquets courts en utilisant notre schéma au lieu d'approches standard basées sur le partage du temps.

Mots-clés : URLLC, Régime de longueur de bloc fini, Date limite de décodage hétérogène

Contents

1	Introduction	4
2	Problem Setup and Proposed Coding Scheme	4
3	Error Probability Analysis	6
3.1	Gaussian Interference Approximation	7
3.2	Isotropic Interference on the Power Shell	9
4	Numerical Results	9
5	Conclusions	11
6	Acknowledgment	11
A	Proof of Theorem 1	12
B	Proof of Theorem 2	15

1 Introduction

One of the pillars of 5G is ultra-reliable low latency communications (URLLC), where the goal is to transmit typically small quantities of data with a very low probability of error and strict decoding deadlines. With applications ranging from autonomous driving to remote surgery, a number of channel coding schemes have been proposed including short LDPC and polar codes [1–4]. At the same time, new characterizations of fundamental tradeoffs between the size of the message set, the probability of error, and the length of the code have been obtained via achievability and converse bounds building on the work in [5].

A key assumption in existing coding schemes for URLLC and their analysis is that message arrivals and the decoding deadlines of preceding messages are sufficiently separated. As a consequence, each packet can be encoded and decoded separately. Unfortunately, this assumption is not guaranteed to hold, particularly in industrial process control applications [1].

To give a concrete example, consider control of a conveyor belt. A key component of this system is sensor data, which is communicated to a controller. In normal operation, the sensor may send regularly timed updates of its speed, which is used in model predictive control algorithms in order to optimize actuation in order to yield a desired speed. On the other hand, when the speed requirements are varied (e.g., at start up), it may be desirable to send speed observations from the sensor more often.

In order to ensure reliability of the sensor observations, the channel uses allocated to each observation of the speed may partially overlap. It is therefore desirable to consider joint encoding of multiple sensor observations, albeit with heterogeneous decoding deadlines. That is, if the channel uses for two separate observations overlap, it is not possible to wait until the entire transmission for both sensor observations to be received before decoding.

The problem of heterogeneous decoding delays has seen limited attention. The main work in this direction is in the context of broadcast communications, Shulman and Feder studied static broadcasting in [6] and [7], deriving a coding theorem for the rate region. In this model, a sender transmits a single message and multiple receivers attempt reliable decoding. Crucially, each receiver has a different decoding deadline.

Recently in [8], Langberg and Effros have also considered a variant on the network communication problem in [6]. In particular, networks consisting of multiple transmitters and receivers were studied where each receiver has different decoding deadlines for its messages of interest. A generalization of the rate region, known as the time-rate region, was introduced and an inner bound derived, which is known to not be tight.

In this paper, we derive tradeoffs between error probability, message set size, and the (finite) number of channel uses for joint channel coding of two consecutive messages with heterogeneous decoding deadlines. In contrast to the works in [6] and [8], where the messages are available at the transmitters before the any transmission begins, we assume that messages arrive at different times. We focus on point-to-point Gaussian noise channels with signals subject to an average power constraint. We propose a scheme based on power sharing and analyze the probability of error. We establish a significant performance improvement of our scheme over time sharing in the finite blocklength regime for a sufficiently large transmit power.

2 Problem Setup and Proposed Coding Scheme

Consider a sensor that sends two packets, where each packet corresponds to a message in the set $\{1, \dots, M\}$. At time $t = a_1$, transmission commences of the first packet corresponding to the message $m_1 \in \{1, \dots, M\}$. At time $t = a_2$, transmission commences of the second packet

corresponding to the message $m_2 \in \{1, \dots, M\}$. The two messages m_1, m_2 are assumed to be drawn independently with each element in $\{1, \dots, M\}$ occurring with probability $\frac{1}{M}$.

Each message is subject to different decoding delay constraints. In particular, after d_1 channel uses, the receiver attempts to reconstruct the message m_1 . Similarly, after $d_2 > d_1$ channel uses, the receiver attempts to reconstruct the message m_2 .

Given the times of arrival and decoding delay constraints, the encoder is constructed as follows. Denote the transmission window of the first and second messages by \mathcal{W}_1 and \mathcal{W}_2 , respectively, where

$$\mathcal{W}_1 \triangleq \{a_1, \dots, d_1\}, \quad \mathcal{W}_2 \triangleq \{a_2, \dots, d_2\}. \quad (1)$$

Under the assumption $\mathcal{W}_1 \cap \mathcal{W}_2 \neq \emptyset$, the encoder outputs symbols at time $t \in \{a_1, \dots, d_2\}$ given by

$$X_t = \begin{cases} f_t(m_1), & t \in \{a_1, \dots, a_2 - 1\} \\ \psi_t(m_1, m_2), & t \in \{a_2, \dots, d_1\} \\ \phi_t(m_2), & t \in \{d_1 + 1, \dots, d_2\}, \end{cases} \quad (2)$$

where f, ψ, ϕ are the encoding functions corresponding to the channel uses where only message m_1 is arrived but not m_2 , where both m_1, m_2 are present, and after m_1 has been decoded, respectively. We highlight that m_2 is not known before time $t = a_2$; i.e., encoding is causal.

For simplicity, define

$$n_1 \triangleq a_2 - a_1, \quad n_2 \triangleq d_1 - a_2, \quad \text{and} \quad n_3 = d_2 - d_1. \quad (3)$$

Given the structure of the encoding functions, receiver observations can be viewed as arising from three parallel channels: over the first channel of n_1 blocks only m_1 is transmitted; over the second channel of n_2 blocks m_1 and m_2 are *jointly* transmitted; and over the third channel of n_3 blocks only m_2 is transmitted. Our goal is to establish bounds on the probabilities of error, ϵ_1, ϵ_2 .

Define the following channel input vectors

$$\mathbf{X}_1 \triangleq \{X_{a_1}, \dots, X_{a_2-1}\}, \quad (4a)$$

$$\mathbf{X}_2 \triangleq \{X_{a_2}, \dots, X_{d_1}\}, \quad (4b)$$

$$\mathbf{X}_3 \triangleq \{X_{d_1+1}, \dots, X_{d_2}\}. \quad (4c)$$

For the i -th channel with $i \in \{1, 2, 3\}$, the encoding functions satisfy the average block power constraint

$$\frac{1}{n_i} \|\mathbf{X}_i\|^2 \leq P_i \quad (5)$$

almost surely.

Since the messages m_1 and m_2 are jointly transmitted over the second channel, the transmit power P_2 is divided into two parts βP_2 and $(1 - \beta)P_2$ for $\beta \in [0, 1]$. The portion βP_2 is assigned to the transmission of m_1 and the portion $(1 - \beta)P_2$ is assigned to the transmission of m_2 . Thus

$$\mathbf{X}_2 = \mathbf{X}_2^{(1)} + \mathbf{X}_2^{(2)}, \quad (6)$$

where $\|\mathbf{X}_2^{(1)}\|^2 = n_2 \beta P_2$ and $\|\mathbf{X}_2^{(2)}\|^2 = n_2 (1 - \beta) P_2$. The corresponding outputs at the receiver similarly denoted by

$$\mathbf{Y}_1 \triangleq \{Y_{a_1}, \dots, Y_{a_2-1}\}, \quad (7a)$$




Figure 1: System model.

$$\mathbf{Y}_2 \triangleq \{Y_{a_2}, \dots, Y_{d_1}\}, \quad (7b)$$

$$\mathbf{Y}_3 \triangleq \{Y_{d_1+1}, \dots, Y_{d_2}\}. \quad (7c)$$

Moreover, we denote the resulting three channels by $P_{\mathbf{Y}_1|\mathbf{X}_1}$, $P_{\mathbf{Y}_2|\mathbf{X}_2}$ and $P_{\mathbf{Y}_3|\mathbf{X}_3}$, respectively. We assume that each channel is additive, memoryless, stationary, and Gaussian with variance σ_i^2 with $i \in \{1, 2, 3\}$. The resulting system model is illustrated in Figure 1.

At the receiver, the decoder attempts to reconstruct the two messages m_1, m_2 based on the channel outputs via the decoding functions g_1, g_2 defined as

$$\hat{m}_1 = g_1(\mathbf{Y}_1, \mathbf{Y}_2), \quad (8)$$

$$\hat{m}_2 = g_2(\mathbf{Y}_1, \mathbf{Y}_2, \mathbf{Y}_3). \quad (9)$$

The average probability of error for each of the messages is then given by

$$\epsilon_1 = \mathbb{P}(\hat{m}_1 \neq m_1), \quad \epsilon_2 = \mathbb{P}(\hat{m}_2 \neq m_2). \quad (10)$$

The focus of this paper is to characterize the tradeoff between the size of the message set M , the error probabilities ϵ_1, ϵ_2 , and the decoding deadlines d_1, d_2 . Formally, we study the achievable region defined as follows.

Definition 1 *Given the power constraints P_1, P_2 and P_3 , a tuple $(a_1, a_2, d_1, d_2, M, \epsilon_1, \epsilon_2)$ is achievable if messages m_1, m_2 of cardinality M arriving at the a_1 -th and a_2 -th channel uses can be decoded by the d_1 -th and d_2 -th channel uses with an average probability of error not exceeding ϵ_1, ϵ_2 , respectively.*

3 Error Probability Analysis

In this section, we study the error probabilities of joint encoding schemes for packets with heterogeneous decoding delays. As detailed in the previous section, we consider an encoder structure which superimposes symbols corresponding to each message. As a consequence, symbols from one packet act as interference for the other.

To characterize the error probability for an optimal code, it is therefore necessary to specify the code structure. Unfortunately, the optimal code structure is not currently known. As a

consequence, we first study the error probability under the assumption the codeword for the second message is modeled as Gaussian when decoding m_1 , called the *Gaussian interference approximation*. In order to verify that the Gaussian approximation is reasonable, we then consider a non-Gaussian model for the codeword of the second message, where the codeword is isotropic on the power shell.

3.1 Gaussian Interference Approximation

Given the set of channel uses $\{n_i\}_{i=1}^3$ and transmit powers $\{P_i\}_{i=1}^3$, and the parameter $\beta \in [0, 1]$, define

$$\Omega_1 = \frac{P_1}{\sigma_1^2}, \quad \Omega_2 = \frac{\beta P_2}{(1-\beta)P_2 + \sigma_2^2}, \quad (11)$$

$$\Omega_3 = \frac{(1-\beta)P_2}{\sigma_2^2} \quad \text{and} \quad \Omega_4 = \frac{P_3}{\sigma_3^2}. \quad (12)$$

Also define

$$u_1 \sim \mathcal{X}^2 \left(n_1, n_1 \frac{1 + \Omega_1}{\Omega_1} \right), \quad v_1 \sim \mathcal{X}^2 \left(n_1, n_1 \frac{1}{\Omega_1} \right) \quad (13)$$

$$u_2 \sim \mathcal{X}^2 \left(n_2, n_2 \frac{1 + \Omega_2}{\Omega_2} \right), \quad v_2 \sim \mathcal{X}^2 \left(n_2, n_2 \frac{1}{\Omega_2} \right) \quad (14)$$

$$u_3 \sim \mathcal{X}^2 \left(n_2, n_2 \frac{1 + \Omega_3}{\Omega_3} \right), \quad v_3 \sim \mathcal{X}^2 \left(n_2, n_2 \frac{1}{\Omega_3} \right) \quad (15)$$

$$u_4 \sim \mathcal{X}^2 \left(n_3, n_3 \frac{1 + \Omega_4}{\Omega_4} \right), \quad v_4 \sim \mathcal{X}^2 \left(n_3, n_3 \frac{1}{\Omega_4} \right), \quad (16)$$

where $\mathcal{X}^2(n, s)$ denotes a non-central chi-squared random variable of order n and parameter s . Furthermore, define

$$Q_1 \triangleq \frac{v_1 \Omega_1}{1 + \Omega_1} + \frac{v_2 \Omega_2}{1 + \Omega_2}, \quad Q_2 \triangleq \frac{v_3 \Omega_3}{1 + \Omega_3} + \frac{v_4 \Omega_4}{1 + \Omega_4}, \quad (17)$$

$$Q_3 \triangleq \Omega_1 u_1 + \Omega_2 u_2, \quad Q_4 \triangleq \Omega_3 u_3 + \Omega_4 u_4, \quad (18)$$

and for each $i \in \{1, \dots, 4\}$, define F_{Q_i} as the cumulative distribution function (CDF) of the variable Q_i .

We first establish lower bounds for ϵ_1, ϵ_2 .

Theorem 1 (Converse Bound) *Under the Gaussian interference approximation, for fixed transmission rates $R_1 = \log M/(n_1 + n_2)$ and $R_2 = \log M/(n_2 + n_3)$ corresponding to message m_1 and m_2 , respectively, the error probabilities ϵ_1 and ϵ_2 are lower bounded by*

$$\epsilon_1 \geq \mathbb{P}[Q_1 > \lambda_1] = 1 - F_{Q_1}(\lambda_1) \quad (19)$$

$$\epsilon_2 \geq \mathbb{P}[Q_2 > \lambda_2] = 1 - F_{Q_2}(\lambda_2) \quad (20)$$

where λ_1 and λ_2 satisfy the constraints

$$F_{Q_3}(\lambda_1) = 2^{-(n_1+n_2)R_1}, \quad (21)$$

$$F_{Q_4}(\lambda_2) = 2^{-(n_2+n_3)R_2}. \quad (22)$$

Proof: The proof follows closely the arguments in [10] and [11]. See Appendix A. ■
Upper bounds on the error probabilities ϵ_1, ϵ_2 are given in the following theorem.

Theorem 2 (Achievability bound) *Under the Gaussian interference approximation, for a fixed message set size M , the error probabilities ϵ_1 and ϵ_2 are upper bounded by*

$$\epsilon_1 \leq 1 - F_{Q_1}(\Delta_1) + \zeta_1 + G_1(1 - \zeta_1), \quad (23)$$

$$\epsilon_2 \leq 1 - F_{Q_2}(\Delta_2) + \zeta_2 + G_2(1 - \zeta_2) \quad (24)$$

where

$$\begin{aligned} \Delta_1 &\triangleq -2\ln(MG_1J_1J_2) + \frac{1}{n_1}\ln(1 + \Omega_1) \\ &\quad + \frac{1}{n_2}\ln(1 + \Omega_2) + n_1 + \beta n_2, \\ \Delta_2 &\triangleq -2\ln(MG_2\tilde{J}_1\tilde{J}_2) + \frac{1}{n_2}\ln(1 + \Omega_3) \\ &\quad + \frac{1}{n_3}\ln(1 + \Omega_4) + n_3 + (1 - \beta)n_2, \\ \zeta_1 &\triangleq e^{-\kappa_1 n_1^{1/3}} + e^{-\kappa_2 n_2^{1/3}} - e^{-(\kappa_1 n_1^{1/3} + \kappa_2 n_2^{1/3})}, \\ \zeta_2 &\triangleq e^{-\tilde{\kappa}_1 n_2^{1/3}} + e^{-\tilde{\kappa}_2 n_3^{1/3}} - e^{-(\tilde{\kappa}_1 n_2^{1/3} + \tilde{\kappa}_2 n_3^{1/3})}, \\ G_1 &\triangleq \frac{1}{1 - e^{-\eta}} \min \left\{ \frac{L(P_2, s_2)\eta}{\sqrt{n_2\beta P_2 s_2}}, \frac{L(P_1, s_1)\eta}{\sqrt{n_1 P_1 s_1}} \right\}, \\ G_2 &\triangleq \frac{1}{1 - e^{-\eta}} \min \left\{ \frac{L(P_2, s_2)\eta}{\sqrt{n_2(1 - \beta)P_2 s_2}}, \frac{L(P_3, s_3)\eta}{\sqrt{n_3 P_3 s_3}} \right\}, \\ s_1 &\triangleq \frac{1}{n_1} \|\mathbf{y}_1\|_2^2, \quad s_2 \triangleq \frac{1}{n_2} \|\mathbf{y}_2\|_2^2, \quad s_3 \triangleq \frac{1}{n_3} \|\mathbf{y}_3\|_2^2, \\ L(P, s) &\triangleq \frac{(2Ps)^2}{\sqrt{2\pi}} \cdot \sqrt{\frac{1 + 4Ps - \sqrt{1 + 4Ps}}{(\sqrt{1 + 4Ps} - 1)^5}}, \end{aligned}$$

and $\eta, J_1, J_2, \tilde{J}_1, \tilde{J}_2, \kappa_1, \kappa_2, \tilde{\kappa}_1$ and $\tilde{\kappa}_2$ are constants.

Proof: See Appendix B. ■

Under the Gaussian interference assumption, the converse and achievability bounds in Theorems 1 and 2 are in agreement. This was observed for encoding of a single packet in [12] and is generalized for joint encoding with decoding delay constraints in the following corollary.

Corollary 3 *By choosing the constants $\eta, J_1, J_2, \tilde{J}_1, \tilde{J}_2, \kappa_1, \kappa_2, \tilde{\kappa}_1$ and $\tilde{\kappa}_2$ satisfying the following conditions:*

$$F_{Q_1}(\Delta_1) - F_{Q_1}(\lambda_1) = \zeta_1 + G_1(1 - \zeta_1), \quad (26a)$$

$$F_{Q_2}(\Delta_2) - F_{Q_2}(\lambda_2) = \zeta_2 + G_2(1 - \zeta_2), \quad (26b)$$

then, under the Gaussian interference approximation, the converse and the achievability bounds on the error probabilities ϵ_1 and ϵ_2 in Theorems 1 and 2 coincide.

Note that the ranges of the constants in Corollary 3 allow for choices such that the conditions (26a) and (26b) can be satisfied. See Appendices A and B for the detailed definitions of these constants.

3.2 Isotropic Interference on the Power Shell

The analysis of the probability of error in Sec. 3.1 relied on the assumption that when decoding m_1 , the interference arising from the second message in the second channel is Gaussian. More precisely, it was assumed that $\mathbf{X}_2^{(2)} \sim \mathcal{N}(0, I_{n_2}(1-\beta)P_2)$ when decoding m_1 . On the other hand, it is clear that for an optimal coding scheme, this assumption will not hold. Indeed, we expect that $\mathbf{X}_2^{(2)}$ should lie on a power shell.

In this section, we relax the Gaussian assumption on $\mathbf{X}_2^{(2)}$ in decoding m_1 such that it is isotropic on the power shell; i.e., $\|\mathbf{X}_2^{(2)}\|^2 = n_2(1-\beta)P_2$. A natural question is whether the resulting error probability significantly changes under this different assumption on the statistics of $\mathbf{X}_2^{(2)}$? In order to answer this question, we derive a lower bound on the probability of error and compare it to the lower bound in the previous section.

Let $Q_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}$ be the channel arising when $\mathbf{X}_2^{(2)}$ is isotropic on the power shell (i.e., $\|\mathbf{X}_2^{(2)}\|^2 = n_2(1-\beta)P_2$) and $P_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}$ be the channel studied in the previous section. A lower bound on the error probability under the channel $Q_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}$ can be obtained via the meta-converse argument [5].

Consider the binary hypothesis test between two distributions P and Q . Let $Z = 1$ when P is selected and $Z = 0$ when Q is selected. By the Neyman-Pearson theorem, the optimal probability of detection under a false alarm constraint $1 - \alpha$ is given by

$$\mathcal{L}_\alpha(P, Q) = \inf_{Z: P[Z=1] \geq \alpha} Q[Z=1]. \quad (27)$$

Let ϵ be the average error probability for the channel $P_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}$ and ϵ' the average error probability for the channel $Q_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}$. Then, the meta-converse theorem [5, Theorem 26] states

$$\mathcal{L}_{1-\epsilon}(P_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}, Q_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}) \leq 1 - \epsilon'. \quad (28)$$

As a consequence, the average error probability ϵ' can be estimated from ϵ via Monte Carlo simulation. Indeed, ϵ' can be estimated by sampling from $Q_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}$ and applying the decision rule

$$Z = \mathbb{1} \left\{ \ln \left(\frac{P_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}(\mathbf{y}_2|\mathbf{x}_2^{(1)})}{Q_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}(\mathbf{y}_2|\mathbf{x}_2^{(1)})} \right) < (n_1 + n_2)\lambda \right\}, \quad (29)$$

where $\mathbb{1}\{\cdot\}$ is the indicator function and λ is chosen such that the probability of false alarm constraint holds.

4 Numerical Results

In this section, we provide numerical analysis of the bounds in Theorems 1 and 2 and the performance differences between our proposed power sharing scheme and the time sharing scheme. In Fig. 2, we evaluate the bounds on the ϵ_1 and ϵ_2 , as a function of the transmit power for different values of the parameter β . We assume equal transmit power over the all three channels with $n_1 = n_2 = n_3 = 10$ and the Gaussian interference approximation holds. Note that utilizing Corollary 3, the upper and lower bounds are in agreement.

In the second channel recall that βP_2 is the power assigned to transmit m_1 and $(1-\beta)P_2$ is the power assigned to transmit m_2 . Observe that as the power sharing parameter β increases, the error probability ϵ_1 decreases and ϵ_2 increases, as expected. When $\beta = 0.5$, i.e., when the transmit power P_2 is assigned equally to the transmission of each message, ϵ_2 is lower than ϵ_1 .




Figure 2: Average error probabilities ϵ_1 and ϵ_2 vs the transmit power $P_1 = P_2 = P_3$ for different values of β . Here, $n_1 = 10, n_2 = 10, n_3 = 10$ and $\log M = 10$.




Figure 3: Average error probabilities ϵ_1 and ϵ_2 vs the transmit power $P_1 = P_2 = P_3$. Here, $n_1 = 20, n_2 = 20, n_3 = 20$ and $\log M = 10$.




Figure 4: Converse bounds on ϵ_1 under Gaussian interference approximation and isotropic interference on the power shell assumptions. Here, $\lambda_1 = 0.01(n_1 + n_2), P_1 = P_2 = 2, \beta = 0.5$ and $\log M = 10$.

This is due to the fact that when decoding the first message, the transmission of the second message is considered as interference. On the other hand, when decoding the second message, the first message is already decoded.

Fig. 3 plots the error probabilities ϵ_1, ϵ_2 for varying power levels. The solid lines correspond to the error probabilities under our power sharing scheme and the dashed line to time sharing, where each message is allocated the same number of channel uses. Observe that for our power sharing scheme, when $n_1 = n_2 = n_3 = 20$ and $\log M = 10$, by setting β equal to 0.65, it can be seen that ϵ_1 and ϵ_2 are close. Moreover, when the transmit power is small, i.e., when $P_i < 3$ with $i \in \{1, 2, 3\}$, the error probabilities obtained under the time-sharing scheme are slightly lower than the power sharing scheme. At medium and high transmit powers, however, the power sharing scheme outperform significantly the time-sharing scheme one.

Figure 4 shows the impact of relaxing the Gaussian interference approximation and assuming that the interference in the second channel when decoding m_1 is isotropic on the power shell. In particular, the lower bound on ϵ_1 is plotted for both the Gaussian interference approximation (using Theorem 1) and interference on the power shell (using the method in Sec. 3.2). Observe that when $P_1 = P_2 = 2$ and the number of channel uses n_1 and n_2 are varied, the gap between the lower bounds is small. This suggests that using the Gaussian interference approximation does not significantly affect the conclusions drawn from the analysis in Theorems 1 and 2.

5 Conclusions

We derived tradeoffs between error probability, message set size, and the (finite) number of channel uses for joint channel coding of two consecutive messages with heterogeneous decoding deadlines. We considered a point-to-point communication where messages arrive at different times and are subject to heterogeneous decoding delay constraints. We proposed a joint coding scheme accounting for overlapping transmission windows in a scenario with two messages. We analyzed the probability of error in the finite block length regime and identified significant potential performance improvements over standard time sharing schemes.

6 Acknowledgment

This work was funded by INRIA Nokia Bell Labs ADR "Network Information Theory" and by the French National Agency for Research (ANR) under grant ANR-16-CE25-0001 - ARBURST.

A Proof of Theorem 1

We start by calculating the bound on ϵ_1 in (19). In the first channel we have the following channel outputs

$$\mathbf{Y}_1 = \mathbf{X}_1 + \mathbf{Z}_1, \quad \mathbf{Z}_1 \sim \mathcal{N}(0, I_{n_1}\sigma_1^2), \quad (30)$$

and thus the transition probability density function is

$$P_{\mathbf{Y}_1|\mathbf{X}_1}(\mathbf{y}_1|\mathbf{x}_1) = \prod_{t=1}^{n_1} \frac{1}{\sqrt{2\pi\sigma_1^2}} \exp\left(-\frac{1}{2} \frac{(y_{1,t} - x_{1,t})^2}{\sigma_1^2}\right), \quad (31)$$

Also, as we are using the meta-converse argument introduced in [5], we assume that $\mathbf{X}_1 \sim \mathcal{N}(0, I_{n_1}P_1)$ and thus

$$P_{\mathbf{Y}_1}(\mathbf{y}_1) = \prod_{t=1}^{n_1} \frac{1}{\sqrt{2\pi\sigma_1^2(1 + \Omega_1)}} \exp\left(-\frac{1}{2} \frac{(y_{1,t})^2}{\sigma_1^2(1 + \Omega_1)}\right). \quad (32)$$

For a given $\beta \in [0, 1]$, $\mathbf{X}_2^{(1)} \sim \mathcal{N}(0, I_{n_2}\beta P_2)$ and $\mathbf{X}_2^{(2)} \sim \mathcal{N}(0, I_{n_2}(1 - \beta)P_2)$, then the transition probability density of the the second channel is

$$\begin{aligned} & P_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}(\mathbf{y}_2|\mathbf{x}_2^{(1)}) \\ &= \prod_{t=1}^{n_2} \frac{1}{\sqrt{2\pi\sigma_2^2(1 + \Omega_3)}} \exp\left(-\frac{1}{2} \frac{(y_{2,t} - x_{2,t}^{(1)})^2}{\sigma_2^2(1 + \Omega_3)}\right), \end{aligned} \quad (33)$$

and similarly

$$P_{\mathbf{Y}_2}(\mathbf{y}_2) = \prod_{t=1}^{n_2} \frac{1}{\sqrt{2\pi(\sigma_2^2 + P_2)}} \exp\left(-\frac{1}{2} \frac{(y_{2,t})^2}{\sigma_2^2 + P_2}\right). \quad (34)$$

The log-likelihood ratio over the first and the second channels thus is

$$\Lambda(\mathbf{y}_1, \mathbf{y}_2, \mathbf{x}) = \ln \left(\frac{P_{\mathbf{Y}_1|\mathbf{X}_1}(\mathbf{y}_1|\mathbf{x}_1) \times P_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}(\mathbf{y}_2|\mathbf{x}_2^{(1)})}{P_{\mathbf{Y}_1}(\mathbf{y}_1) \times P_{\mathbf{Y}_2}(\mathbf{y}_2)} \right). \quad (35)$$

According to the meta-converse bound presented in [5], ϵ_1 is lower bounded by

$$\epsilon_1 \geq \mathbb{P}[\Lambda(\mathbf{y}_1, \mathbf{y}_2, \mathbf{x}) < (n_1 + n_2)\lambda], \quad (36)$$

with $\mathbf{y}_1 \sim P_{\mathbf{Y}_1|\mathbf{X}_1}$ and $\mathbf{y}_2 \sim P_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}$. For a fixed rate $R_1 = 1/(n_1 + n_2) \log M$, the parameter λ is set by the constraint

$$\mathbb{P}[\Lambda(\mathbf{y}_1, \mathbf{y}_2, \mathbf{x}) \geq (n_1 + n_2)\lambda] = 2^{-(n_1+n_2)R_1}. \quad (37)$$

In the following, we start by calculating the following probability

$$\begin{aligned} & \mathbb{P}[\Lambda(\mathbf{y}_1, \mathbf{y}_2, \mathbf{x}) < (n_1 + n_2)\lambda] \\ &= \mathbb{P} \left[\ln \left(\frac{P_{\mathbf{Y}_1|\mathbf{X}_1}(\mathbf{y}_1|\mathbf{x}_1)}{P_{\mathbf{Y}_1}(\mathbf{y}_1)} \right) + \ln \left(\frac{P_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}(\mathbf{y}_2|\mathbf{x}_2^{(1)})}{P_{\mathbf{Y}_2}(\mathbf{y}_2)} \right) < (n_1 + n_2)\lambda \right] \\ &= \mathbb{P} \left[\ln \left(\frac{\frac{1}{(\sqrt{2\pi\sigma_1^2})^{n_1}} \exp\left(-\frac{\|\mathbf{y}_1 - \mathbf{x}_1\|^2}{2\sigma_1^2}\right)}{\frac{1}{(\sqrt{2\pi(\sigma_1^2 + P_1)})^{n_1}} \exp\left(-\frac{\|\mathbf{y}_1\|^2}{2(\sigma_1^2 + P_1)}\right)} \right) \right] \end{aligned}$$

$$\begin{aligned}
& + \ln \left(\frac{\frac{1}{(\sqrt{2\pi}(\sigma_2^2 + (1-\beta)P_2))^{n_2}} \exp\left(-\frac{\|\mathbf{y}_2 - \mathbf{x}_2^{(1)}\|^2}{2(\sigma_2^2 + (1-\beta)P_2)}\right)}{\frac{1}{(\sqrt{2\pi}(\sigma_2^2 + P_2))^{n_2}} \exp\left(-\frac{\|\mathbf{y}_2\|^2}{2(\sigma_2^2 + P_2)}\right)} \right) < (n_1 + n_2)\lambda \Big] \\
& = \mathbb{P} \left[\frac{1}{2n_1} \ln \left(1 + \frac{P_1}{\sigma_1^2} \right) - \frac{1}{2} \left(\frac{\|\mathbf{y}_1 - \mathbf{x}_1\|^2}{\sigma_1^2} - \frac{\|\mathbf{y}_1\|^2}{\sigma_1^2(1 + \frac{P_1}{\sigma_1^2})} \right) \right. \\
& \quad \left. - \frac{1}{2} \left(\frac{\|\mathbf{y}_2 - \mathbf{x}_2^{(1)}\|^2}{\sigma_2^2 + (1-\beta)P_2} - \frac{\|\mathbf{y}_2\|^2}{(\sigma_2^2 + (1-\beta)P_2)(1 + \frac{\beta P_2}{\sigma_2^2 + (1-\beta)P_2})} \right) \right. \\
& \quad \left. + \frac{1}{2n_2} \ln \left(1 + \frac{\beta P_2}{\sigma_2^2 + (1-\beta)P_2} \right) < (n_1 + n_2)\lambda \right] \tag{38}
\end{aligned}$$

$$\begin{aligned}
& = \mathbb{P} \left[-\frac{1}{2} \left(\frac{\|\mathbf{y}_1 - \mathbf{x}_1\|^2}{\sigma_1^2} - \frac{\|\mathbf{y}_1\|^2}{\sigma_1^2(1 + \Omega_1)} + \frac{\|\mathbf{y}_2 - \mathbf{x}_2^{(1)}\|^2}{\sigma_2^2(1 + \Omega_3)} - \frac{\|\mathbf{y}_2\|^2}{\sigma_2^2(1 + \Omega_3)(1 + \Omega_2)} \right) \right. \\
& \quad \left. < (n_1 + n_2)\lambda - \frac{1}{2n_1} \ln(1 + \Omega_1) - \frac{1}{2n_2} \ln(1 + \Omega_2) \right] \tag{39}
\end{aligned}$$

Define

$$\tilde{\lambda} \triangleq -2(n_1 + n_2)\lambda + \frac{1}{n_1} \ln(1 + \Omega_1) + \frac{1}{n_2} \ln(1 + \Omega_2). \tag{40}$$

Thus

$$\mathbb{P}[\Lambda(\mathbf{y}, \mathbf{x}) < (n_1 + n_2)\lambda] \tag{41}$$

$$= \mathbb{P} \left[\frac{\|\mathbf{y}_1 - \mathbf{x}_1\|^2}{\sigma_1^2} - \frac{\|\mathbf{y}_1\|^2}{\sigma_1^2(1 + \Omega_1)} + \frac{\|\mathbf{y}_2 - \mathbf{x}_2^{(1)}\|^2}{\sigma_2^2(1 + \Omega_3)} - \frac{\|\mathbf{y}_2\|^2}{\sigma_2^2(1 + \Omega_3)(1 + \Omega_2)} > \tilde{\lambda} \right] \tag{42}$$

$$= \mathbb{P} \left[\frac{1}{\sigma_1^2} \sum_{t=1}^{n_1} \left((y_{1,t} - x_{1,t})^2 - \frac{y_{1,t}^2}{1 + \Omega_1} \right) + \frac{1}{\sigma_2^2(1 + \Omega_3)} \sum_{t=1}^{n_2} \left((y_{2,t} - x_{2,t}^{(1)})^2 - \frac{y_{2,t}^2}{1 + \Omega_2} \right) > \tilde{\lambda} \right] \tag{43}$$

$$\begin{aligned}
& = \mathbb{P} \left[\frac{\Omega_1}{\sigma_1^2(1 + \Omega_1)} \sum_{t=1}^{n_1} \left(y_{1,t}^2 + \frac{(1 + \Omega_1)}{\Omega_1} x_{1,t}^2 - 2y_{1,t}x_{1,t} \frac{(1 + \Omega_1)}{\Omega_1} \right) \right. \\
& \quad \left. + \frac{\Omega_2}{\sigma_2^2(1 + \Omega_3)(1 + \Omega_2)} \sum_{t=1}^{n_2} \left(y_{2,t}^2 + \frac{(1 + \Omega_2)}{\Omega_2} (x_{2,t}^{(1)})^2 - 2y_{2,t}x_{2,t}^{(1)} \frac{(1 + \Omega_2)}{\Omega_2} \right) > \tilde{\lambda} \right] \tag{44}
\end{aligned}$$

$$\begin{aligned}
& = \mathbb{P} \left[\frac{\Omega_1}{\sigma_1^2(1 + \Omega_1)} \sum_{t=1}^{n_1} \left(\left(y_{1,t} - \frac{(1 + \Omega_1)}{\Omega_1} x_{1,t} \right)^2 + \frac{(1 + \Omega_1)}{\Omega_1} x_{1,t}^2 - \frac{(1 + \Omega_1)^2}{\Omega_1^2} x_{1,t}^2 \right) \right. \\
& \quad \left. + \frac{\Omega_2}{\sigma_2^2(1 + \Omega_3)(1 + \Omega_2)} \sum_{t=1}^{n_2} \left(\left(y_{2,t} - \frac{(1 + \Omega_2)}{\Omega_2} x_{2,t}^{(1)} \right)^2 + \frac{(1 + \Omega_2)}{\Omega_2} (x_{2,t}^{(1)})^2 - \frac{(1 + \Omega_2)^2}{\Omega_2^2} (x_{2,t}^{(1)})^2 \right) > \tilde{\lambda} \right] \tag{45}
\end{aligned}$$

$$\begin{aligned}
& = \mathbb{P} \left[\frac{\Omega_1}{\sigma_1^2(1 + \Omega_1)} \|\mathbf{y}_1 - \frac{(1 + \Omega_1)}{\Omega_1} \mathbf{x}_1\|^2 - \frac{\Omega_1}{\sigma_1^2(1 + \Omega_1)} \times \frac{1 + \Omega_1}{\Omega_1^2} \times \|\mathbf{x}_1\|^2 \right. \\
& \quad \left. + \frac{\Omega_2}{\sigma_2^2(1 + \Omega_3)(1 + \Omega_2)} \|\mathbf{y}_2 - \frac{(1 + \Omega_2)}{\Omega_2} \mathbf{x}_2^{(1)}\|^2 - \frac{\Omega_2}{\sigma_2^2(1 + \Omega_3)(1 + \Omega_2)} \times \frac{1 + \Omega_2}{\Omega_2^2} \times \|\mathbf{x}_2^{(1)}\|^2 > \tilde{\lambda} \right]. \tag{46}
\end{aligned}$$

Note that $\|\mathbf{x}_1\|^2 = n_1 P_1 = n_1 \Omega_1 \sigma_1^2$ and $\|\mathbf{x}_2^{(1)}\|^2 = n_2 \beta P_2 = n_2 \Omega_2 (1 + \Omega_3) \sigma_2^2$. Thus

$$\mathbb{P}[\Lambda(\mathbf{y}, \mathbf{x}) < (n_1 + n_2)\lambda] \tag{47}$$

$$= \mathbb{P} \left[\frac{\Omega_1}{\sigma_1^2(1+\Omega_1)} \|\mathbf{y}_1 - \frac{(1+\Omega_1)}{\Omega_1} \mathbf{x}_1\|^2 + \frac{\Omega_2}{\sigma_2^2(1+\Omega_3)(1+\Omega_2)} \|\mathbf{y}_2 - \frac{(1+\Omega_2)}{\Omega_2} \mathbf{x}_2^{(1)}\|^2 > \tilde{\lambda} + n_1 + \beta n_2 \right] \quad (48)$$

$$= \mathbb{P} \left[\frac{\Omega_1}{(1+\Omega_1)} \left\| \frac{\mathbf{y}_1}{\sigma_1} - \frac{(1+\Omega_1)}{\sigma_1 \Omega_1} \mathbf{x}_1 \right\|^2 + \frac{\Omega_2}{(1+\Omega_2)} \left\| \frac{\mathbf{y}_2}{\sqrt{(1+\Omega_3)}\sigma_2} - \frac{(1+\Omega_2)}{\sigma_2 \Omega_2 \sqrt{(1+\Omega_3)}} \mathbf{x}_2^{(1)} \right\|^2 > \tilde{\lambda}_1 + n_1 + \beta n_2 \right]. \quad (49)$$

Note that $\mathbf{y}_1 \sim \mathcal{N}(\mathbf{x}_1, I_{n_1} \sigma_1^2)$ and $\mathbf{y}_2 \sim \mathcal{N}(\mathbf{x}_2^{(1)}, I_{n_2} \sigma_2^2 (1+\Omega_3))$. Define

$$\|\mathbf{b}_1\|^2 \triangleq \left\| \frac{\mathbf{y}_1}{\sigma_1} - \frac{1+\Omega_1}{\sigma_1 \Omega_1} \mathbf{x}_1 \right\|^2 \quad (50)$$

and thus $\mathbf{b}_1 \sim \mathcal{N}(-\mathbf{x}_1/(\sigma_1 \Omega_1), I_{n_1})$. Similarly, define

$$\|\mathbf{b}_2\|^2 \triangleq \left\| \frac{\mathbf{y}_2}{\sigma_2 \sqrt{(1+\Omega_3)}} - \frac{(1+\Omega_2)}{\Omega_2 \sigma_2 \sqrt{1+\Omega_3}} \mathbf{x}_2^{(1)} \right\|^2 \quad (51)$$

and thus $\mathbf{b}_2 \sim \mathcal{N}(-\mathbf{x}_2^{(1)}/(\Omega_2 \sigma_2 \sqrt{1+\Omega_3}), I_{n_2})$.

Definition 2 (The non-central chi-square distribution) Let a_1, a_2, \dots, a_n be independent random variables and $a_j \sim \mathcal{N}(\eta_j, \sigma^2)$, for $j = 1, \dots, n$. The distribution of the random variable $L = (a_1^2 + a_2^2 + \dots + a_n^2)/\sigma^2$ is called the non-central chi-square with degree of n and the non-central parameter $\ell = (\eta_1^2 + \dots + \eta_n^2)/\sigma^2$.

As a result of the above definition, we have

$$v_1 \triangleq \|\mathbf{b}_1\|^2 = \sum_{t=1}^{n_1} b_{1,t}^2, v_1 \sim \mathcal{X}^2(n_1, \ell_1), \quad (52)$$

$$v_2 \triangleq \|\mathbf{b}_2\|^2 = \sum_{t=1}^{n_2} b_{2,t}^2, v_2 \sim \mathcal{X}^2(n_2, \ell_2). \quad (53)$$

where

$$\ell_1 = \frac{\|\mathbf{x}_1\|^2}{\sigma_1^2 \Omega_1^2} = \frac{\Omega_1 \sigma_1^2 n_1}{\sigma_1^2 \Omega_1^2} = \frac{n_1}{\Omega_1}, \quad (54)$$

$$\ell_2 = \frac{\|\mathbf{x}_2^{(1)}\|^2}{\Omega_2^2 \sigma_2^2 (1+\Omega_3)} = \frac{n_2 \Omega_2 (1+\Omega_3) \sigma_2^2}{\Omega_2^2 \sigma_2^2 (1+\Omega_3)} = \frac{n_2}{\Omega_2}. \quad (55)$$

Thus

$$\mathbb{P}[\Lambda(\mathbf{y}_1, \mathbf{y}_2, \mathbf{x}) < (n_1 + n_2)\lambda] = \mathbb{P} \left[\frac{\Omega_1}{1+\Omega_1} v_1 + \frac{\Omega_2}{1+\Omega_2} v_2 > \lambda \right], \quad (56)$$

where

$$v_1 \sim \mathcal{X}^2 \left(n_1, \frac{n_1}{\Omega_1} \right), \quad v_2 \sim \mathcal{X}^2 \left(n_2, \frac{n_2}{\Omega_2} \right), \quad (57)$$

and

$$\lambda_1 = -2(n_1 + n_2)\lambda + \frac{1}{n_1}\ln(1 + \Omega_1) + \frac{1}{n_2}\ln(1 + \Omega_2) + n_1 + \beta n_2. \quad (58)$$

To calculate the above probability, we use the following theorem.

Theorem 4 Let u_1, \dots, u_n be independent random variables and $u_i \sim \mathcal{X}^2(s_i, \ell_i)$, then the random variable

$$Q = \sum_{i=1}^n \Omega_i u_i \quad (59)$$

has the following cumulative distribution function (CDF):

$$\begin{aligned} \mathbb{P}\{Q \leq y\} &= F_Q(y) \\ &= \frac{\exp\left(-\frac{y}{2\rho}\right) y^{s/2}}{(2\rho)^{s/2+1} \Gamma(s/2+1)} \sum_{k \geq 0} \frac{k! m_k}{(s/2+1)_k} \mathcal{L}_k^{s/2} \left(\frac{(s+2)y}{4\rho\eta_0} \right), \end{aligned} \quad (60)$$

where $\mathcal{L}_k^\alpha(\cdot)$ is the k -th generalized Laguerre polynomial and $\Gamma(\cdot)$ is the Gamma function. Here, $\eta_0 > 0$, $\rho > 0$, $s = \sum_{i=1}^n s_i$,

$$m_k = \frac{1}{k} \sum_{j=0}^{k-1} m_j d_{k-j}, \quad k \geq 1 \quad (61)$$

$$\begin{aligned} m_0 &= 2 \left(\frac{s}{2} + 1 \right)^{s/2+1} \exp \left(-\frac{1}{2} \sum_{i=1}^n \frac{\ell_i \Omega_i (s/2 + 1 - \eta_0)}{\rho\eta_0 + \Omega_i (s/2 + 1 - \eta_0)} \right) \\ &\quad \times \frac{\rho^{s/2+1}}{s/2 + 1 - \eta_0} \prod_{i=1}^n (\rho\eta_0 + \Omega_i (s/2 + 1 - \eta_0))^{-s_i/2} \end{aligned} \quad (62)$$

$$\begin{aligned} d_j &= -\frac{j\rho(s/2+1)}{2\eta_0} \sum_{i=1}^n \ell_i \Omega_i (\rho - \Omega_i)^{j-1} \left(\frac{\eta_0}{\rho\eta_0 + \Omega_i (s/2 + 1 - \eta_0)} \right)^{j+1} \\ &\quad + \left(\frac{-\eta_0}{s/2 + 1 - \eta_0} \right)^j + \sum_{i=1}^n \frac{s_i}{2} \left(\frac{\eta_0 (\rho - \Omega_i)}{\rho\eta_0 + \Omega_i (s/2 + 1 - \eta_0)} \right)^j \end{aligned} \quad (63)$$

and

$$(c)_k = \begin{cases} 1, & \text{if } k = 0 \\ c(c+1) \dots (c+k-1), & \text{O.W.} \end{cases} \quad (64)$$

Proof: See [13]. ■

By defining Q_1 as in (17), the bound in (19) is proved. The bound in (20) is proved similarly.

B Proof of Theorem 2

For a given $\beta \in [0, 1]$, define the following random coding distributions:

$$P_{\mathbf{X}_1}(\mathbf{x}) \triangleq \frac{\delta(\|\mathbf{x}_1\|_2^2 - n_1 P_1)}{S_{n_1}(\sqrt{n_1 P_1})}, \quad (65)$$

$$P_{\mathbf{X}_2}^{(1)}(\mathbf{x}) \triangleq \frac{\delta(\|\mathbf{x}_2^{(1)}\|_2^2 - n_2 \beta P_2)}{S_{n_2}(\sqrt{n_2 \beta P_2})}, \quad (66)$$

$$P_{\mathbf{X}_2}^{(2)}(\mathbf{x}) \triangleq \frac{\delta(\|\mathbf{x}_2^{(2)}\|_2^2 - n_2(1-\beta)P_2)}{S_{n_2}(\sqrt{n_2(1-\beta)P_2})}, \quad (67)$$

$$P_{\mathbf{X}_3}(\mathbf{x}) \triangleq \frac{\delta(\|\mathbf{x}_3\|_2^2 - n_3P_3)}{S_{n_3}(\sqrt{n_3P_3})}, \quad (68)$$

where $\delta(\cdot)$ is the Dirac delta and

$$S_n(r) = \frac{2\pi^{n/2}}{\gamma(\sqrt{n/2})} r^{n-1} \quad (69)$$

is the surface area of a radius- r sphere in \mathbb{R}^n . Over the first and second channels, we sample M length- $n_1 + n_2$ codewords independently from $P_{\mathbf{X}_1}(\mathbf{x}) \times P_{\mathbf{X}_2}^{(1)}(\mathbf{x})$ to encode m_1 . Over the second and third channels, we sample M length- $n_2 + n_3$ codewords independently from $P_{\mathbf{X}_2}^{(2)}(\mathbf{x}) \times P_{\mathbf{X}_3}(\mathbf{x})$ to encode m_2 .

We start by upper bounding ϵ_1 . Given \mathbf{Y}_1 and \mathbf{Y}_2 , the decoder selects the message m_1 satisfying

$$q(\mathbf{x}(m_1), \mathbf{y}_1, \mathbf{y}_2) > \max_{\tilde{m} \in \{1, \dots, M\} \setminus m_1} q(\mathbf{x}(\tilde{m}), \mathbf{y}_1, \mathbf{y}_2) \quad (70)$$

where

$$q(\mathbf{x}(m_1), \mathbf{y}_1, \mathbf{y}_2) \triangleq \ln \left(\frac{P_{\mathbf{Y}_1|\mathbf{X}_1}(\mathbf{y}_1|\mathbf{x}_1) \times P_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}(\mathbf{y}_2|\mathbf{x}_2^{(1)})}{P_{\mathbf{Y}_1}(\mathbf{y}_1) \times P_{\mathbf{Y}_2}(\mathbf{y}_2)} \right). \quad (71)$$

Theorem 5 (Random coding union bound) *There exists an $(n_1 + n_2, M, \epsilon_1, P_1, P_2)$ -code satisfying*

$$\epsilon_1 \leq \mathbb{E} \left[\min\{1, M\mathbb{P}(q(\bar{\mathbf{X}}; \mathbf{Y}_1, \mathbf{Y}_2) \geq q(\mathbf{X}; \mathbf{Y}_1, \mathbf{Y}_2) | \mathbf{X}, \mathbf{Y}_1, \mathbf{Y}_2)\} \right].$$

where the random variables $(\bar{\mathbf{X}}, \mathbf{X}, \mathbf{Y}_1, \mathbf{Y}_2)$ are distributed as $P_{\mathbf{X}_1}(\bar{\mathbf{x}}) \times P_{\mathbf{X}_2^{(1)}}(\bar{\mathbf{x}}) \times P_{\mathbf{X}_1}(\mathbf{x}) \times P_{\mathbf{X}_2^{(1)}}(\mathbf{x}) \times P_{\mathbf{Y}_1|\mathbf{X}_1}(\mathbf{y}_1|\mathbf{x}_1) \times P_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}(\mathbf{y}_2|\mathbf{x}_2^{(1)})$.

To ease the calculation of the above expectation, we first bound the probability $\mathbb{P}(q(\bar{\mathbf{X}}, \mathbf{Y}_1, \mathbf{Y}_2) \geq t | \mathbf{Y}_1 = \mathbf{y}_1, \mathbf{Y}_2 = \mathbf{y}_2)$ for a constant $t \in \mathbb{R}$. For simplicity, define

$$g(t, \mathbf{y}_1, \mathbf{y}_2) \triangleq \mathbb{P}(q(\bar{\mathbf{X}}, \mathbf{Y}_1, \mathbf{Y}_2) \geq t | \mathcal{E}_1), \quad (72)$$

where $\mathcal{E}_1 \triangleq \{\mathbf{Y}_1 = \mathbf{y}_1, \mathbf{Y}_2 = \mathbf{y}_2\}$. By Bayes rule, we have $P_{\mathbf{X}_1|\mathbf{Y}_1}(\mathbf{x}|\mathbf{y}_1) \times P_{\mathbf{Y}_1}(\mathbf{y}_1) = P_{\mathbf{X}_1}(\mathbf{x}) \times P_{\mathbf{Y}_1|\mathbf{X}_1}(\mathbf{y}_1|\mathbf{x})$ and $P_{\mathbf{X}_2^{(1)}|\mathbf{Y}_2}(\mathbf{x}|\mathbf{y}_2) \times P_{\mathbf{Y}_2}(\mathbf{y}_2) = P_{\mathbf{X}_2^{(1)}}(\mathbf{x}) \times P_{\mathbf{Y}_2|\mathbf{X}_2^{(1)}}(\mathbf{y}_2|\mathbf{x})$ and as a result:

$$P_{\mathbf{X}_1}(\bar{\mathbf{x}})P_{\mathbf{X}_2^{(1)}}(\bar{\mathbf{x}}) = P_{\mathbf{X}_1|\mathbf{Y}_1}(\bar{\mathbf{x}}|\mathbf{y}_1)P_{\mathbf{X}_2^{(1)}|\mathbf{Y}_2}(\bar{\mathbf{x}}|\mathbf{y}_2) \exp(-q(\bar{\mathbf{x}}, \mathbf{y}_1, \mathbf{y}_2)). \quad (73)$$

Thus

$$\begin{aligned} g(t, \mathbf{y}_1, \mathbf{y}_2) &= \int_{\bar{\mathbf{x}}} \mathbb{1}\{q(\bar{\mathbf{x}}, \mathbf{y}_1, \mathbf{y}_2) \geq t\} P_{\mathbf{X}_1}(\bar{\mathbf{x}}) P_{\mathbf{X}_2^{(1)}}(\bar{\mathbf{x}}) d\bar{\mathbf{x}} \\ &= \mathbb{E}[\exp(-q(\mathbf{X}, \mathbf{Y}_1, \mathbf{Y}_2)) \mathbb{1}\{q(\mathbf{X}, \mathbf{Y}_1, \mathbf{Y}_2) \geq t\} | \mathcal{E}_1]. \end{aligned} \quad (74)$$

To calculate the above expectation, we first calculate the probability that for given positive parameters $a \in \mathbb{R}$ and $\eta > 0$, the probability that the metric $q(\mathbf{X}, \mathbf{Y}_1, \mathbf{Y}_2)$ belongs to the interval $[a, a + \eta]$. We then use this probability to bound the probability in (72). To this end, define

$$h(\mathbf{y}_1, \mathbf{y}_2; a, \eta)$$

$$\stackrel{\Delta}{=} \mathbb{P}(q(\mathbf{X}; \mathbf{Y}_1, \mathbf{Y}_2) \in [a, a + \eta] | \mathcal{E}_1) \quad (75)$$

$$= \mathbb{P}\left(\left(\langle \mathbf{X}_1, \mathbf{Y}_1 \rangle + \langle \mathbf{X}_2^{(1)}, \mathbf{Y}_2 \rangle\right) \in [a', a' + \eta] | \mathcal{E}_1\right) \quad (76)$$

where a' is a constant and where (76) follows because \mathbf{Y}_1 is fixed to some constant vector \mathbf{y}_1 and \mathbf{Y}_2 is fixed to some vector \mathbf{y}_2 , and $\|\mathbf{X}_1\|_2^2$ and $\|\mathbf{X}_2^{(1)}\|_2^2$ are also constant.

Define

$$s_1 = \frac{1}{n_1} \|\mathbf{y}_1\|_2^2 \quad \text{and} \quad s_2 = \frac{1}{n_2} \|\mathbf{y}_2\|_2^2 \quad (77)$$

then since $h(\mathbf{y}_1, \mathbf{y}_2; a, \eta)$ depends on \mathbf{y}_1 and \mathbf{y}_2 through their norms, so we can define

$$h(s_1, s_2; a, \eta) \stackrel{\Delta}{=} h(\mathbf{y}_1, \mathbf{y}_2; a, \eta). \quad (78)$$

Consider the following sets of ‘‘typical’’ channel outputs:

$$\mathcal{F}_1 \stackrel{\Delta}{=} \{\mathbf{y}_1 \in \mathbb{R}^{n_1} : \frac{1}{n_1} \|\mathbf{y}_1\|_2^2 \in [P_1 + \sigma_1^2 - \delta_1, P_1 + \sigma_1^2 + \delta_1]\}$$

$$\mathcal{F}_2 \stackrel{\Delta}{=} \{\mathbf{y}_2 \in \mathbb{R}^{n_2} : \frac{1}{n_2} \|\mathbf{y}_2\|_2^2 \in [P_2 + \sigma_2^2 - \delta_2, P_2 + \sigma_2^2 + \delta_2]\}.$$

Assume that $\mathbf{y}_1 \in \mathcal{F}_1$ and $\mathbf{y}_2 \in \mathcal{F}_2$. By introducing the Gaussian random vectors $\mathbf{Z}_1 \sim \mathcal{N}(0, I_{n_1} \sigma_1^2)$ and $\mathbf{Z}_2 \sim \mathcal{N}(0, I_{n_2} \sigma_2^2)$, we have

$$h(s_1, s_2; a, \eta) = \mathbb{P}\left(\left(\langle \mathbf{X}_1, \mathbf{X}_1 + \mathbf{Z}_1 \rangle + \langle \mathbf{X}_2^{(1)}, \mathbf{X}_2 + \mathbf{Z}_2 \rangle\right) \in [a', a' + \eta] | \bar{\mathcal{E}}_1\right)$$

where $\bar{\mathcal{E}}_1 \stackrel{\Delta}{=} \{\|\mathbf{X}_1 + \mathbf{Z}_1\|_2^2 = n_1 s_1, \|\mathbf{X}_2 + \mathbf{Z}_2\|_2^2 = n_2 s_2\}$ Define

$$\mathbf{x}_{0,1} \stackrel{\Delta}{=} (\sqrt{n_1 P_1}, 0, \dots, 0), \quad (79a)$$

$$\mathbf{x}_{0,2} \stackrel{\Delta}{=} (\sqrt{n_2 P_2}, 0, \dots, 0), \quad (79b)$$

$$\mathbf{x}_{0,3} \stackrel{\Delta}{=} (\sqrt{n_2 \beta P_2}, 0, \dots, 0). \quad (79c)$$

to be as fixed vectors on the two spheres. By spherical symmetry, we pick $\mathbf{X}_1 = \mathbf{x}_{0,1}$, $\mathbf{X}_2 = \mathbf{x}_{0,2}$, and $\mathbf{X}_2^{(1)} = \mathbf{x}_{0,3}$. Thus we have:

$$h(s_1, s_2; a, \eta) = \mathbb{P}\left(\left(Z_1 \sqrt{n_1 P_1} + n_1 P_1 + Z_2 \sqrt{n_2 \beta P_2} + \sqrt{\beta} n_2 P_2\right) \in [a', a' + \eta] | \tilde{\mathcal{E}}_1\right).$$

where

$$\tilde{\mathcal{E}}_1 \stackrel{\Delta}{=} \{\|\mathbf{x}_{0,1} + \mathbf{Z}_1\|_2^2 = n_1 s_1 \text{ and } \|\mathbf{x}_{0,2} + \mathbf{Z}_2\|_2^2 = n_2 s_2\}. \quad (80)$$

Define

$$U_1 = \frac{Z_1 + \sqrt{n_1 P_1}}{\sqrt{n_1 s_1}} \quad \text{and} \quad U_2 = \frac{Z_2 + \sqrt{n_2 P_2}}{\sqrt{n_2 s_2}}. \quad (81)$$

Thus

$$h(s_1, s_2; a, \eta) = \mathbb{P}\left(\left(n_1 \sqrt{P_1 s_1} U_1 + n_2 \sqrt{\beta P_2 s_2} U_2\right) \in [a', a' + \eta] | \tilde{\mathcal{E}}_1\right).$$

Since U_i for $i \in \{1, 2\}$ takes values in $[-1, 1]$, and according to [12], the conditional density of U_1 and U_2 given $\tilde{\mathcal{E}}_1$ are

$$f_{U_1 | \tilde{\mathcal{E}}_1}(u_1) = \frac{1}{F_{n_1}} (1 - u_1^2)^{(n_1-3)/2} \exp(n_1 \sqrt{P_1 s_1} u_1) \mathbb{1}\{u_1 \in [-1, 1]\} \quad (82)$$

$$f_{U_2|\tilde{\mathcal{E}}_1}(u_2) = \frac{1}{F_{n_2}}(1 - u_2^2)^{(n_2-3)/2} \exp(n_2\sqrt{P_2s_2}u_2) \mathbb{1}\{u_2 \in [-1, 1]\}, \quad (83)$$

where

$$F_{n_1} \triangleq \int_{-1}^1 (1 - u_1^2)^{(n_1-3)/2} \exp(n_1\sqrt{P_1s_1}u_1) du_1 \quad (84)$$

$$F_{n_2} \triangleq \int_{-1}^1 (1 - u_2^2)^{(n_2-3)/2} \exp(n_2\sqrt{P_2s_2}u_2) du_2. \quad (85)$$

With the following lemma, we can bound the conditional density of U_1 and U_2 given that \mathcal{E} .

Lemma 6 Define the function

$$L(P, s) \triangleq \frac{(2Ps)^2}{\sqrt{2\pi}} \cdot \sqrt{\frac{1 + 4Ps - \sqrt{1 + 4Ps}}{(\sqrt{1 + 4Ps} - 1)^5}} \quad (86)$$

the following bound holds:

$$\limsup_{n \rightarrow \infty} \frac{1}{\sqrt{n}} \sup_{u \in [-1, 1]} f_{U|\tilde{\mathcal{E}}_1}(u) \leq L(P, s). \quad (87)$$

Proof: See [12, Appendix B]. ■

Now with the above lemma, we have

$$\begin{aligned} & h(s_1, s_2; a, \eta) \quad (88) \\ &= \int_{-1}^1 \mathbb{P}\left(\left(n_1\sqrt{P_1s_1}U_1 + n_2\sqrt{\beta P_2s_2}U_2\right) \in [a, a + \eta] \middle| U_1 = u_1, \tilde{\mathcal{E}}_1\right) f_{U_1|\tilde{\mathcal{E}}_1}(u_1) du_1 \\ &= \int_{-1}^1 \mathbb{P}\left(n_2\sqrt{\beta P_2s_2}U_2 \in [a_3 + n_1\sqrt{P_1s_1}u_1, a + n_1\sqrt{P_1s_1}u_1 + \eta] \middle| U_1 = u_1, \tilde{\mathcal{E}}_1\right) f_{U_1|\tilde{\mathcal{E}}_1}(u_1) du_1 \\ &= \int_{-1}^1 \int_{(a+n_1\sqrt{P_1s_1}u_1)/n_2\sqrt{\beta P_2s_2}}^{(a_3+n_1\sqrt{P_1s_1}u_1)/n_2\sqrt{\beta P_2s_2}} f_{U_2|\mathcal{E}}(u_2) du_2 f_{U_1|\tilde{\mathcal{E}}_1}(u_1) du_1 \\ &\leq \int_{-1}^1 \int_{(a+n_1\sqrt{P_1s_1}u_1)/n_2\sqrt{\beta P_2s_2}}^{(a+n_1\sqrt{P_1s_1}u_1)/n_2\sqrt{\beta P_2s_2}} L(\beta P_2, s_2) \sqrt{n_2} du_2 f_{U_1|\tilde{\mathcal{E}}_1}(u_1) du_1 \\ &= \int_{-1}^1 \frac{L(P_2, s_2)\eta}{\sqrt{n_2\beta P_2s_2}} f_{U_1|\tilde{\mathcal{E}}_1}(u_1) du_1 \\ &= \frac{L(P_2, s_2)\eta}{\sqrt{n_2\beta P_2s_2}}. \end{aligned}$$

By repeating similar steps with the assumption that $U_2 = u_2$, one can conclude that

$$h(s_1, s_2; a, \eta) \leq \min \left\{ \frac{L(P_2, s_2)\eta}{\sqrt{n_2\beta P_2s_2}}, \frac{L(P_1, s_1)\eta}{\sqrt{n_1P_1s_1}} \right\} \quad (89)$$

Now to find the probability in (72), we slice the interval $[t, +\infty)$ into non-overlapping segments

$$\{[t + l\eta, t + (l + 1)\eta) : l \in \mathbb{N} \cup \{0\}\} \quad (90)$$

where $\eta > 0$ is a constant. Thus

$$\mathbb{P}(q(\bar{\mathbf{X}}; \mathbf{Y}_1, \mathbf{Y}_2) \geq t | \mathbf{Y}_1 = \mathcal{E}_1) \quad (91)$$

$$= \mathbb{E} \left[\exp(-q(\mathbf{X}; \mathbf{Y}_1, \mathbf{Y}_2)) \mathbb{1}\{q(\mathbf{X}; \mathbf{Y}_1, \mathbf{Y}_2) \geq t\} \middle| \mathcal{E}_1 \right] \quad (92)$$

$$\leq \sum_{l=0}^{\infty} e^{-t-l\eta} \mathbb{P} \left(t + l\eta \leq q(\mathbf{X}; \mathbf{Y}_1, \mathbf{Y}_2) < t + (l+1)\eta \middle| \mathcal{E}_1 \right) \quad (93)$$

$$\leq \sum_{l=0}^{\infty} e^{-t-l\eta} \min \left\{ \frac{L(P_2, s_2)\eta}{\sqrt{n_2\beta P_2 s_2}}, \frac{L(P_1, s_1)\eta}{\sqrt{n_1 P_1 s_1}} \right\} \quad (94)$$

$$= \frac{\exp(-t)}{1 - \exp(-\eta)} \min \left\{ \frac{L(P_2, s_2)\eta}{\sqrt{n_2\beta P_2 s_2}}, \frac{L(P_1, s_1)\eta}{\sqrt{n_1 P_1 s_1}} \right\}. \quad (95)$$

As a result,

$$g(t, \mathbf{y}_1, \mathbf{y}_2) = \mathbb{P}(q(\bar{\mathbf{X}}; \mathbf{Y}_1, \mathbf{Y}_2) \geq t | \mathcal{E}_1) \leq G_1 \cdot e^{-t} \quad (96)$$

where

$$G_1 \triangleq \frac{1}{1 - \exp(-\eta)} \min \left\{ \frac{L(P_2, s_2)\eta}{\sqrt{n_2\beta P_2 s_2}}, \frac{L(P_1, s_1)\eta}{\sqrt{n_1 P_1 s_1}} \right\}. \quad (97)$$

Define

$$\mathcal{E}_2 \triangleq \{\mathbf{Y}_1 \in \mathcal{F}_1, \mathbf{Y}_2 \in \mathcal{F}_2\}, \quad (98)$$

then we can rewrite the RCU bound in (72) as:

$$\begin{aligned} \epsilon_1 &\leq \mathbb{E} [\min\{1, Mg(q(\mathbf{X}; \mathbf{Y}_1, \mathbf{Y}_2), \mathbf{Y}_1, \mathbf{Y}_2)\}] \quad (99) \\ &\leq \mathbb{P}\{\mathcal{E}_2^c\} + \mathbb{E} \left[\min\{1, Mg(q(\mathbf{X}; \mathbf{Y}_1, \mathbf{Y}_2), \mathbf{Y}_1, \mathbf{Y}_2)\} \middle| \mathcal{E}_2 \right] \mathbb{P}\{\mathcal{E}_2\} \\ &= \mathbb{P}\{\mathcal{E}_2^c\} + \mathbb{E} \left[\min\{1, MG_1 e^{-q(\mathbf{X}; \mathbf{Y}_1, \mathbf{Y}_2)}\} \middle| \mathcal{E}_2 \right] \mathbb{P}\{\mathcal{E}_2\} \\ &\leq \mathbb{P}\{\mathcal{E}_2^c\} + \mathbb{P}\{\mathcal{E}_2\} \left(\mathbb{P} \left(q(\mathbf{X}, \mathbf{Y}_1, \mathbf{Y}_2) \leq \ln(MG_1) \middle| \mathcal{E}_2 \right) \right. \\ &\quad \left. + MG_1 \mathbb{E} \left[\mathbb{1}\{q(\mathbf{X}, \mathbf{Y}_1, \mathbf{Y}_2) > \ln(MG_1)\} e^{-q(\mathbf{X}, \mathbf{Y}_1, \mathbf{Y}_2)} \middle| \mathcal{E}_2 \right] \right) \\ &\leq \mathbb{P}\{\mathcal{E}_2^c\} + \mathbb{P}\{\mathcal{E}_2\} \left(\mathbb{P} \left(q(\mathbf{X}, \mathbf{Y}_1, \mathbf{Y}_2) \leq \ln(MG_1) \middle| \mathcal{E}_2 \right) + G_1 \right). \quad (100) \end{aligned}$$

To calculate the following probability

$$\mathbb{P} \left(q(\mathbf{X}, \mathbf{Y}_1, \mathbf{Y}_2) \leq \ln(MG_1) \middle| \mathcal{E}_2 \right), \quad (101)$$

let $P_{Y_1}^*(y_1) = \mathcal{N}(y_1; 0, P_1 + \sigma_1^2)$ and $P_{Y_2}^*(y_2) = \mathcal{N}(y_2; 0, P_2 + \sigma_2^2)$ be the capacity-achieving output distributions over the first block and the second block, respectively. Then as shown in [5, Lemma 6], given that $\mathbf{y}_1 \in \mathcal{F}_1$ and $\mathbf{y}_2 \in \mathcal{F}_2$, we have

$$\sup_{\mathbf{y}_1 \in \mathcal{F}_1} \frac{P_{Y_1}(\mathbf{y}_1)}{P_{Y_1}^*(\mathbf{y}_1)} \leq J_1 \quad \text{and} \quad \sup_{\mathbf{y}_2 \in \mathcal{F}_2} \frac{P_{Y_2}(\mathbf{y}_2)}{P_{Y_2}^*(\mathbf{y}_2)} \leq J_2, \quad (102)$$

where J_1 and J_2 are finite constants. Thus

$$\begin{aligned} &\mathbb{P} \left(q(\mathbf{X}, \mathbf{Y}_1, \mathbf{Y}_2) \leq \ln(MG_1) \middle| \mathcal{E}_2 \right) \mathbb{P}\{\mathcal{E}_2\} \\ &\leq \mathbb{P} \left(q(\mathbf{X}, \mathbf{Y}_1^*, \mathbf{Y}_2^*) \leq \ln(MG_1 J_1 J_2) \right) \\ &= \mathbb{P} \left[\frac{\Omega_1}{(1 + \Omega_1)} \left\| \frac{\mathbf{y}_1^*}{\sigma_1} - \frac{(1 + \Omega_1)}{\sigma_1 \Omega_1} \mathbf{x}_1 \right\|^2 \right] \end{aligned}$$

$$\begin{aligned}
& + \frac{\Omega_2}{(1+\Omega_2)} \left\| \frac{\mathbf{y}_2^*}{\sqrt{(1+\Omega_3)\sigma_2}} - \frac{(1+\Omega_2)}{\sigma_2\Omega_2\sqrt{(1+\Omega_3)}} \mathbf{x}_2^{(1)} \right\|^2 > \Delta_1 \Big] \\
& \stackrel{(a)}{=} \mathbb{P} \left[\frac{\Omega_1}{1+\Omega_1} v_1 + \frac{\Omega_2}{1+\Omega_2} v_2 > \Delta_1 \right] \\
& \stackrel{(b)}{=} 1 - F_{Q_1}(\Delta_1), \tag{103}
\end{aligned}$$

where in (a),

$$\Delta_1 \triangleq -2\ln(MG_1J_1J_2) + \frac{1}{n_1}\ln(1+\Omega_1) + \frac{1}{n_2}\ln(1+\Omega_2) + n_1 + \beta n_2. \tag{104}$$

and

$$v_1 \triangleq \left\| \frac{\mathbf{y}_1}{\sigma_1} - \frac{1+\Omega_1}{\sigma_1\Omega_1} \mathbf{x}_1 \right\|^2, \tag{105}$$

$$v_2 \triangleq \left\| \frac{\mathbf{y}_2}{\sigma_2\sqrt{(1+\Omega_3)}} - \frac{(1+\Omega_2)}{\Omega_2\sigma_2\sqrt{1+\Omega_3}} \mathbf{x}_2^{(1)} \right\|^2. \tag{106}$$

Since v_1 and v_2 follow non-central chi-square distributions, i.e., $v_1 \sim \mathcal{X}^2(n_1, \frac{n_1}{\Omega_1})$ and $v_2 \sim \mathcal{X}^2(n_2, \frac{n_2}{\Omega_2})$, then in step (b) we define

$$Q_1 \triangleq \frac{\Omega_1}{1+\Omega_1} v_1 + \frac{\Omega_2}{1+\Omega_2} v_2 \tag{107}$$

and F_{Q_1} as the CDF of Q_1 . To calculate this CDF, we use Theorem 4.

Finally, to calculate the probability $\mathbb{P}\{\mathcal{E}_2\}$, we use *Cramer's theorem* in [9] and obtain

$$\mathbb{P}\{\mathcal{E}_2\} \geq (1 - \exp(-\kappa_1 n_1 \delta_1^2))(1 - \exp(-\kappa_2 n_2 \delta_2^2)) \tag{108}$$

for some constants κ_1 and κ_2 . By setting $\delta_1 = n_1^{-1/3}$ and $\delta_2 = n_2^{-1/3}$, so

$$\mathbb{P}\{\mathbf{Y}_1 \in \mathcal{F}_1, \mathbf{Y}_2 \in \mathcal{F}_2\} \geq 1 - \zeta_1, \tag{109}$$

where by defining $\zeta_1 \triangleq \exp(-\kappa_1 n_1^{1/3}) + \exp(-\kappa_2 n_2^{1/3}) - \exp(-\kappa_1 n_1^{1/3}) \exp(-\kappa_2 n_2^{1/3})$, the bound in (23) is proved. Similarly one can prove the bound in (24).

References

- [1] P. Popovski, Č. Stefanović, J. J. Nielsen, E. de Carvalho, M. Angjelichinoski, K. F. Trillingsgaard and A. Bana, "Wireless access in ultra-reliable low-latency communication (URLLC)," in *IEEE Trans. on Communications*, vol. 67, no. 8, pp. 5783–5801, Aug. 2019.
- [2] X. Ge, "Ultra-reliable low-latency communications in autonomous vehicular networks," in *IEEE Trans. on Vehicular Technology*, vol. 68, no. 5, pp. 5005–5016, May 2019.
- [3] M. Shirvanimoghaddam et al., "Short block-length codes for ultra-reliable low latency communications," in *IEEE Communications Magazine*, vol. 57, no. 2, pp. 130–137, Feb. 2019.
- [4] X. Zhang, J. Wang and H. V. Poor, "Statistical QoS-driven energy-efficiency optimization for URLLC over 5G mobile wireless networks in the finite blocklength regime," in *Info. Sciences and Systems*, pp. 1–6, 2019.

-
- [5] Y. Polyanskiy, H. V. Poor and S. Verdú, "Channel coding rate in the finite blocklength regime," in *IEEE Trans. on Info. Theory*, vol. 56, no. 5, pp. 2307–2359, May, 2010.
- [6] N. Shulman and M. Feder. "Static broadcasting", *IEEE International Symposium on Info. Theory (ISIT)*, 2000.
- [7] N. Shulman, "Communication over an unknown channel via common broadcasting". PhD thesis. *Tel-Aviv University*, 2003.
- [8] M. Langberg and M. Effros, "Beyond capacity: The joint time-rate region", *arXiv:2101.12236v1*, Jan. 2021.
- [9] I. Csiszàr and J. Körner, "Information theory", *New York: Academic Press*, 1981.
- [10] J. Scarlett, "On the dispersions of the Gel'fand - Pinsker channel and dirty paper coding," in *IEEE Trans. on Info Theory*, vol. 61, no. 9, pp. 4569-4586, Sept. 2015.
- [11] T. Erseghe, "Coding in the finite-blocklength regime: Bounds based on Laplace integrals and their asymptotic approximations," in *IEEE Trans. on Info. Theory*, vol. 62, no. 12, pp. 6854–6883, Dec. 2016.
- [12] V. Y. F. Tan and M. Tomamichel, "The third-order term in the normal approximation for the AWGN channel," in *IEEE Trans. on Info. Theory*, vol. 61, no. 5, pp. 2430–2438, May 2015.
- [13] A. Castaño-Martínez and F. López-Blázquez, "Distribution of a sum of weighted non-central chi-square variables", *TEST*, vol. 14, no. 2, pp. 397–415, 2005.



**RESEARCH CENTRE
GRENOBLE – RHÔNE-ALPES**

Inovallée
655 avenue de l'Europe Montbonnot
38334 Saint Ismier Cedex

Publisher
Inria
Domaine de Voluceau - Rocquencourt
BP 105 - 78153 Le Chesnay Cedex
inria.fr

ISSN 0249-6399