



HAL
open science

A Framework for Distributed XML Data Management

Serge Abiteboul, Ioana Manolescu, Emanuel Taropa

► **To cite this version:**

Serge Abiteboul, Ioana Manolescu, Emanuel Taropa. A Framework for Distributed XML Data Management. Extending Database Technology, Mar 2006, Munich/Germany, Germany. inria-00001033

HAL Id: inria-00001033

<https://inria.hal.science/inria-00001033>

Submitted on 16 Jan 2006

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

A Framework for Distributed XML Data Management

Serge Abiteboul¹, Ioana Manolescu¹, and Emanuel Taropa^{1,2}

¹ INRIA Futurs & LRI, France, firstname.lastname@inria.fr

² CS Department, Yonsei University, Korea

Abstract. As data management applications grow more complex, they may need efficient distributed query processing, but also subscription management, data archival etc. To enact such applications, the current solution consists of stacking several systems together. The juxtaposition of different computing models prevents reasoning on the application as a whole, and wastes important opportunities to improve performance. We present a simple extension to the AXML [7] language, allowing it to declaratively specify and deploy complex applications based solely on XML and XML queries. Our main contribution is a full algebraic model for complex distributed AXML computations. While very expressive, the model is conceptually uniform, and enables numerous powerful optimizations across a distributed complex process.¹

1 Introduction

Distributed data management has been an important domain of research almost since the early days of databases [15]. With the development of the Web and the existence of universal standards for data exchange, this problem arguably became the most essential challenge to the database community. The problem as considered in distributed relational systems was already very complex. With the heterogeneity and autonomy of sources, it is now even more difficult.

The language Active XML based on the embedding of service calls inside XML documents has been proposed for distributed data management. Several works have shown that the exchange of such documents provides a powerful support for distributed optimization [1,2,3]. However, these works proposed isolated solutions for isolated tasks, and had to rely on features not present in the language. In this paper, we isolate the missing components and propose an extension that could serve as a unified powerful language for describing, in a very flexible manner the deployment and evaluation of queries in a collaborative manner. The aforementioned techniques, as well as standard distributed query optimization techniques, can all be described based on rewrite rules in the language.

To pursue the analogy with (centralized) relational database, Active XML as originally proposed, is a logical language for describing distributed computation, to which we associated a fixed simple evaluation strategy. Its extension proposed here is an algebraic counterpart that provides for more efficient evaluation.

¹ This work was partially supported by the French Government ACI MDP2P and the eDos EU project.

One missing aspect from Active XML (as originally described) is the capability to control explicitly the shipping of data and queries, although we did use this feature [1]. We explicitly add it here, to allow delegating computations to other peers. We also explicitly introduce generic data and service, which are available on several sites; a particular flavor of this feature was used in [3].

This paper is organized as follows. Section 2 introduces AXML, and shows how the application could be deployed based on AXML. Section 3 holds our main contribution: an algebra for distributed computations, with associated equivalence rules and an optimization methodology. Section 4 concludes.

An application of our methodology to a real-life software distribution application is described in the full version of this paper [4].

2 Preliminaries: AXML documents and queries

In this section, we briefly introduce the features of the pre-existing ActiveXML model (AXML, in short) [5,7]. We use the following notations:

- a set \mathcal{D} of document names. Values from \mathcal{D} are denoted: d, d_1, d_2 etc.
- a set \mathcal{S} of service names. Values from \mathcal{S} are denoted: s, s_1, s_2 etc.
- a set \mathcal{P} of peer identifiers. Values from \mathcal{P} are denoted: p, p_1, p_2 etc.
- a set \mathcal{N} of node identifiers. Values from \mathcal{N} are denoted: n_1, n_2 etc.

We assume given a finite set of peers, each of which is characterized by a distinct peer identifier $p \in \mathcal{P}$. Intuitively, a peer represents a context of computation; it can also be seen as a hosting environment for documents and services, which we describe next. We make no assumption about the structure of the peer network, e.g. whether a DHT-style index is present or not. We will discuss the impact of various network structures further on.

2.1 XML documents, types, and services

We view an XML tree as an unranked, unordered tree, where each leaf node has a label from \mathcal{L} , and each internal nodes has a label from \mathcal{L} and an identifier from \mathcal{N} . Furthermore, each tree resides on exactly one peer identified by $p \in \mathcal{P}$. We will refer to the tree as $t@p$. An XML document is a tuple (t, d) where t is an XML tree, $d \in \mathcal{D}$ is a document name. No two documents can agree on the values of (d, p) . We will refer to a document as $d@p$.

We denote by Θ the set of all XML tree types, as expressed for instance in XML Schema [18], and we refer to individual types as τ, τ_1, τ_2 etc.

We model a Web service as a tuple (p, s) , where $p \in \mathcal{P}$ is the identifier of the peer providing the service, and $s \in \mathcal{S}$ is the service name. The service is associated an unique type signature (τ_{in}, τ_{out}) , where $\tau_{in} \in \Theta^n$ for some integer n , and $\tau_{out} \in \Theta$. We use $s@p$ to refer to such a service; it corresponds to a (simplified) WSDL request-response operation [17].

When a Web service $s@p$ receives as input an XML forest of type τ_{in} , it reacts by sending, successively, one or more XML trees of type τ_{out} . If the service may send more than one such tree, we term it a continuous service.

2.2 AXML documents

An AXML document is an XML document containing some nodes labeled with a specific label *sc*, standing for service calls. An *sc* node has several children. Two children, labeled *peer* and *service*, contain, respectively, a peer $p_1 \in \mathcal{P}$ and a service $s_1 \in \mathcal{S}$, where $s_1@p_1$ identifies an existing Web service. The others are labeled $\text{param}_1, \dots, \text{param}_n$, where n is the input arity of $s@p$.

Assume an AXML document $d_0@p_0$ contains a service call to a service $s_1@p_1$ as above. When the call is activated, the following sequence of steps takes place:

1. p_0 sends a copy of the param_i -label children of the *sc* node, to peer p_1 , asking it to evaluate s_1 on these parameters.
2. p_1 eventually evaluates s_1 on this input, and sends back to p_0 an XML subtree containing the response.
3. When p_0 receives this subtree, it inserts it in d_0 , as a sibling of the *sc* node.

AXML supports several mechanisms for deciding when to activate a service call. This control may be given to the user via some interactive hypertext. Alternatively, a call may be activated only when the call result is needed to evaluate some query over the enclosing document [2], or in order to turn d_0 's XML type in some other desired type [6]. It is also possible to specify that a call must be activated just after a response to another activated call has been received.

AXML also supports calls to continuous services. When such a call is activated, step 1 above takes place just once, while steps 2 and 3, together, occur repeatedly starting from that moment. In this paper, we consider that the response trees successively sent by p_1 accumulate as siblings of the *sc* node [5]. If a service call sc_1 must be activated just after sc_2 and sc_2 is a call to a continuous service, then sc_1 will be activated after handling every answer to sc_2 . We consider all services are continuous.

Sc nodes may reference any WSDL-compliant Web service. Of particular interest for us are declarative Web services, whose implementation is a declarative XML query or update statement, possibly parameterized. The statements implementing such services are visible to other peers, enabling many optimizations.

Our goal is thus: given a set of AXML documents and declarative services, and a query Q , find alternative evaluation strategies (possibly involving new documents and services dynamically created) which compute the same answers for Q , and are potentially more efficient. We first make some extensions to AXML.

2.3 AXML extensions

We introduce generic documents and services, and define a notion of tree, document, and service equivalence. Then, we make some extensions to the syntax of *sc* elements, central in AXML, to allow for more communication patterns.

A generic document $ed@any$ denotes any among a set of regular documents which we consider to be equivalent; we say ed is a document equivalence class. We consider a specific notion of document equivalence denoted \equiv , suited for AXML. Two documents are equivalent iff their trees are equivalent. Two trees t_1 and t_2 are equivalent iff their potential evolution, via service call activations, will eventually reach the same fixpoint. This notion has been formally defined

in [5] for the purpose of studying confluence and termination for AXML; we use it here as a basis for optimization. We introduce generic services similarly [4].

We allow queries to refer to generic documents as well as regular ones, and sc nodes to refer to generic services as well as regular ones. The semantics of such queries and calls will be defined shortly.

We add to an sc element some optional forw children, each of which contains a location to which the service results(s) should be forwarded. Each forw element encapsulates a node identifier of the form $n@p$, where $p \in \mathcal{P}$ and $n \in \mathcal{N}$. The semantics is that the response should be added as a child of node n , which resides on peer p . If no forw child is specified, a default one is used containing the ID of the sc's parent, just like in the existing AXML model.

We will refer to a document as $d@p$ or alternatively as $d@any$, and similarly for services. We will denote a service call in our extended AXML model as:

$$\text{sc}((p_{prov}|any), serv, [\text{param}_1, \dots, \text{param}_k], [\text{forw}_1, \dots, \text{forw}_m])$$

where $p_{prov} \in \mathcal{P}$ is a peer providing the service $serv$.

3 An algebra for extended AXML computations

3.1 AXML expressions

To model the various operations needed by our distributed data management applications, we introduce here a simple language of AXML expressions, denoted \mathcal{E} . In the following, p, p_1, p_2 are some peers from \mathcal{P} .

Any tree $t@p$ or document $d@p$ is in \mathcal{E} . Also, let $q@p$ be a query of arity n defined at p , and let $t_1@p, t_2, \dots, t_n@p$ be a set of trees at p . Then, $q@p(t_1@p, t_2@p, \dots, t_n@p) \in \mathcal{E}$.

Let $t@p_1$ be a tree. Then, $\text{send}(p_2, t@p_1) \in \mathcal{E}$, where $\text{send}(\cdot)$ is an expression constructor. This expression denotes the sending of a piece of data, namely t , from p_1 to p_2 . Similarly, if $d@p_1$ is a document, $\text{send}(p_2, d@p_1) \in \mathcal{E}$. The exact place where t (or d) arrives at peer p_2 is determined when evaluating the expression, as the next sections explains.

\mathcal{E} also allows to specify the exact location(s) where a tree should arrive. The expression $\text{send}(n_2@p_2, t@p_1)$ says that t should be added as a child of the node $n_2@p_2$. The expression $\text{send}([n_2@p_2, n_3@p_3, \dots, n_k@p_k], t@p_1)$ corresponds to the operation of sending the same tree to several destinations. Finally, $\text{send}(d@p_2, t@p_1)$ states that t is installed under the name d as a new document at p_2 (where d was not previously in used on p_2).

\mathcal{E} also allows sending queries (in the style of code shipping). Let $q@p_1$ be a query. Then, $\text{send}(p_2, q@p_1) \in \mathcal{E}$, where $\text{send}(\cdot)$ is the same (slightly overloaded) expression constructor. This denotes the sending of the query q on peer p_2 .

An expression can be viewed (serialized) as an XML tree, whose root is labeled with the expression constructor, and whose children are the expression parameters. An expression located at some peer, denoted $e@p$, is an XML tree.

3.2 Evaluating AXML expression trees

The expression language \mathcal{E} describes some computations to be performed. In this section, we define the evaluation of an expression tree $e@p$, where $e \in \mathcal{E}$.

Intuitively, $eval@p(e)$ may do one or more of the following: (i) return another XML tree (or, more generally, a stream of XML trees, where a stream is a flow of XML trees which accumulate, as children of a given node on some peer); (ii) return a new service; (iii) as a side effect, create one or more XML streams, accumulating under some well-specified nodes on one or more peers.

This is best illustrated by the following *eval* definitions, where p, p_i designates a peer, $t_j@p$ is a tree at peer p , and $n_i@p$ a node at p .

We first define *eval* for tree expressions. Let $t@p_0$ be a tree, whose root is labeled $l \in \mathcal{L}$, $l \neq sc$, and let t_1, \dots, t_n be the children of the root in t . We define:

$$eval@p_0(t@p_0) = l(eval@p_0(t_1), eval@p_0(t_2), \dots, eval@p_0(t_n)) \quad (1)$$

The evaluation copies t 's root and pushes the evaluation to the children. Evaluating one XML tree (the expression tree on the left) yields the (partially evaluated) XML tree at right, into which the expressions to evaluate are smaller.

As a consequence of (1), for any tree $t@p_0$ containing no *sc* node, we have $eval@p_0(t@p_0) = t@p_0$: evaluating the expression simply returns the data tree.

Now consider what happens if we replace the (static) tree $t@p_0$ with a stream of successive XML trees, accumulating as children of some node $n@p_0$. Clearly, in this case, definition (1) applies for every tree in the stream, thus *eval* over the stream of trees returns another stream of (partially evaluated) trees.

Definition (1) covers a particular class of $eval@p(t)$ expressions; we will define *eval* for the other cases gradually. For the time being, we turn to defining the evaluation of (a particular class of) query expression trees:

$$eval@p(q(t_1@p, \dots, t_n@p)) = q(eval@p(t_1@p), \dots, eval@p(t_n@p)) \quad (2)$$

Evaluating a local query expression tree amounts to evaluating the query parameters, and then evaluating the query (in the usual sense) on these trees.

Recall that all queries are continuous. If we take $t_i@p$ to be streams of trees arriving at p , definition (2) captures the intuitive semantics of continuous incremental query evaluation: $eval@p(q)$ produces a result whenever the arrival of some new tree in the input streams t_1, t_2, \dots, t_n leads to creating some output. This generalization reasoning (from trees to streams of trees) applies to all remaining *eval* definitions, and we will consider it implicit in the sequel.

We next define the evaluation of a simple class of *send* expressions.

$$eval@p_0(send(p_1, t@p_0)) = \emptyset \quad (3)$$

Evaluating a *send* expression tree at p_0 , hosting t , returns at p_0 an empty result. Intuitively, the message encapsulating the copy of t has left p_0 , and moved to p_1 . However, as a side effect, a copy of $t@p_0$ is made, and sent to peer p_1 . From now on, all evaluations of *send* expression trees are implicitly understood to copy the data model instances they send, prior to sending them.

Notation From now on, we will use the shorthand $send_{p_1 \rightarrow p_2}(e)$ to denote $eval@p_1(send(p_2, e))$, where $p_1, p_2 \in \mathcal{P}$ and $e \in \mathcal{E}$, and we use $send_{p_1 \rightarrow fwList}(e)$ to denote $eval@p_1(send(fwList, e))$, where *fwList* is a list of nodes.

If $p_2 \neq p_0$, $send_{p_2 \rightarrow p_1}(t@p_0)$ is undefined. The intuition is that p_2 cannot send something it doesn't have. More generally, for any tree $x@p_0$, $send_{p_2 \rightarrow p_1}(x@p_0)$ is undefined if $p_2 \neq p_0$. Similarly, we define:

$$send_{p_0 \rightarrow [n_1@p_1, n_2@p_2, \dots, n_k@p_k]}(t@p_0) = \emptyset \quad (4)$$

Sending $t@p_0$ to the locations $n_i@p_i$ returns an empty result at p_0 , and as a side effect, at each p_i , the result of $eval@p_i(t@p_i)$ is added as a child of $n_i@p_i$. We use $t@p_i$ to denote the copy of $t@p_0$ that has landed on p_i .

We now define *eval* at some peer, of a data expression of a remote tree.

$$eval@p_1(t@p_2) = send_{p_2 \rightarrow p_1}(eval@p_2(t@p_2)) \quad (5)$$

We assume $p_1 \neq p_2$, thus p_1 initially doesn't have t . In order for p_1 to get the evaluation result, p_2 is asked to evaluate it², and then send it at p_1 . Overall, p_2 has received the expression tree $t@p_2$ as some local tree, has replaced this local tree with the result of $eval@p_2(t)$, and has sent this result to p_1 . After this send evaluation, the local send expression tree on p_2 becomes \emptyset , by (3). Setting a tree to \emptyset amounts to deleting it, thus, p_2 's set of documents and services is unchanged after the evaluation. The overall effect on p_1 is that the expression tree $eval@p_1(t@p_2)$ has been replaced with the desired evaluation result.

We now have the ingredients for defining the evaluation of a tree $t@p_0$, whose root is labeled *sc*. We denote by $parList = [t_1, t_2, \dots, t_n]$ the list of param_{*i*}-labeled children of the *sc*, and by $fwList$ the list of their forw_{*j*}-labeled siblings.

$$eval@p_0(sc(p_1, s_1, parList, fwList)) = send_{p_1 \rightarrow fwList}(q_1(send_{p_0 \rightarrow p_1}(eval@p_0(parList)))) \quad (6)$$

where $eval@p_0(parList)$ stands for $[eval@p_0(t_1), eval@p_0(t_2), \dots, eval@p_0(t_n)]$.

The second part of the definition (6) is best read from the innermost parenthesis to the outer. To evaluate *sc*, p_0 first evaluates the parameters (innermost *eval*), then sends the result to p_1 , as denoted by $eval@p_0(send(p_1, \dots))$. Peer p_1 evaluates, in the usual sense, the query q_1 (the one which implements its service s_1), and sends the result to the locations in the forward lists.

We do not need to define the evaluation of a tree $t@p_0$, whose root is labeled *sc*, at some peer $p_1 \neq p_0$; this case is already covered by definition (5).

The evaluation at some peer p_1 , of a query defined at another peer p_2 , is:

$$eval@p_1(q(t_1@p_2, t_2@p_2, \dots, t_n@p_2)) = eval@p_1((send_{p_2 \rightarrow p_1}(q)) (send_{p_2 \rightarrow p_1}([t_1@p_2, \dots, t_n@p_2]))) \quad (7)$$

This states that p_2 should send both q and its arguments to p_1 , as shown by the two $send_{p_2 \rightarrow p_1}$, and p_1 can then evaluate locally as per definition (2).

What happens when evaluating a send expression of some query ?

$$eval@p_1(send(p_2, q@p_1)) = send_{p_1 \rightarrow p_2}(q@p_1) = \emptyset \quad (8)$$

² This is performed at p_2 by applying successively definitions (1), (5) and (6), see next.

Evaluating the send expression tree erases it from p_1 and, as a side effect, deploys query q on peer p_2 as a new service. Rather than giving it an explicit name, by a slight abuse of notation, we may refer to this service as $send_{p_1 \rightarrow p_2}(q@p_1)$.

So far, we have defined $eval$ on expressions involving precise documents and queries. We now turn to the case of generic documents and queries. We have:

$$eval@p(expr(d@any)) = eval@p(expr(eval@p(pickDoc(d@any)))) \quad (9)$$

where $expr$ is some \mathcal{E} expression, and the functions $pickDoc$, present on all peers, return the name of some document from the equivalence class $d@any$. A similar rule applies for generic services [4]. Definition 9 states that p should find the name of a regular document corresponding to the equivalence class $d@any$, then proceed to evaluate $expr$ where references to $d@any$ have been replaced with that name. The implementation of an actual $pick$ function at p depends on p 's knowledge of the existing documents and services, p 's preferences etc. [4].

We have so far specified a procedure for expression evaluation: for any $e \in \mathcal{E}$, to evaluate $e@p$, identify the definition among (1)-(9) which fits e 's topmost node and p , apply this definition, and so on recursively down e 's structure until a plain data tree is obtained at p . This strategy extends the basic AXML one, to deal with the AXML extensions we introduced in Section 2.3. As we have argued, however, this strategy will not necessarily lead to best performance.

3.3 Equivalence rules

In this section, we explore equivalent, potentially more efficient strategies for evaluating an expression tree $eval@p(e)$, where $p \in \mathcal{P}$ and $e \in \mathcal{E}$.

We call state of an AXML system over peers p_1, p_2, \dots, p_n , and denote by Σ , all documents and services on p_1, p_2, \dots, p_n . Evaluating an expression $e@p$ over an AXML system in state Σ brings it to a possibly different state, which we denote $eval@p(e)(\Sigma)$. We say two expression evaluations $e_1@p_1$ and $e_2@p_2$ are equivalent, denoted $e_1@p_1 \equiv e_2@p_2$, if for any AXML system state Σ , $eval@p_1(e_1)(\Sigma) = eval@p_2(e_2)(\Sigma)$.

Our first equivalence rule refers to query delegation:

$$eval@p_1(q(t@p_1)) \equiv send_{p_2 \rightarrow p_1}((send_{p_1 \rightarrow p_2}(q))(send_{p_1 \rightarrow p_2}(t))) \quad (10)$$

This rule says that evaluating a query $q(t)$ at p_1 gives the same result as: sending q and t to another peer p_2 , evaluating $q(t)$ at p_2 , and sending back the results to p_1 . The rule derives from the definitions (2), (4) and (8).

A second very useful rule refers to query composition/decomposition. Let q, q_1, q_2, \dots, q_n be some queries, such that q is equivalent to the composed query $q_1(q_2, q_3, \dots, q_n)$ (in the sense defined in Section 2.3). We have:

$$eval@p(q@p) \equiv eval@p(q_1(eval@p(q_2@p), \dots, eval@p(q_n@p))) \quad (11)$$

Intuitively, the rule states that $eval$ distributes over query composition. It is a direct consequence of the query equivalence hypothesis, and of the definition (2).

The query decomposition and query delegation rules, together, capture many existing distributed query optimization techniques, as Example 1 illustrates.

Example 1 (Pushing selections). Let q_1 be a query equivalent to $q_1(\sigma(q_2))$, where σ is some logical selection, and q_1 and q_2 are chosen so that σ has been pushed down as far as possible. Denoting by q_3 the query $\sigma(q_2)$, we have $q \equiv q_1(q_3)$. Let $t@p_2$ be a tree, and p be some peer other than p_2 . We have:

$$eval@p(q(t@p_2)) = eval@p(q_1(q_3(d@p_2))) \equiv_{(11)}$$

$$eval@p(q_1(eval@p(q_3(t@p_2)))) \equiv_{(10)}$$

$$eval@p(q_1(send_{p_2 \rightarrow p}(eval@p_2(q_3(t@p_2)))))) =_{(2)} eval@p(q_1(send_{p_2 \rightarrow p}(q_3(t@p_2))))$$

The definition or rule used at each step above is shown by a subscript. The first *eval* designates the evaluation of q on the remote tree t . Definition (7) suggests sending the whole tree t to p and evaluating there. However, the last *eval* above delegates the execution of q_3 (which applies the selection) to p_2 , and only ships to p the resulting data set, typically smaller. \square

Other classical distributed optimizations may be similarly derived.

The following rules allow for powerful optimizations of data transfers, and can be derived easily from the definitions of *send* evaluation:

$$send_{p_1 \rightarrow p_2}(eval@p_0(send(p_1, t@p_0))) \equiv send_{p_0 \rightarrow p_2}(t@p_0) \quad (12)$$

$$\begin{aligned} eval@p(e_1(e_2(send_{p_1 \rightarrow p}(t@p_1)), e_3(send_{p_1 \rightarrow p}(t@p_1)))) &\equiv \\ eval@p(e_1(e_2(send_{p_1 \rightarrow p}(t@p_1, d@p)), e_3(d@p))) &\equiv \end{aligned} \quad (13)$$

Rule (12), read from right to left, shows that data in transit from p_0 to p_2 may make an intermediary stop to another peer p_1 . Read from left to right, it shows that such an intermediary halt may be avoided. While it may seem that rule (12) should always be applied left to right, this is not always true [4] !

In rule (13), subexpressions e_2 and e_3 need to transfer $t@p_1$ to p . If t is transferred for the needs of e_2 and stored in a document $d@p_1$, e_3 no longer needs to transfer t , and can use $d@p$ directly. The rule holds assuming that the evaluation of e_3 is only enabled when d is available at p , which breaks the parallelism between e_2 and e_3 's evaluations. This may be worth it if t is large.

Another powerful rule concerns delegation of expression evaluation:

$$eval@p(e) \equiv eval@p_1(send(p, eval@p(e))) \quad (14)$$

Some specific rules apply to trees rooted in *sc* nodes:

$$\begin{aligned} eval@p(sc(p_1, s_1, parList, fwList)) &\equiv \\ eval@p_2(send_{p \rightarrow p_2}(sc(p_1, s_1, parList, fwList))) &\equiv \end{aligned} \quad (15)$$

$$\begin{aligned} eval@p(q@p(sc(p_1, s_1, parList@p, fwList)) &\equiv \\ send_{p_1 \rightarrow fwList}(eval@p_1((send_{p \rightarrow p_1}(q@p)) (q_1(send_{p \rightarrow p_1}(parList@p)))))) &\equiv \end{aligned} \quad (16)$$

Rule (15) shows that the peer where an *sc*-rooted tree is evaluated does not impact the evaluation result. Notice there is no need to ship results back to p_1 , since results are sent directly to the locations in the forward list *fwList*.

Rule (16) provides an interesting method to evaluate a query q over a *sc*-rooted tree. Here, *sc* refers to service $s_1@p_1$, implemented by the query q_1 . The idea is to ship q and the service call parameters to p_1 , and ask it to evaluate q directly over $q_1(parList)$. We call this rule pushing queries over service calls.

4 Concluding remarks

The work presented here follows the footsteps of previous works on distributed query processing [12,15], and is particularly related to query optimization in mediator systems [10,16] and in peer-to-peer environments [3,8,9,11]. Our work brings the benefits of declarativeness and algebraic-based optimization to AXML, a language integrating queries and data in a single powerful formalism. Our algebra can be seen as a formal model for mutant query plans [13], extended to continuous XML streams. AXML algebraic optimization has first been explored in [14].

Our ongoing work focuses on refining our algebraic formalism, extending it to AXML type-driven rewriting [6], designing and implementing in the AXML system efficient and effective distributed optimization algorithms.

References

1. S. Abiteboul, Z. Abrams, S. Haar, and T. Milo. Diagnosis of asynchronous discrete event systems: Datalog to the rescue! In PODS, 2005.
2. S. Abiteboul, O. Benjelloun, B. Cautis, I. Manolescu, T. Milo, and N. Preda. Lazy query evaluation for Active XML. In SIGMOD, 2004.
3. S. Abiteboul, A. Bonifati, G. Cobéna, I. Manolescu, and T. Milo. Dynamic XML documents with distribution and replication. In SIGMOD, 2003.
4. S. Abiteboul, I. Manolescu, and E. Taropa. A framework for distributed XML data management. Extended version (Gemo technical report no. 436), 2005.
5. S. Abiteboul, T. Milo, and O. Benjelloun. Positive Active XML. In PODS, 2004.
6. S. Abiteboul, T. Milo, and O. Benjelloun. Regular and unambiguous rewritings for Active XML. In PODS, 2005.
7. ActiveXML home page. Available at <http://www.activexml.net>.
8. S. Ceri, G. Gottlob, L. Tanca, and G. Wiederhold. Magic semi-joins. Information Processing Letters, 33(2), 1989.
9. L. Galanis, Y. Wang, S. Jeffery, and D. DeWitt. Locating data sources in large distributed systems. In VLDB, 2003.
10. L. Haas, D. Kossmann, E. Wimmers, and J. Yang. Optimizing queries across diverse data sources. In VLDB, 1997.
11. A. Halevy, Z. Ives, P. Mork, and I. Tatarinov. Piazza: data management infrastructure for semantic web applications. In WWW, 2003.
12. D. Kossmann. The state of the art in distributed query processing. ACM Computing Surveys, 32(4), 2000.
13. V. Papadimos, D. Maier, and K. Tufte. Distributed query processing and catalogs for peer-to-peer systems. In CIDR, 2003.
14. N. Ruberg, G. Ruberg, and I. Manolescu. Towards cost-based optimizations for data-intensive web service computations. In SBBD, 2004.
15. P. Valduriez and T. Ozsu. Principles of Distributed Database Systems. Prentice Hall, 1999.
16. V. Vassalos and Y. Papakonstantinou. Describing and using the query capabilities of heterogeneous sources. In VLDB, 1997.
17. W3C. WSDL: Web Services Definition Language 1.1.
18. XML Schema. <http://www.w3.org/TR/XML/Schema>.