

Optimal byzantine resilient convergence in oblivious robot networks

Zohir Bouzid, Maria Potop-Butucaru, Sébastien Tixeuil

► **To cite this version:**

Zohir Bouzid, Maria Potop-Butucaru, Sébastien Tixeuil. Optimal byzantine resilient convergence in oblivious robot networks. [Research Report] 2009, pp.15. <inria-00387525>

HAL Id: inria-00387525

<https://hal.inria.fr/inria-00387525>

Submitted on 25 May 2009

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Optimal Byzantine-resilient Convergence in Oblivious Robot Networks

Zohir Bouzid Maria Gradinariu Potop-Butucaru Sébastien Tixeuil

Université Pierre et Marie Curie - Paris 6, LIP6-CNRS 7606, France

Abstract

Given a set of robots with arbitrary initial location and no agreement on a global coordinate system, *convergence* requires that all robots asymptotically approach the exact same, but unknown beforehand, location. Robots are oblivious—they do not recall the past computations—and are allowed to move in a one-dimensional space. Additionally, robots cannot communicate directly, instead they obtain system related information only *via* visual sensors.

We draw a connection between the convergence problem in robot networks, and the distributed *approximate agreement* problem (that requires correct processes to decide, for some constant ϵ , values distance ϵ apart and within the range of initial proposed values). Surprisingly, even though specifications are similar, the convergence implementation in robot networks requires specific assumptions about synchrony and Byzantine resilience.

In more details, we prove necessary and sufficient conditions for the convergence of mobile robots despite a subset of them being Byzantine (*i.e.* they can exhibit arbitrary behavior). Additionally, we propose a deterministic convergence algorithm for robot networks and analyze its correctness and complexity in various synchrony settings. The proposed algorithm tolerates f Byzantine robots for $(2f + 1)$ -sized robot networks in fully synchronous networks, $(3f + 1)$ -sized in semi-synchronous networks. These bounds are optimal for the class of *cautious* algorithms, which guarantee that correct robots always move inside the range of positions of the correct robots.

1 Introduction

The execution of complex tasks in hostile environments (*e.g.* oceans or planets exploration, decontamination of radioactive areas, human search and rescue operations) makes necessary the use of robots as an alternative to human intervention. So far, robots have been studied mainly through the prism of engineering or artificial intelligence, with success in the case of single powerful robots. However, many of the envisioned new tasks can not or should not (for cost reasons) be achieved by an unique robot, hence low cost swarm of cheap mobile robots executing coordinated tasks in a distributed manner is appealing when considering dangerous environments. The study of autonomous swarms of robots is also a challenging area for distributed computing, as networks of robots raise a variety of problems related to distributed control and coordination.

In order to capture the difficulty of distributed coordination in robot networks two main computational models are proposed in the literature: the ATOM [16] and CORDA models [14]. In both models robots are considered identical and indistinguishable, can see each other via visual sensors and operate in look-compute-move cycles. Robots, when activated, observe the location of

the other robots in the system, compute a new location and move accordingly. The main difference between the two models comes from the granularity of the execution of this cycle. In the ATOM model, robots executing concurrently are in phase while in CORDA they are asynchronous (i.e. a robot can execute the look action for example while another robot performs its move action).

Gathering and convergence are two related fundamental tasks in robot networks. Gathering requires robots to *reach* a single point within finite time regardless of their initial positions while convergence only requires robots to get *close* to a single point. More specifically, $\forall \epsilon > 0$, there is a time t_ϵ such that all robots are at distance at most ϵ from each other. Gathering and convergence can serve as the basis of many other protocols, such as constructing a common coordinate system or arranging themselves in a specific geometrical pattern.

Related works Since the pioneering work of Suzuki and Yamashita [16], gathering and convergence have been addressed in *fault-free* systems for a broad class of settings. Prencipe [14] studied the problem of gathering in both ATOM and CORDA models, and showed that the problem is intractable without additional assumptions such as being able to detect the multiplicity of a location (i.e., knowing the number of robots that may simultaneously occupy that location). Flocchini *et al.* [10] proposed a gathering solution for oblivious robots with limited visibility in CORDA model, where robots share the knowledge of a common direction given by a compass. The subsequent work by Souissi *et al.* [15] consider a system in which compasses are not necessarily consistent initially. Ando *et al.* [3] propose a gathering algorithm for the ATOM model with limited visibility.

The case of *fault-prone* robot networks was recently tackled by several academic studies. Cohen and Peleg [6] study the problem when robots observations and movements are subject to errors. Fault tolerant gathering is addressed in [2] where the authors study a gathering protocol that tolerates one crash (i.e. one robot may stop moving forever), and they also provide an algorithm for the ATOM model with fully synchronous scheduling that tolerates up to f byzantine faults (i.e. f robots may exhibit arbitrary behavior), when the number of robots is (strictly) greater than $3f$. In [8] the authors study the feasibility of gathering in crash-prone and Byzantine-prone environments and propose probabilistic solutions altogether with detailed analysis relating scheduling and problem solvability.

The specification of convergence being less stringent than that of gathering, it is worth investigating whether this leads to better fault and Byzantine tolerance. In [3] the authors address convergence with limited visibility in fault-free environments. Convergence with inaccurate sensors and movements is addressed in [7]. Fault-tolerant convergence was first addressed in [4, 5], where algorithms based on the convergence to the center of gravity of the system are presented. Those algorithms work in CORDA model and tolerate up to f ($n > f$) crash faults, where n is the number of robots in the system. To our knowledge, none of the aforementioned works on convergence addresses the case of byzantine faults.

Our contributions In this paper we focus on the feasibility of deterministic solutions for convergence in robots networks that are prone to byzantine faults and move in a uni-dimensional space. Our contribution is threefold:

1. We draw a connection between the convergence problem in robot networks, and the distributed *approximate agreement* problem (that requires correct processes to decide, for some constant ϵ), values distance ϵ apart and within the range of initial values. In particular, our

work uses a similar technique as the one presented in [9] and [1] for the problem of approximate agreement with byzantine failures. They propose approximate agreement algorithms that tolerate up to f byzantine failures and require $n > 3f$, which has been proven optimal for both the synchronous and asynchronous case.

2. We prove necessary and sufficient conditions for the convergence of mobile robots despite a subset of them being Byzantine (*i.e.* that can exhibit arbitrary behavior), when those robots can move in a uni-dimensional space.
3. We propose a deterministic convergence algorithm for robot networks and analyze its correctness and complexity in various synchrony settings. The proposed algorithm tolerates f Byzantine robots for $(2f+1)$ -sized robot networks in fully synchronous networks, $(3f+1)$ -sized in semi-synchronous networks. These bounds are optimal for the class of *cautious* algorithms, which guarantee that correct robots always move inside the range of positions of other correct robots.

Outline The remaining of the paper is organized as follows: Section 2 presents our model and robot network assumptions, Sections 3 and 4 provide necessary and sufficient conditions for the convergence problem with Byzantine failures, Section 5 describes our protocol and its complexity, while concluding remarks are presented in Section 6.

2 Preliminaries

Most of the notions presented in this section are borrowed from [16, 13, 2]. We consider a network that consists of a finite set of robots arbitrarily deployed in a uni-dimensional space. The robots are devices with sensing, computing and moving capabilities. They can observe (sense) the positions of other robots in the space and based on these observations, they perform some local computations that can drive them to other locations.

In the context of this paper, the robots are *anonymous*, in the sense that they can not be distinguished using their appearance, and they do not have any kind of identifiers that can be used during the computation. In addition, there is no direct mean of communication between them. Hence, the only way for robots to acquire information is by observing each others positions. Robots have *unlimited visibility*, *i.e.* they are able to sense the whole set of robots. Robots are also equipped with a multiplicity sensor. This sensor is referred as *simple multiplicity detector*, denoted by $\mathcal{M}?$, if it can distinguish if there are more than one robot at a given position. If it can also detect the exact number of robots collocated in the same point, it is referred as *multiples detector*, denoted in the sequel by \mathcal{M} . We prove in this paper that \mathcal{M} is necessary in order to deterministically solve the convergence problem in a uni-dimensional space even in the presence of a single Byzantine robot.

2.1 System model

A robot that exhibits discrete behavior is modeled with an I/O automaton [12], while one with continuous behavior will be modeled using a hybrid I/O automaton [11]. The actions performed by the automaton that models a robot are as follows:

- *Observation (input type action)*. An observation returns a snapshot of the positions of all robots within the visibility range. In our case, this observation returns a snapshot of the positions of *all* robots denoted with $P(t) = \{P_1(t), \dots, P_n(t)\}$. The positions of correct robots are referred as $U(t) = \{U_1(t), \dots, U_m(t)\}$ such that $m \geq n - f$. Note that $U(t) \subseteq P(t)$. The observed positions are *relative* to the observing robot, that is, they use the coordinate system of the observing robot.
- *Local computation (internal action)*. The aim of this action is the computation of a destination point (possibly using the relative position of other robots that was previously observed);
- *Motion (output type action)*. This action commands the motion of robots towards the destination location computed in the previous local computation action.

The ATOM or SYm model addressed in this paper considers discrete time at irregular intervals. At each time, some subset of the robots become active and complete an entire computation cycle composed of the previously described elementary actions (observation, local computation and motion). Robots can be active either simultaneously or sequentially. Two robots that are active simultaneously observe the exact same environment (according to their respective coordinate systems).

The *local state* of a robot at time t is the state of its input/output variables and the state of its local variables and registers. A *network of robots* is modeled by the parallel composition of the individual automata that model each robot in the network. A *configuration* of the system at time t is the union of the local states of the robots in the system at time t . An *execution* $e = (c_0, \dots, c_t, \dots)$ of the system is an infinite sequence of configurations, where c_0 is the initial configuration¹ of the system, and every transition $c_i \rightarrow c_{i+1}$ is associated to the execution of a cycle by a subset of robots.

A *scheduler* can be seen as an entity that is external to the system and selects robots for execution. As more power is given to the scheduler for robot scheduling, more different executions are possible and more difficult it is to design robot algorithms. In the remaining of the paper, we consider that the scheduler is *fair*, that is, in any infinite execution, every robot is activated infinitely often. A scheduler is *k-bounded* if, between any two activations of a particular robot, any other robot can be activated at most k times. The particular case of the *fully synchronous* scheduler activates all robots in every configuration. Of course, an impossibility result for a more constrained scheduler (*e.g.* bounded) also holds for a less constrained one (*e.g.* fair), and an algorithm for the fair scheduler is also correct in for the k -bounded scheduler or the fully-synchronous scheduler. The converse is not necessarily true.

The faults we address in this paper are *Byzantine* faults. A byzantine (or malicious) robot may behave in arbitrary and unforeseeable way. In each cycle, the scheduler determines the course of action of faulty robots and the distance to which each non-faulty robot will move in this cycle. However, a robot i is guaranteed to move a distance of at least δ_i towards its destination before it can be stopped by the scheduler.

Our convergence algorithm performs operations on multisets. A multiset or a bag S is a generalization of a set where an element can have more than one occurrence. The number of occurrences of an element a is referred as its *multiplicity* and is denoted by $mul(a)$. The total number of elements

¹Unless stated otherwise, we make no specific assumption regarding the respective positions of robots in initial configurations.

of a multiset, including their repeated occurrences, is referred as the *cardinality* and is denoted by $|S|$. $\min(S)$ (resp. $\max(S)$) is the smallest (resp. largest) element of S . If S is nonempty, $\text{range}(S)$ denotes the set $[\min(S), \max(S)]$ and $\text{diam}(S)$ (diameter of S) denotes $\max(S) - \min(S)$.

2.2 The Byzantine Convergence Problem

In the following we refine the definition of the *point convergence problem* from [2]: given an initial configuration of N autonomous mobile robots M of which are correct ($M \geq N - f$), for every $\epsilon > 0$, there is a time t_ϵ from which all correct robots are within distance of at most ϵ of each other.

Definition 2.1 (Byzantine Convergence) *A system of oblivious robots verify the Byzantine convergence specification if and only if $\forall \epsilon > 0, \exists t_\epsilon$ such that $\forall t > t_\epsilon, \forall i, j \leq M, \text{distance}(U_i(t), U_j(t)) < \epsilon$, where $U_i(t)$ and $U_j(t)$ are the positions of some correct robots i and j at time t , and where $\text{distance}(a, b)$ denote the Euclidian distance between two positions.*

Definition 2.1 requires the convergence property only from the *correct* robots. Note that it is impossible to obtain the converge of all the robots in the system regardless their behavior since Byzantine robots may exhibit arbitrary behavior and never join the position of correct robots.

3 Necessary and sufficient conditions for deterministic convergence

In this section we address the necessary and sufficient conditions to achieve convergence of robots in systems prone to byzantine failures. We define *shrinking* algorithms (algorithms that eventually decrease the range among correct robots) and prove that this condition is necessary but not sufficient for convergence even in fault-free environments. We then define *cautious* algorithms (algorithms that ensure that the position of correct robots always remains inside the range of the correct robots) and show that this condition, combined with the previous one, is sufficient to reach convergence in fault-free systems. Moreover, we address the necessary and sufficient conditions for convergence in byzantine-prone environments and show that for the problem to admit solutions additional assumptions (*e.g.* multiplicity knowledge) are necessary.

3.1 Necessary and sufficient conditions in fault-free environments

By definition, convergence aims at asymptotically decreasing the range of possible values for the correct robots. The shrinking property captures this property. An algorithm is shrinking if there exists a constant factor $\alpha \in (0, 1)$ such that starting in any configuration the range of correct robots eventually decreases by a multiplicative α factor.

Definition 3.1 (Shrinking Algorithm) *An algorithm is shrinking if and only if $\exists \alpha \in (0, 1)$ such that $\forall t, \text{if } \text{diam}(U(t)) \neq 0, \exists t' > t, \text{ such that } \text{diam}(U(t')) < \alpha * \text{diam}(U(t)), \text{ where } U(t) \text{ is the multiset of positions of correct robots.}$*

Note 3.1 *Note that the definition does not imply that the diameter always remains smaller than $\alpha * \text{diam}(U(t))$ after t' (see Figure 1). Therefore, an oscillatory effect is possible: the algorithm*




Figure 1: Oscillatory effect of a shrinking algorithm

alternates between periods where the diameter is increased and decreased. However, each increasing period is followed by a decreasing one as depicted in Figure 1. Therefore a shrinking algorithm is not necessarily convergent.

Lemma 3.1 Any algorithm solving the convergence problem is necessarily shrinking.

Proof: Assume that a convergence algorithm is not shrinking. Then there exists some constant factor $\alpha \in (0, 1)$, and some time instant t_1 such that the diameter of correct robots after t_1 never decreases by a factor of α i.e. $diam(U(t_2))$ is greater than $\alpha * diam(U(t_1))$ for any $t_2 > t_1$. Therefore, there will always exist two correct robots that are at distance of at least $\alpha * diam(U(t_1))$, which contradicts the assumption that the algorithm is convergent. ■

A natural way to solve convergence is to never let the algorithm increase the diameter of correct robot positions. We say in this case that the algorithm is *cautious*. A cautious algorithm is particularly appealing in the context of byzantine failures since it always instructs a correct robot to move inside the range of the positions held by the correct robots regardless of the locations of Byzantine ones. The notion of cautiousness was introduced [9] in the context of classical Byzantine-tolerant distributed systems. In the following, we customize the definition of cautious algorithms for robot networks.

Definition 3.2 (Cautious Algorithm) Let $D_i(t)$ be the latest computed destination of robot i up to time t and let $U(t)$ be the positions of the correct robots at time t .² An algorithm is cautious if it satisfies the following two conditions:

- **cautiousness:** $\forall t, D_i(t) \in range(U(t))$ for each robot i .
- **non-triviality:** $\forall t$, if $\exists \epsilon > 0, \exists i, j < M, distance(U_i(t), U_j(t)) \geq \epsilon$ (where $U_j(t)$ and $U_i(t)$ denote the positions of two correct robots i and j a time t), then $\exists t' > t$ and a correct robot k such that $D_k(t') \neq U_k(t')$ (at least one correct robot changes its position whenever convergence is not achieved).

²If the latest computation was executed at time $t' \leq t$ then $D_i(t) = D_i(t')$.

Note that the non-triviality condition ensures progress. That is, it prevents trivial solutions where each robot stays at its current position forever.

The following two lemmas state some properties of cautious algorithms.

Lemma 3.2 *In the ATOM model, if an algorithm is cautious then $\forall t' > t \text{ diam}(U(t')) \leq \text{diam}(U(t))$.*

Proof: Assume that it is not the case. i.e. that $\text{diam}(U(t')) > \text{diam}(U(t))$ for some $t' > t$. Then there exists two **successive** time instants, referred in the following cycles, $t_2 > t_1$ such that $t \leq t_1 < t'$, $t < t_2 \leq t'$ and the diameter of correct robots at t_2 is strictly greater than the diameter at t_1 i.e. $\text{diam}(U(t_2)) > \text{diam}(U(t_1))$. Thus, there exists at least one correct robot, say r_1 , that was inside $\text{range}(U(t_1))$ at t_1 , and moved outside it at t_2 . We prove that this is impossible.

Since cycles are atomic, no robot can move between t_1 and the LOOK step of t_2 , and the resulting snapshot of correct robots at this step is equal to $U(t_1)$. Thus, the destination point calculated by r_1 at t_2 is necessarily inside $\text{range}(U(t_1))$ since the algorithm is cautious.

This contradicts the assumption that r_1 moves outside $\text{range}(U(t_1))$ at t_2 , and the lemma follows. ■

Theorem 3.3 *Any algorithm that is both cautious and shrinking solves the convergence problem in fault-free robot networks.*

3.2 Necessary and sufficient conditions in Byzantine-prone environments

In [14], Prencipe showed that multiplicity detection is necessary to achieve gathering without additional assumption. The situation is different when only convergence is requested (*e.g.* the algorithm proposed in [5] where no such condition is assumed). Interestingly enough, in the following we show that when robots are prone to Byzantine failures, a strongest kind of multiplicity detection becomes necessary in order to enable convergence *via* cautious algorithms. Note that in the presence of byzantine faults, many multiplicity points (*i.e.* points with multiple robots) may be created by the Byzantine robots. Moreover, if the trajectories of two robots intersect, it is relatively easy for the scheduler to stop those robots at exactly the same point to create an additional point of multiplicity.

We show in the sequel that a simple multiplicity detector $\mathcal{M}?$ that can only distinguish whether multiple robots are at a given position (without returning the exact number of those robots) is not sufficient for cautious algorithms. A stronger detector, referred as *multiples detector* \mathcal{M} , that can detect the exact number of robots collocated in the same point, is necessary.

Lemma 3.4 *It is impossible to reach convergence with a cautious algorithm in Byzantine-prone environments with multiplicity detection, even in the presence of a single Byzantine fault.*

Proof: Let A and B be two distinct points in a uni-dimensional space (see Figure 2), and consider a set of robots without any multiplicity detection capability. We suppose that it is possible to achieve convergence in this case in presence of a single byzantine robot and we show that this leads to a contradiction.

1. Let C_1 be a configuration where all correct robots are at A , and one byzantine robot at B . If the robots at A move, the scheduler can stop them at different locations which causes the diameter of correct robots to increase which contradicts Lemma 3.2, so they must stay at A .




Figure 2: Necessity of multiplicity detection to achieve convergence (black robots are byzantine)




Figure 3: Necessity of multiplicity number detection to achieve convergence (black robots are byzantine)

2. Similarly, let C_2 be the symmetric configuration where the byzantine robot is at A , and the correct ones at B . Then the robots at B cannot move.
3. Let C_3 be a configuration where correct robots are spread over A and B . the byzantine robot may be indifferently at A or at B . Since the robots are not endowed with a multiplicity detection capability, the configurations C_1 , C_2 and C_3 are indistinguishable to them. So they stay at their locations and the algorithm never converge which contradicts the assumption that convergence is possible in this case.

This proves that at least a simple multiplicity detector is necessary to achieve convergence even if a single robot is byzantine. ■

Lemma 3.5 *Multiples detection is necessary to reach Byzantine-tolerant convergence in a uni-dimensional space via cautious algorithms.*

Proof: The Algorithm 1 is a cautious algorithm that converges under the assumption of multiples detection. The previous lemma show that convergence cannot be achieved without additional assumptions. Hence we consider the minimal set of assumptions: robots are endowed with a simple multiplicity detection. In the following we assume that convergence can be achieved with only simple multiplicity detection and we show that this leads to a contradiction. Consider a set of robots in a uni-dimensional space prone to byzantine failures and endowed with simple multiplicity detectors. The robots are spread over two distinct points of the uni-dimensional space A and B (see figure 3).

1. Let C_1 be a configuration where all correct robots are at A , and byzantine ones at B . We suppose that the number of correct robots at A is sufficiently large to tolerate the byzantine

robots of B . If the robots at A move, they may be stopped by the scheduler at different locations which increase their diameter. This contradicts Lemma 3.2 because the algorithm is cautious. So the correct robots stay at A .

2. Consider the symmetric configuration C_2 where the correct robots are at B and the byzantine ones at A . With the same argument as C_1 we find that robots at B stay there.
3. Let C_3 be a configuration where correct and byzantine robots are spread evenly between A and B . Since robots are endowed only with simple multiplicity detectors, the configurations C_1 , C_2 and C_3 are indistinguishable to them. So no robot will move and the algorithm never converges. This proves the lemma. ■

4 Lower bounds for byzantine resilient convergence

In this section we study the lower bounds for Byzantine-resilient convergence of mobile robots in both fully and semi-synchronous ATOM models. The following lemma shows that any cautious algorithm needs at least $2f + 1$ robots in order to tolerate f byzantine robots.

Lemma 4.1 *It is impossible to achieve convergence with a cautious algorithm if $n \leq 2f$ in the fully-synchronous ATOM model, where n denotes the number of robots and f denotes the number of Byzantine robots.*

Proof: We assume that convergence is possible for $n \leq 2f$ and we show that this leads to a contradiction. We consider a set of n robots, f of which are faulty and assume the robots are spread over two points of the uni-dimensional space: A and B . There are f robots at point A and $n - f$ robots at point B . Note that because $n \leq 2f$, each point contains at least $n - f$ robots (See figure 4 for the case where $n = 5$ and $f = 3$).

Let C_1 be a configuration where all the correct robots ($n - f$) are at A . The diameter is equal to 0 and by Lemma 3.2, the diameter of correct robots never decreases if the algorithm is cautious. So the robots at A can not move. Otherwise, the diameter may increase.

Let C_2 be a configuration where all the correct robots are at B . These must not move and the argument is similar to the precedent case.

Let C_3 be a configuration where the correct robots are spread over A and B . Since the three configurations C_1 , C_2 and C_3 are indistinguishable, the robots at A and B do not move and the algorithm never converges, which contradicts the assumption that convergence is possible with $n \leq 2f$. ■

The following lemma provides the lower bound for the semi-synchronous case.

Lemma 4.2 *Byzantine-resilient convergence is impossible for $n \leq 3f$ with a cautious algorithm in the semi-synchronous ATOM model and a 2-bounded scheduler.*

Proof: By Lemma 4.1, convergence is impossible for $n \leq 2f$ in the fully-synchronous ATOM model, so it is also impossible in the semi-synchronous case. Assume that there exists a cautious algorithm that achieves convergence with $2f < n \leq 3f$.




Figure 4: Lower bounds for convergence in fully-synchronous ATOM model ($n = 5$, $f = 3$, black robots are byzantine)




Figure 5: Impossibility of convergence in SYM with $n \leq 3f$, black robots are byzantine

Let A and B be two distinct points in a uni-dimensional space such that $(n - f)$ robots are located at A and the remaining f robots are located at B (see Figure 5 for $n = 6$ and $f = 2$).

Let C_1 be a configuration where all correct robots are at A and the byzantine ones at B. Note that since the correct robots are at the same point, the diameter is 0. There are two possible cases:

1. The robots at A move when activated: since the algorithm is cautious, the only possible direction is towards B. When moving towards B, the robots may be stopped by the scheduler at different locations which causes the diameter to increase and this contradicts Lemma 3.2.
2. The robots at A do not move: the only possible action for robots in this configuration since they cannot move.

Let C_2 be another possible configuration where the byzantine robots are at A, and the correct ones are spread over A and B as follows: f correct robots at B and the remaining $(n - 2f)$ at A.

Note that C_1 and C_2 are indistinguishable by the individual robots and assume the following scenario: The scheduler activates robots at A. Since the configurations C_1 and C_2 are equivalent, robots at A do not move. Then, the scheduler moves $n - 2f \leq f$ faulty robots from A to B which leads to the symmetric configuration C'_2 and robots at B do not move neither. The same scenario is repeated infinitely and no robot will ever move which prevents the algorithm to converge. ■

5 Deterministic Approximate Convergence

In this section we propose a deterministic convergence algorithm and prove its correctness and optimality in the ATOM model. Algorithm 1, similarly to the approximate agreement algorithm

in [9], uses two functions, $trim_f(P(t))$ and $median(P(t))$. The former removes the f largest and f smallest values from the multiset given in parameter. The latter returns the median point in the input range. Using Algorithm 1, each robot computes the median of the positions of the robots seen in its last LOOK cycle ignoring the f largest and f smallest positions.

Algorithm 1 Byzantine Tolerant Convergence

Functions:

trim_f: removes the f largest and f smallest values from the multiset given in parameter.

median: returns the points that is in the middle of the range of points given in parameter.

Actions:

move towards $median(trim_f(P(t)))$

In the following we prove the correctness of Algorithm 1 in fully-synchronous and semi-synchronous ATOM models.

In order to show that Algorithm 1 is convergent we prove first that it is cautious then we prove that it satisfies the specification of a shrinking algorithm.

5.1 Properties of Algorithm 1

In this section we propose a set of lemmas that will be further used in the construction of the convergence proof of our algorithm. In the following we recall a result related to the functions *trim* and *range* proved in [9].

Lemma 5.1 ([9]) $range(trim_f(P(t))) \subset range(U(t))$.

A direct consequence of the above property is that Algorithm 1 is cautious for $n > 2f$.

Lemma 5.2 *Algorithm 1 is cautious for $n > 2f$.*

Lemma 5.3 $range(trim_f(U(t))) \subseteq range(trim_f(P(t)))$ when $n > 3f$.

Proof: We prove that:

1. $\forall t U_{f+1}(t) \in range(trim_f(P(t)))$.
 2. $\forall t U_{m-f}(t) \in range(trim_f(P(t)))$.
1. Suppose that $U_{f+1}(t) \notin range(trim_f(P(t)))$. Then either $U_{f+1}(t) < \min(trim_f(P(t)))$ or $U_{f+1}(t) > \max(trim_f(P(t)))$.
 - If $U_{f+1}(t) < \min(trim_f(P(t)))$ then there are at least $f + 1$ positions $(U_1(t), \dots, U_{f+1}(t))$ which are smaller than $\min(trim_f(P(t)))$. This contradicts the definition of $trim_f(P(t))$ (only the f smallest and the f largest elements of $P(t)$ are removed).
 - If $U_{f+1}(t) > \max(trim_f(P(t)))$ and since $|U(t)| > 2f$ (because $n > 3f$), then there are also at least $f + 1$ positions in $U(t)$ greater than $\max(trim_f(P(t)))$, which leads to a contradiction.

2. The property is symmetric the precedent one. ■

Lemma 5.4 *Let $D_i(t)$ be the set of destinations computed with Algorithm 1 in systems with $n > 3f$. The following properties hold: (1) $\forall i, \forall t, D_i(t) \leq (U_{f+1}(t) + U_m(t))/2$ and (2) $\forall i, \forall t, D_i(t) \geq (U_1(t) + U_{m-f}(t))/2$.*

Proof: Take d_1 to be the distance between $U_{f+1}(t)$ and $U_m(t)$.

1. Suppose $D_i(t) > (U_{f+1}(t) + U_m(t))/2$ for some correct robot i at time t . Then $U_{f+1}(t) < D_i(t) - d_1/2$. And by Lemma 5.3, $U_{f+1}(t)$ is inside $range(trim_f(P(t)))$ which means that there is a position inside $range(trim_f(P(t)))$ which is smaller than $D_i(t) - d_1/2$. Hence there must exists a position inside $range(trim_f(P(t)))$, say p , which is greater than $D_i(t) + d_1/2$ because D_i is the mean of $trim_f(P(t))$.

$p > D_i(t) + d_1/2$ implies that $p > U_m(t)$, and by lemma 5.1 $U_m(t) \geq \max(range(trim_f(P(t))))$ so $p > \max(trim_f(P(t)))$ which contradicts the fact that p is inside $range(trim_f(P(t)))$.

2. Symmetric to the precedent property. ■

Lemma 5.5 *Let $S(t)$ be a multiset of $f + 1$ arbitrary elements of $U(t)$. We have the following properties: (1) $\forall t, U_{f+1}(t) \leq \max(S(t))$ and (2) $\forall t, U_{m-f}(t) \geq \min(S(t))$*

Proof: 1. Assume to the contrary that $U_{f+1}(t) > \max(S(t))$. This means that $U_{f+1}(t)$ is strictly greater than at least $f + 1$ elements of $U(t)$, which leads to a contradiction.

2. The property is symmetric to the precedent. ■

Lemma 5.6 *Let a time $t_2 > t_1$ and let $S(t)$ be a multiset of $f + 1$ arbitrary elements in $U(t)$. If $\forall p \in S(t)$ and $\forall t \in [t_1, t_2] p \leq S_{max}$ then for each correct robot i in $U(t)$ and for each $t \in [t_1, t_2] D_i(t) \leq (S_{max} + U_m(t_1))/2$.*

Proof: By definition of S_{max} we have that $\forall t \in [t_1, t_2], \max(S(t)) \leq S_{max}$. According to Lemma 5.5, $\forall t \in [t_1, t_2] U_{f+1}(t) \leq \max(S(t))$. So $\forall t \in [t_1, t_2] U_{f+1}(t) \leq S_{max}$.

By Lemma 5.4, for each correct robot i and for each $t \in [t_1, t_2], D_i(t) \leq (U_m(t) + U_{f+1}(t))/2$. So for each correct robot i and for each $t \in [t_1, t_2], D_i(t) \leq (U_m(t) + S_{max})$. Since the algorithm is cautious, $\forall t \in [t_1, t_2] U_m(t) \leq U_m(t_1)$ and the lemma follows. ■

5.2 Convergence of Algorithm 1 in fully-synchronous ATOM model

In this section we address the correctness of Algorithm 1 in the fully-synchronous ATOM model.

Lemma 5.7 *Algorithm 1 is shrinking for $n > 2f$ in fully-synchronous ATOM model.*

Proof: Let a configuration of robots at time t , and let d_t be the diameter of correct robots at t . Each cycle, all robots move towards the same destination. They move by at least a distance of δ unless they reach their destination.

If all robots are at a distance smaller than δ from the common destination point, gathering is achieved and the diameter is null. Otherwise, the robots that are further than δ from the destination point approach it by at least δ so the diameter decreases by at least δ . Overall, the diameter of robots decreases by at least factor of $\alpha = 1 - (\delta/d_t)$ at each cycle and thus the algorithm is shrinking. ■

The correctness of Algorithm 1 follows directly from Lemma 5.2 and Lemma 5.7:

Theorem 5.8 *Algorithm 1 is convergent for $n > 2f$ in fully-synchronous ATOM model.*

5.3 Correctness proof in semi-synchronous ATOM model

In this section we address the correctness of Algorithm 1 in semi-synchronous model under a k -bounded scheduler. Our proof is constructed on top of the auxiliary lemmas proposed in the previous sections.

Lemma 5.9 *Algorithm 1 is shrinking in semi-synchronous ATOM model with $n > 3f$ under a k -bounded scheduler.*

Proof: Let $U_1(t_0), \dots, U_m(t_0)$ be a configuration of correct robots at the initial time t_0 , and assume that they are ordered from left to right. Let d_0 be the diameter of correct robots at t_0 , $d_1 = \text{distance}(U_{f+1}(t_0), U_m(t_0))$ and $d_2 = \text{distance}(U_1(t_0), U_{m-f}(t_0))$. We assume without loss of generality that $d_1 > d_2$. Note that in this case $d_1 \geq d_0/2$, otherwise $d_1 + d_2 < d_0$ which is impossible since $|U(t)| > 2f$.

Let $S(t)$ be the multiset $U_1(t), \dots, U_{f+1}(t)$. We have at t_0 : $\max(S(t_0)) = U_m(t_0) - d_1$. Let $t_1 \geq t_0$ be the first time all correct robots have been activated at least once since t_0 . We prove in the following that at t_1 , $\max(S(t_1)) \leq U_m(t_0) - d_1/2^{k(f+1)}$.

According to Lemma 5.5, $\forall t \in [t_0, t_1] U_{f+1}(t) \leq \max(S(t))$ and by Lemma 5.4, $D_i(t) \leq (U_m(t) + U_{f+1}(t))/2$ for each correct robot i and for each $t \in [t_1, t_2]$. So $D_i(t) \leq (U_m(t) + \max(S(t)))/2$. Since the algorithm is cautious, $\forall t > t_0 U_m(t) \leq U_m(t_0)$. So $D_i(t) \leq (U_m(t_0) + \max(S(t)))/2$ for each correct robot i and for each $t \in [t_1, t_2]$.

Recall that initially $\max(S(t_0)) = U_m(t_0) - d_1$. Therefore, when at some time $t' > t_0$, a robot in $S(t')$ is activated, its calculated destination is smaller than $(U_m(t_0) + \max(S(t')))/2$. Then $\max(S(t'+1)) \leq (U_m(t_0) + \max(S(t')))/2$.

Recall that t_1 is the first time such that all robots are activated at least once since t_0 . Since the scheduler is k -bounded, the robots in $S(t)$ may have been activated at most k times each. So between t_0 and t_1 , there are at most $k(f+1)$ activations of robots in $S(t)$. Therefore at t_1 , $\max(S(t_1)) \leq (U_m(t_0) - d_1/2^{k(f+1)})$. And since $d_1 > d_0/2$, $\max(S(t_1)) \leq (U_m(t_0) - d_0/2^{k(f+1)+1})$.

So between t_0 and t_1 all robots are activated at least once, and according to Lemma 5.6, all their calculated destinations are less than or equal to $(U_m(t_0) - d_0/2^{k(f+1)+2})$. Since robots are guaranteed to move toward their destinations by at least a distance δ before they can be stopped by the scheduler, at t_1 , all the positions of $U(t_1)$ are $\leq U_m(t_0) - \min\{\delta, d_0/2^{k(f+1)+2}\}$. Thus by setting $\alpha = \max\{1 - \delta/d_0, 1 - 1/2^{k(f+1)+2}\}$ at t_1 , the lemma follows. ■

The convergence proof of Algorithm 1 directly follows from Lemma 5.9 and Lemma 5.2.

Theorem 5.10 *Algorithm 1 is convergent in semi-synchronous ATOM model for $n > 3f$ under a k -bounded scheduler.*

6 Concluding remarks

We studied the problem of convergence of mobile oblivious robots in a uni-dimensional space when some of the robots can exhibit arbitrary malicious behavior. We showed that there is a tradeoff between system synchrony (how tightly synchronized the robots are) and malicious tolerance, as more asynchronous systems lead to less Byzantine tolerance. One originality of our approach is the connection with previous results in fault-tolerant distributed computing with respect to approximate Byzantine agreement. Three immediate open questions are raised by our study:

1. we consider a uni-dimensional space, which leads to questioning the applicability of our approach in multi-dimensional spaces,
2. we presented lower bound for the class of cautious algorithms, which leaves the possibility of non-cautious solutions for the same problem open,
3. the model we consider in this paper is either fully-synchronous or semi-synchronous, which leads to the possible investigation of purely asynchronous models for the same problem (e.g. CORDA [14]).

References

- [1] I. Abraham, Y. Amit, and D. Dolev. Optimal Resilience Asynchronous Approximate Agreement. *Principles of Distributed Systems: 8th International Conference, OPODIS 2004, Grenoble, France, December 15-17, 2004: Revised Selected Papers*, 2005.
- [2] N. Agmon and D. Peleg. Fault-tolerant gathering algorithms for autonomous mobile robots. *Symposium on Discrete Algorithms: Proceedings of the fifteenth annual ACM-SIAM symposium on Discrete algorithms*, 11(14):1070–1078, 2004.
- [3] H. Ando, Y. Oasa, I. Suzuki, and M. Yamashita. Distributed memoryless point convergence algorithm for mobile robots with limited visibility. *Robotics and Automation, IEEE Transactions on*, 15(5):818–828, 1999.
- [4] R. Cohen and D. Peleg. Robot convergence via center-of-gravity algorithms. *Proc. of the 11th Int. Colloquium on Structural Information and Communication Complexity*, pages 79–88, 2004.
- [5] R. Cohen and D. Peleg. Convergence properties of the gravitational algorithm in asynchronous robot systems. *SIAM Journal on Computing*, 34(6):1516–1528, 2005.
- [6] R. Cohen and D. Peleg. Convergence of autonomous mobile robots with inaccurate sensors and movements. In B. Durand and W. Thomas, editors, *23rd Annual Symposium on Theoretical Aspects of Computer Science (STACS'06)*, volume 3884 of *LNCS*, pages 549–560, Marseille, France, February 2006. Springer.

- [7] R. Cohen and D. Peleg. Convergence of autonomous mobile robots with inaccurate sensors and movements. *23rd Annual Symposium on Theoretical Aspects of Computer Science (STACS06)*, 3884:549–560, 2006.
- [8] X. Defago, M. Gradinariu, S. Messika, and P.R. Parvedy. Fault-tolerant and self-stabilizing mobile robots gathering. *DISC06, the 20th International Conference on Distributed Computing. LNCS*, 3274:46–60, 2006.
- [9] D. Dolev, N.A. Lynch, S.S. Pinter, E.W. Stark, and W.E. Weihl. Reaching approximate agreement in the presence of faults. *Journal of the ACM (JACM)*, 33(3):499–516, 1986.
- [10] P. Flocchini, G. Prencipe, N. Santoro, and P. Widmayer. Gathering of asynchronous mobile robots with limited visibility. *Theoretical Computer Science*, 337:147–168, 2005.
- [11] N. Lynch, R. Segala, and F. Vaandrager. Hybrid I/O automata. *Information and Computation*, 185(1):105–157, 2003.
- [12] N.A. Lynch. *Distributed Algorithms*. Morgan Kaufmann, 1996.
- [13] G. Prencipe. CORDA: Distributed coordination of a set of autonomous mobile robots. In *Proc. 4th European Research Seminar on Advances in Distributed Systems (ERSADS'01)*, pages 185–190, Bertinoro, Italy, May 2001.
- [14] G. Prencipe. On the feasibility of gathering by autonomous mobile robots. In A. Pelc and M. Raynal, editors, *Proc. Structural Information and Communication Complexity, 12th Intl Coll., SIROCCO 2005*, volume 3499 of *LNCS*, pages 246–261, Mont Saint-Michel, France, May 2005. Springer.
- [15] S. Souissi, X. Défago, and M. Yamashita. Eventually consistent compasses for robust gathering of asynchronous mobile robots with limited visibility. Research Report IS-RR-2005-010, JAIST, Ishikawa, Japan, July 2005.
- [16] I. Suzuki and M. Yamashita. Distributed anonymous mobile robots: Formation of geometric patterns. *SIAM Journal of Computing*, 28(4):1347–1363, 1999.