

A Formalization of the Semantics of Functional-Logic Programming in Isabelle

Francisco López Fraguas, Stephan Merz, Juan Rodríguez Hortalá

► **To cite this version:**

Francisco López Fraguas, Stephan Merz, Juan Rodríguez Hortalá. A Formalization of the Semantics of Functional-Logic Programming in Isabelle. 22nd International Conference on Theorem Proving in Higher-Order Logics: emerging trends session - TPHOLs 2009, Aug 2009, Munich, Germany. 2009. <inria-00408964>

HAL Id: inria-00408964

<https://hal.inria.fr/inria-00408964>

Submitted on 4 Aug 2009

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

A Formalization of the Semantics of Functional-Logic Programming in Isabelle^{*}

Francisco J. López-Fraguas¹, Stephan Merz², and Juan Rodríguez-Hortalá¹

¹ Departamento de Sistemas Informáticos y Computación
Universidad Complutense de Madrid, Spain
fraguas@sip.ucm.es, juanrh@fdi.ucm.es

² INRIA Nancy & LORIA
Stephan.Merz@loria.fr

Abstract. Modern functional-logic programming languages like Toy or Curry feature non-strict non-deterministic functions that behave under call-time choice semantics. A standard formulation for this semantics is the *CRWL* logic, that specifies a proof calculus for computing the set of possible results for each expression. In this paper we present a formalization of that calculus in the Isabelle/HOL proof assistant. We have proved some basic properties of *CRWL*: closedness under *c*-substitutions, polarity and compositionality. We also discuss some insights that have been gained, such as the fact that left linearity of program rules is not needed for any of these results to hold.

1 Introduction

Fully formalizing the (meta)theory of a programming language can be beneficial for developing its foundations. There is an increasing number of researchers (see e.g. [2]) sharing the conviction that the combination *formalization+mechanized theorem proving* must (and will) play a prominent role in programming languages research and technology. In particular, formalizations help to clarify overlooked aspects, to discover pitfalls, and even to provide new insights; moreover, formalized metatheories lead to mechanized reasoning about programs, giving reliable support to tools like certifying compilers or certified program transformations.

In this paper we formalize the semantics of functional logic programming (FLP), a well established paradigm (see [9]) integrating features of logic and functional languages. In modern FLP languages such as Curry [10] or Toy [14] programs are constructor based rewrite systems that may be non-terminating and non-confluent. Semantically this leads to the presence of non-strict and non-deterministic functions. The semantics adopted for non-determinism is *call-time choice* [11,8], informally meaning that in any reduction, all descendants of a given subexpression must share the same value. The semantic framework *CRWL*³ was

^{*} This work has been partially supported by the Spanish projects TIN2005-09207-C03-03 (MERIT-FORMS-UCM), S-0505/TIC/0407 (PROMESAS-CAM) and TIN2008-06622-C03-01/TIN (FAST-STAMP).

³ *CRWL* stands for “Constructor-based ReWriting Logic”.

proposed in [7,8] to accommodate this view of non-determinism, and is nowadays considered the standard semantics of FLP. For the purpose of this paper, the most relevant aspect of *CRWL* is a proof calculus devised to prove reduction statements of the form $\mathcal{P} \vdash e \rightarrow t$, meaning that t is a possible (partial) value to which e can be reduced using the program \mathcal{P} .

We have chosen Isabelle/HOL as concrete logical framework for our formalization. Using such a broadly used system is not only easier, but also more flexible and stable than developing language specific tools like has been done, e.g., for logic programming [15] or functional programming [6].

The remainder of the paper is organized as follows: Sect. 2 contains some preliminaries about the *CRWL* framework, Sect. 3 presents the Isabelle theories developed to formalize *CRWL*, and Sect. 4 gives the mechanized proofs of some important properties of *CRWL*. Finally, Sect. 5 summarizes some conclusions and points to future work.

An extended version of this paper can be found at <http://gpd.sip.ucm.es/juanrh/pubs/isabell-crwl-report.pdf>. The Isabelle code underlying the results presented here is available at <https://gpd.sip.ucm.es/trac/gpd/wiki/GpdSystems/IsabelleCrwl>.

2 Preliminaries

2.1 Constructor-based term rewrite systems

We consider a first-order signature $\Sigma = CS \cup FS$, where *CS* and *FS* are two disjoint sets of *constructor* and defined *function* symbols respectively, each with associated arity. We write CS^n (FS^n resp.) for the set of constructor (function) symbols of arity n . The set *Exp* of *expressions* is inductively defined as

$$Exp \ni e ::= X \mid h(e_1, \dots, e_n),$$

where $X \in \mathcal{V}$, $h \in CS^n \cup FS^n$ and $e_1, \dots, e_n \in Exp$. The set *CTerm* of *constructed terms* (or *c-terms*) is defined like *Exp*, but with h restricted to CS^n (so $CTerm \subseteq Exp$). The intended meaning is that *Exp* stands for evaluable expressions, i.e., expressions that can contain function symbols, while *CTerm* stands for data terms representing values. We will write e, e', \dots for expressions and t, s, \dots for c-terms. The set of variables occurring in an expression e will be denoted as $var(e)$. We will frequently use *one-hole contexts*, defined as

$$Cntxt \ni \mathcal{C} ::= [] \mid h(e_1, \dots, \mathcal{C}, \dots, e_n)$$

for $h \in CS^n \cup FS^n$. The application of a context \mathcal{C} to an expression e , written $\mathcal{C}[e]$, is defined inductively by

$$[] [e] = e \quad \text{and} \quad h(e_1, \dots, \mathcal{C}, \dots, e_n) [e] = h(e_1, \dots, \mathcal{C}[e], \dots, e_n).$$

The set *Subst* of *substitutions* consists of finite mappings $\theta : \mathcal{V} \rightarrow Exp$ (i.e., mappings such that $\theta(X) \neq X$ only for finitely many $X \in \mathcal{V}$), which extend

(RR) $\frac{}{X \rightarrow X} \quad X \in \mathcal{V}$	(B) $\frac{}{e \rightarrow \perp}$
(DC) $\frac{e_1 \rightarrow t_1 \dots e_n \rightarrow t_n}{c(e_1, \dots, e_n) \rightarrow c(t_1, \dots, t_n)} \quad c \in CS^n$	
(OR) $\frac{e_1 \rightarrow p_1\theta \dots e_n \rightarrow p_n\theta \quad r\theta \rightarrow t}{f(e_1, \dots, e_n) \rightarrow t} \quad \begin{array}{l} f(p_1, \dots, p_n) \rightarrow r \in \mathcal{P} \\ \theta \in CSubst_{\perp} \end{array}$	

Fig. 1. Rules of *CRWL*

naturally to $\theta : Exp \rightarrow Exp$. We write $e\theta$ for the application of θ to e , and $\theta\theta'$ for the composition of substitutions, defined by $X(\theta\theta') = (X\theta)\theta'$. The domain of θ is defined as $dom(\theta) = \{X \in \mathcal{V} \mid X\theta \neq X\}$. In most cases we will use *c-substitutions* $\theta \in CSubst$, for which $X\theta \in CTerm$ for all $X \in dom(\theta)$.

A *CRWL-program* (or simply a *program*) is a set of rewrite rules of the form $f(\bar{t}) \rightarrow e$ where $f \in FS^n$, $e \in Exp$ and \bar{t} is a linear n -tuple of c -terms, where linearity means that each variable occurs only once in \bar{t} . Notice that we allow e to contain *extra variables*, i.e., variables not occurring in \bar{t} . *CRWL*-programs often allow also conditions in the program rules. However, *CRWL*-programs with conditions can be transformed into equivalent programs without conditions, therefore we consider only unconditional rules.

2.2 The *CRWL* framework

In order to accomodate non-strictness at the semantic level, we enlarge Σ with a new constant constructor symbol \perp . The sets Exp_{\perp} , $CTerm_{\perp}$, $Subst_{\perp}$, $CSubst_{\perp}$ of partial expressions, etc., are defined naturally. Notice that \perp does not appear in programs. Partial expressions are ordered by the *approximation* ordering \sqsubseteq defined as the least partial ordering satisfying

$$\perp \sqsubseteq e \quad \text{and} \quad e \sqsubseteq e' \Rightarrow \mathcal{C}[e] \sqsubseteq \mathcal{C}[e'] \quad \text{for all } e, e' \in Exp_{\perp}, \mathcal{C} \in Cntxt$$

This partial ordering can be extended to substitutions: given $\theta, \sigma \in Subst_{\perp}$ we say $\theta \sqsubseteq \sigma$ if $X\theta \sqsubseteq X\sigma$ for all $X \in \mathcal{V}$.

The semantics of a program \mathcal{P} is determined in *CRWL* by means of a proof calculus (see Fig. 1) for deriving reduction statements $\mathcal{P} \vdash e \rightarrow t$, with $e \in Exp_{\perp}$ and $t \in CTerm_{\perp}$, meaning informally that t is (or approximates) a *possible value* of e , obtained by iterated reduction of e using \mathcal{P} under call-time choice. Rule B (bottom) allows us to avoid the evaluation of any expression, in order to get a non-strict semantics. Rules RR (restricted reflexivity) and DC (decomposition) allow us to reduce any variable to itself, and to decompose the evaluation of an expression whose root symbol is a constructor. Rule OR (outer reduction) expresses that to evaluate a function call we must first evaluate its arguments to get an instance of a program rule, perform parameter passing (by means of a $CSubst_{\perp}$ θ) and then reduce the instantiated right-hand side. The use of partial

c-substitutions in OR is essential to express call-time choice, as only single partial values are used for parameter passing. Notice also that by the effect of θ in OR extra variables in the right-hand side of a rule can be replaced by any c-term, but not by any expression. The *CRWL-denotation* of an expression $e \in \text{Exp}_\perp$ is defined as $\llbracket e \rrbracket^{\mathcal{P}} = \{t \in \text{CTerm}_\perp \mid \mathcal{P} \vdash_{\text{CRWL}} e \rightarrow t\}$.

3 Formalizing *CRWL* in Isabelle

3.1 Basic definitions

We describe our formalization of *CRWL* in Isabelle. The first step is to define elementary types for the syntactic elements.

```

datatype signat = fs string | cs string
datatype varId = vi string
datatype exp = perp | Var varId | Ap signat "exp list"
types
  subst = "varId  $\Rightarrow$  exp option"
  rule = "exp * exp"
  program = "rule set"

```

Signatures are represented by a datatype that provides two constructors `cs` and `fs` to distinguish between constructor and function symbols. The type `varId` is used to represent variable identifiers, which will be employed to define substitutions. Then the datatype `exp` is naturally defined following the inductive scheme of Exp_\perp , therefore with this representation every expression is partial by default.

Substitutions (type `subst`) are represented as partial functions from variable identifiers to expressions, using Isabelle's `option` type. Hence the domain of a substitution ϑ will be the set of elements from `varId` for which ϑ returns some value different from `None`. Note that this representation does not ensure that domains of substitutions are finite. Our proofs do not rely on this finiteness assumption. Finally we represent a program rule as a pair of expressions, where the first element is considered the left-hand side of the rule and the second the right-hand side, and a program simply as a set of program rules. The set of valid *CRWL* programs is characterized by a predicate `crwlProgram :: "program \Rightarrow bool"` that checks whether the restrictions of left-linearity and constructor discipline are satisfied.

We define a function `apSubst :: "subst \Rightarrow exp \Rightarrow exp"` for applying a substitution to an expression. The composition of substitutions is defined through a function `substComp :: "subst \Rightarrow subst \Rightarrow subst"`. The following lemma ensures the correctness of this definition.

```

lemma substCompAp :
  "(apSubst  $\vartheta$  (apSubst  $\sigma$  e)) = (apSubst (substComp  $\vartheta$   $\sigma$ ) e)"

```

Just as ML, the Isabelle type system does not support subtyping, which could have been useful to represent the sets of c-terms and c-substitutions. Instead, we define predicates `cterm` and `csubst` characterizing these subtypes. We prove

the expected lemmas, such as that the composition of two c-substitutions is a c-substitution, or that the application of a c-substitution to a c-term yields a c-term.

3.2 Approximation order and contexts

Two key notions of *CRWL* have not yet been formalized: the approximation order \sqsubseteq , which will be used in the formulation of the polarity of *CRWL*, and the notion of one-hole context, which will be used in the compositionality.

The following inductively defined predicate `ordap` (with concrete infix syntax \sqsubseteq) models the approximation order.

```

inductive
  ordap :: "exp  $\Rightarrow$  exp  $\Rightarrow$  bool" ("_  $\sqsubseteq$  _" [51,51] 50)
where
  B: "perp  $\sqsubseteq$  e"
  | V: "Var x  $\sqsubseteq$  Var x"
  | Ap: "[[ size es = size es' ; ALL i < size es. es!i  $\sqsubseteq$  es'!i ]]
         $\Rightarrow$  Ap h es  $\sqsubseteq$  Ap h es'"

```

Rule B asserts that `perp \sqsubseteq e` holds for every `e`; rule V is needed for \sqsubseteq to be reflexive; finally rule Ap ensures closedness under Σ -operations, and thus compatibility with context [3], because \sqsubseteq is reflexive and transitive, as we will see. The following results state that our formulation of \sqsubseteq defines a partial order.

```

lemma ordapRef1 : "e  $\sqsubseteq$  e"
lemma ordapTrans :
  assumes "e1  $\sqsubseteq$  e2" and "e2  $\sqsubseteq$  e3"
  shows "e1  $\sqsubseteq$  e3"
lemma ordapAntisym :
  assumes "e1  $\sqsubseteq$  e2" and "e2  $\sqsubseteq$  e1"
  shows "e1 = e2"
definition ordap_less ("_  $\sqsubset$  _" [51,51] 50) where
  "e  $\sqsubset$  e'  $\equiv$  e  $\sqsubseteq$  e'  $\wedge$  e  $\neq$  e'"
interpretation exp : order [ordap ordap_less]

```

Contexts are represented as the datatype `cntxt`, defined as follows:

```

datatype cntxt = Hole | Cperp | CVar varId
  | CAp signat "cntxt list"

```

Note that `cntxt` cannot follow the inductive structure of *Cntxt* with precision, because the type system of Isabelle is not expressive enough to allow us to specify that only one of the arguments of `CAp` will be a context and the others will be expressions. Then our contexts are defined as expressions with possibly some holes inside. Therefore the datatype `cntxt` represents contexts with any number of holes, even zero holes, and the function `apCon :: "exp \Rightarrow cntxt \Rightarrow exp"` is defined so it puts the argument expression in every hole of the argument context. In order to characterize contexts with just one hole, we define a function `numHoles :: "cntxt \Rightarrow nat"` that returns the numbers of holes in a context.

Using it we can define define predicates `oneHole` and `noHole` and prove the following lemmas.

```

lemma noHoleApDontCare :
  assumes "noHole xC"
  shows "apCon e xC = apCon e' xC"

lemma oneHole :
  assumes "oneHole (CAp h xCs)"
  shows "∃ xC yCs zCs. xCs = (yCs @ xC # zCs) ∧ oneHole xC ∧
    (∀ c ∈ set (yCs @ zCs). noHole c)"

```

3.3 The *CRWL* logic in Isabelle/HOL

The *CRWL* logic has been formalized through the inductive predicate `clto` with infix notation "`_ ⊢ _ → _`". The rules defining `clto` faithfully follow the inductive structure of the definition of *CRWL* as it is presented in Fig. 1.

```

inductive
  clto :: "program ⇒ exp ⇒ exp ⇒ bool" ("_ ⊢ _ → _"
    [100,50,50] 38)
  where
    B[intro]: "prog ⊢ exp → perp"
  | RR[intro]: "prog ⊢ Var v → Var v"
  | DC[intro]: "⟦size es = size ts;
    ∀ i < size es. prog ⊢ es!i → ts!i
  ⟧ ⇒ prog ⊢ Ap (cs c) es → Ap (cs c) ts"
  | OR[intro]: "⟦(Ap (fs f) ps, r) ∈ prog ; csubst ∅ ;
    size es = size ps ;
    ∀ i < size es. prog ⊢ es!i → apSubst ∅ (ps!i);
    prog ⊢ apSubst ∅ r → t
  ⟧ ⇒ prog ⊢ Ap (fs f) es → t"

```

Using `clto` we can easily define the *CRWL* denotations in Isabelle as follows.

```

definition den :: "program ⇒ exp ⇒ exp set" where
  "den P e = {t. P ⊢ e → t}"

```

4 Reasoning about *CRWL* in Isabelle

The first interesting property that we are proving about *CRWL* expresses that evaluation is *closed under c-substitutions*: reductions are preserved when terms are instantiated by *c*-substitutions.

```

theorem crwlClosedCSubst :
  assumes "prog ⊢ e → t" and "csubst ∅"
  shows "prog ⊢ apSubst ∅ e → apSubst ∅ t"

```

The proof of this lemma proceeds by induction on the *CRWL*-proof of the hypothesis, therefore we will have one case for each *CRWL* rule. The first three

cases are proved automatically. However, to prove the case for rule OR Isabelle needs some help from us. We need to prove

$$\text{prog} \vdash (\text{Ap } (f\ s\ f) \ (\text{map } (\text{apSubst } \vartheta) \ es)) \rightarrow (\text{apSubst } \vartheta \ t)$$

and then let the simplifier apply the definition of `apSubst`. In the proof for that subgoal we used lemma `CSubsComp` to ensure that the *c*-substitution μ used for parameter passing composed with the *c*-substitution ϑ in the hypothesis yields another *c*-substitution, and lemma `subsCompAp` to guarantee the correct behaviour of the composition for those *c*-substitutions.

Note that for this result to hold no additional hypotheses about the program or the expressions involved are needed. In particular, this implies that the result holds even for programs that do not follow the constructor discipline or that have non left-linear rules. The Isabelle proof clearly shows that the important ingredients are the use of *c*-substitutions for parameter passing and the reflexivity of *CRWL* wrt. *c*-terms, expressed by lemma `cTermRef1`, which allows us to reduce to itself any expression $X\vartheta$ coming from a premise $X \rightarrow X$.

The second property that we address is the *polarity of CRWL*. This property is formulated by means of the approximation order and roughly says that if we can compute a value for an expression then we can compute a smaller value for a bigger expression. Here we should understand the approximation order as an information order, in the sense that the bigger the expression, the more information it gives, and so more values can be computed from it.

```
theorem crwlPolarity :
  assumes "prog ⊢ e → t" and "e ⊆ e'" and "t' ⊆ t"
  shows "prog ⊢ e' → t'"
  using assms proof (induct arbitrary: e' t')
```

The idea of the proof is to construct a *CRWL*-proof for the conclusion from the *CRWL*-proof of the hypothesis, hence it is natural to proceed by induction on the structure of this proof (method `induct`). The qualifier `arbitrary` is used to generalize the assertion for any expressions e' and t' . The proof also relies on the following additional lemmas about the approximation order, which were proved automatically by Isabelle.

```
lemma ordapPerp: assumes "e ⊆ perp" shows "e = perp"
lemma ordapVar: assumes "Var v ⊆ e" shows "e = Var v"
lemma ordapVar_converse:
  assumes "e ⊆ Var v" shows "e = perp ∨ e = Var v"
lemma ordapAp:
  assumes "Ap h es ⊆ e'"
  shows "∃ es'. e' = Ap h es' ∧ size es = size es'
        ∧ (ALL i < size es. es!i ⊆ es'!i)"
lemma ordapAp_converse:
  assumes "e' ⊆ Ap h es"
  shows "e' = perp ∨
        (∃ es'. e' = Ap h es' ∧ size es = size es'
          ∧ (ALL i < size es. es'!i ⊆ es!i))"
```


The inductive proof for theorem `crwlPolarity` again considers each *CRWL* rule in turn. In the case for `B` we have $t = \text{perp}$, hence we just have to apply `ordapPerp` to get $t' = \text{perp}$, and then use the *CRWL* rule `B`. Regarding `RR`, as then $t = \text{Var } v$, by `ordapVar_converse` we get that either $t' = \text{perp}$ or $t' = \text{Var } v$. The first case is trivial, and in the latter we just have to apply `ordapVar` getting $e' = \text{Var } v$, which is enough for Isabelle to finish the proof automatically. The case of `DC` is more complicated. Again we obtain two cases for $t' = \text{perp}$ and t' a constructor application, by using lemma `ordapAp_converse`. While the first case is trivial, the second one requires some involved reasoning over the list of arguments, using the information we get from applying lemma `ordapAp`. Finally, the proof for `OR` is similar to the second case of the proof for `DC`, with a similar manipulation of the list of arguments, and the use of lemma `ordapAp` to obtain the induction hypothesis for the arguments.

Once again we find that this proof does not require any hypothesis on the linearity or the constructor discipline of the program: this is indeed quite obvious because this property only talks about what happens when we replace some subexpression by `perp`.

Finally we will tackle the *compositionality of CRWL*, that says that if we take a context with just one hole and an expression, then the set of values for the expression put it that context will be the union of the set of values for the result of putting each value for the expression in that context.

```

theorem compCRWL :
  assumes "oneHole xC"
  shows "den P (apCon e xC) =
    (⋃ t ∈ den P e. den P (apCon t xC))"

```

We have proved the two set inclusions separately as auxiliary lemmas `compCRWL1` and `compCRWL2`. The proofs of these lemmas are quite laborious but essentially proceed by induction on the *CRWL*-proof in their hypothesis, using it to build a *CRWL*-proof for the statement in the conclusion. In these proofs, Lemma `noHoleApDontCare` from Subsect. 3.2 is fundamental.

Again, while theorem `compCRWL` requires the context to have just one hole, it does not assume the linearity or constructor discipline of the program. This came as a surprise to us, and initially made us doubt about the accuracy of our formalization of *CRWL*. But it turns out that although *CRWL* is designed to work with *CRWL*-programs, that fulfil these restrictions, it can also be applied to general programs. For those programs some properties, such as the theorems `crwlClosedCSubst`, `crwlPolarity`, and `compCRWL` still hold, but other fundamental properties do not, in particular the strong adequacy results w.r.t. its operational counterparts of [8,12,1]. The point is that for those programs *CRWL* does not deliver the “intended semantics” anymore. And this is not strange, because that semantics was intended with *CRWL*-programs in mind. For example, consider the non linear program $\mathcal{P} = \{f(X, X) \rightarrow a\}$. There is a *CRWL*-proof for the statement $\mathcal{P} \vdash f(a, b) \rightarrow a$ but this value cannot be computed in any of the operational notions of [8,12,1] nor in any implementation of FLP, in which

the independence of the matching process of the arguments — derived from left-linearity of program rules — is assumed. It is also not very natural that $f(a, b)$ could yield the value a for the arguments a and b being different values, which implies that the semantics defined by *CRWL* for non left-linear programs is pretty odd. But that is not a big problem, because we only care about the properties of *CRWL* for the kind of programs it has been designed to work with. And if it enjoys some interesting properties for a bigger class of programs that is fine, because that nice properties will be inherited by the class of *CRWL*-programs.

On the other hand, for programs not following the constructor discipline, we will not even be able to have a matching for an argument of a rule which is not a constructor, because in the rule OR we have to reduce every argument of a function call to a value, which will be a c-term by Lemma `ctermVals` (see the extended version of this paper), and so could never be an instance of expression containing function symbols. Thus, the rule OR could not be used for program rules not following the constructor discipline.

5 Conclusions

This paper presented a formalization of the essentials of *CRWL* [7,8], a well-known semantic framework for functional logic programming, in the interactive proof assistant Isabelle/HOL. We chose that particular logical framework for its stability and its extensive libraries. The Isar proof language allowed us to structure the proofs so that they become quite elegant and readable, as can be observed by looking at the Isabelle code.

Our formalization is generic with respect to syntax, and includes important auxiliary notions like substitutions or contexts. This is in contrast to previous work [4,5] that focused on formalizing the semantics of each concrete program. In contrast, our paper focuses on developing the metatheory of the formalism, allowing us to obtain results that are more general and also more powerful: we formally prove essential properties of the paradigm like *polarity* or *compositionality* of the *CRWL*-semantics. We plan to extend our theories so that we will be able to reason about properties of concrete programs by deriving theorems that express verification conditions in the line of those stated in [4,5].

While developing the formalization we realized an interesting fact not pointed out before: properties like polarity or compositionality do not depend on the constructor discipline and left-linearity imposed to programs. However, such requirements will certainly play an essential role when extending our work to formally relate the *CRWL*-semantics with operational semantics like the one developed in [12], one of our intended subjects of future work. We think that could be interesting in several ways. First of all it would be a further step in the direction of challenge 3 of [2], “Testing and Animating wrt the Semantics”, because we would end up getting an interpreter of *CRWL* during the process. We should then also formalize the evaluation strategy for the operational semantics, obtaining an Isabelle proof of its optimality. Finally there are precedents [13,12]

of how the combination of a denotational and operational perspective is useful for general semantic reasoning in FLP.

References

1. E. Albert, M. Hanus, F. Huch, J. Oliver, and G. Vidal. Operational semantics for declarative multi-paradigm languages. *Journal of Symbolic Computation*, 40(1):795–829, 2005.
2. B. E. Aydemir, A. Bohannon, M. Fairbairn, J. N. Foster, B. C. Pierce, P. Sewell, D. Vytiniotis, G. Washburn, S. Weirich, and S. Zdancewic. Mechanized metatheory for the masses: The PoplMark challenge. In J. Hurd and T. F. Melham, editors, *TPHOLs*, volume 3603 of *Lecture Notes in Computer Science*, pages 50–65. Springer, 2005.
3. F. Baader and T. Nipkow. *Term Rewriting and All That*. Cambridge University Press, United Kingdom, 1998.
4. J. Cleva, J. Leach, and F. López-Fraguas. A logic programming approach to the verification of functional-logic programs. In *Proc. ACM SIGPLAN Conf. on Principles and Practice of Declarative Programming, PPDP'04*, pages 9–19. ACM, 2004.
5. J. Cleva and I. Pita. Verification of CRWL programs with rewriting logic. *J. Universal Computer Science*, 12(11):1594–1617, 2006.
6. M. de Mol, M. C. J. D. van Eekelen, and M. J. Plasmeijer. Theorem proving for functional programmers. In T. Arts and M. Mohnen, editors, *Implementation of Functional Languages, 13th International Workshop, IFL 2002*, volume 2312 of *Lecture Notes in Computer Science*, pages 55–71. Springer, 2001.
7. J. C. González-Moreno, T. Hortalá-González, F. López-Fraguas, and M. Rodríguez-Artalejo. A rewriting logic for declarative programming. In *Proc. European Symposium on Programming (ESOP'96)*, pages 156–172. Springer LNCS 1058, 1996.
8. J. C. González-Moreno, T. Hortalá-González, F. López-Fraguas, and M. Rodríguez-Artalejo. An approach to declarative programming based on a rewriting logic. *Journal of Logic Programming*, 40(1):47–87, 1999.
9. M. Hanus. Multi-paradigm declarative languages. In *Proceedings of the International Conference on Logic Programming (ICLP 2007)*, pages 45–75. Springer LNCS 4670, 2007.
10. M. Hanus (ed.). Curry: An integrated functional logic language (version 0.8.2). Available at <http://www.informatik.uni-kiel.de/~curry/report.html>, March 2006.
11. H. Hussmann. *Non-Determinism in Algebraic Specifications and Algebraic Programs*. Birkhäuser Verlag, 1993.
12. F. López-Fraguas, J. Rodríguez-Hortalá, and J. Sánchez-Hernández. A simple rewrite notion for call-time choice semantics. In *Proc. Principles and Practice of Declarative Programming*, pages 197–208. ACM Press, 2007.
13. F. López-Fraguas, J. Rodríguez-Hortalá, and J. Sánchez-Hernández. Rewriting and call-time choice: the HO case. In *Proc. 9th International Symposium on Functional and Logic Programming (FLOPS'08)*, volume 4989 of *LNCS*, pages 147–162. Springer, 2008.
14. F. López-Fraguas and J. Sánchez-Hernández. *TOY*: A multiparadigm declarative system. In *Proc. Rewriting Techniques and Applications (RTA '99)*, pages 244–247. Springer LNCS 1631, 1999.
15. R. F. Stärk. The theoretical foundations of lptp (a logic program theorem prover). *J. Log. Program.*, 36(3):241–269, 1998.