



HAL
open science

Data Fusion for Guidance and Modelling of EP Procedures

Kawal S. Rhode

► **To cite this version:**

Kawal S. Rhode. Data Fusion for Guidance and Modelling of EP Procedures. CI2BM09 - MICCAI Workshop on Cardiovascular Interventional Imaging and Biophysical Modelling, Sep 2009, London, United Kingdom. 2 p. inria-00418477

HAL Id: inria-00418477

<https://inria.hal.science/inria-00418477>

Submitted on 18 Sep 2009

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Data Fusion for Guidance and Modelling of EP Procedures

Kawal Rhode

Division of Imaging Sciences, King's College London, UK
kawal.rhode@kcl.ac.uk

Cardiac electrophysiology (EP) procedures are minimally invasive catheter-based procedures that are carried out for the diagnosis and treatment of electrical conduction pathologies of the heart. These procedures are conventionally guided using two-dimensional x-ray fluoroscopy and can be challenging due to the requirements of accurately positioning catheters within the heart and great vessels, structures that are not visualised by the penetrating x-ray radiation without the use of contrast agents.

This presentation will detail methods that have been developed to guide EP procedures using live x-ray fusion to three-dimensional (3D) cardiac anatomical models derived from imaging modalities such as magnetic resonance (MR) imaging (fig 1a), computerized tomography, ultrasound (US) (fig 1b) and 3D rotational angiography. The methods include the use of hybrid imaging systems (x-ray + MR [1-2] (fig 2a), x-ray + US [3]) and also conventional catheter laboratories. Methods will also be described for the correction of patient motion, such as bulk, cardiac, and respiratory [4] motions.




Fig 1a: Overlay of MRI-derived left atrial anatomy on to live x-ray fluoroscopy




Fig 1b: Overlay of live 3D US on to live x-ray fluoroscopy (in swine)

The integration of motion-corrected anatomical information with live x-ray allows the derivation of the 3D spatial location of catheters within the patient anatomy and

therefore the measurements made by these devices, such as electrical signals, pressure, and flow. This can be achieved reconstruction from biplane x-ray imaging.

The second part of this presentation will show how the integration of anatomical information with catheter-based measured physiological data can be used for the validation and testing and cardiac electromechanical models of the heart [5]. The example of cardiac resynchronization therapy will be used for illustration (fig 2b).



Fig 2a: Hybrid x-ray / MR system




Fig 2b: Overlay of coronary venous anatomy on to live x-ray during a pacing study for cardiac resynchronisation therapy

References

1. Rhode, K.S., Sermesant, M., Brogan, D., Hegde, S., Hipwell, J., Lambiase, P., Rosenthal, E., Bucknall, C., Qureshi, S.A., Gill, J.S., Razavi, R., Hill, D.L.G.: A System for Real-Time XMR Guided Cardiovascular Intervention. *IEEE Trans. Med. Imag.* 24(11), 1428–1440, 2005
2. de Silva, R., Gutiérrez, L.F., Raval, A.N., McVeigh, E.R., Ozturk, C., Lederman, R.J.: X-ray fused with magnetic resonance imaging (XFM) to target endomyocardial injections: validation in a swine model of myocardial infarction. *Circulation*, 114(22), 2342–2350, 2006
3. Ma Y., Penney G.P., Bos D., Frissen P., de Fockert G., King A., Gao G., Yao C., Totman J., Ginks M., Rinaldi C.A., Razavi R., Rhode K.S.: Evaluation of a robotic arm for echocardiography to x-ray image registration during cardiac catheterization procedures. *Proc. EMBC*, 2009
4. King A.P., Boubertakh R., Rhode K.S., Ma Y.L., Chinchapatnam P., Gao G., Tangcharoen T., Ginks M., Cooklin M., Gill J.S., Hawkes D.J., Razavi R.S., Schaeffter T.: A subject-specific technique for respiratory motion correction in image-guided cardiac catheterisation procedures. *Med Image Anal.* 13(3), 419-31, 2009
5. Sermesant M., Peyrat J.M., Chinchapatnam P., Billet F., Mansi T., Rhode K., Delingette H., Razavi R., Ayache N.: Toward patient-specific myocardial models of the heart. *Heart Fail. Clin.* 4(3), 289-301, 2008