

BMS revisited

Guillaume Aucher

▶ **To cite this version:**

Guillaume Aucher. BMS revisited. Theoretical Aspects of Rationality and Knowledge, Jul 2009, Stanford, United States. 2009. <inria-00556035>

HAL Id: inria-00556035

<https://hal.inria.fr/inria-00556035>

Submitted on 15 Jan 2011

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

BMS revisited*

Guillaume Aucher

University of Luxembourg
6, rue Richard Coudenhove-Kalergi
L-1359 Luxembourg
guillaume.aucher@uni.lu

Abstract

The insight of the BMS logical framework (proposed by Baltag, Moss and Solecki) is to represent how an event is perceived by several agents very similarly to the way one represents how a static situation is perceived by them: by means of a Kripke model. There are however some differences between the definitions of an epistemic model (representing the static situation) and an event model. In this paper we restore the symmetry. The resulting logical framework allows, unlike any other one, to express statements about *ongoing* events and to model the fact that our perception of events (and not only of the static situation) can also be updated due to other events. We axiomatize it and prove its decidability. Finally, we show that it embeds the BMS one if we add common belief operators.

Dynamic epistemic logic deals with the issue of representing from a logical point of view the beliefs of several agents (about a given situation) and how these beliefs change over time as new events occur [van Ditmarsch et al., 2007]. One of the most influential framework in this field has been proposed by Baltag, Moss and Solecki (to which we refer by the term BMS, [Baltag et al., 1998, Baltag and Moss, 2004]). Their insight is to represent the agents' beliefs about an event occurring completely similarly to the way the agents' beliefs about the static situation are represented: by means of a Kripke model. They then propose an update operation between these two Kripke models (one representing the initial situation and one representing the event) which yields a new Kripke model representing the agents' beliefs about the situation after the event has taken place. However, the events considered there are assumed to be instantaneous, at least from a formal point

of view. This is a strong idealization because very often in everyday life, events take time: “a tub is being filled”, “Ann is going to her office”, “a computer program is running”... In that case we might talk of processes instead of (lasting) events, although we will use the general term event throughout the paper. Besides, the BMS language can only express statements about what is true before or after an event occurs and not *while* an event is occurring. Moreover, it can neither express that an event is currently occurring nor express some static properties about the world together with the fact that an event is occurring, such as: “the tub is not full *and* it is being filled”. Actually these kinds of statement are widespread in natural languages, and it seems natural to expect from a logical framework to be able to express them if one wants for example to formally represent a given situation or talk in an abstract way about ongoing computation processes and programs.

Besides, this idealization precludes the logical study of important properties of the dynamics of beliefs. Indeed, it hides the fact that the agents' beliefs about *events/processes*, and not only about the static situation, can also change over time due to other events (in which they are temporally included). For example, assume that Ann and Bob do not know whether tub 1 or tub 2 is being filled. This (lasting) event can be described by a first event model. Now assume that one privately tells Bob that tub 1 is actually being filled. This new event triggers an update of the initial *event* so that Bob knows that tub 1 is being filled whereas Ann still does not know whether tub 1 or tub 2 is being filled. Formally, as we will see, this creates a kind of hierarchy among events.

The aim of this paper is to give a formal account of these phenomena by extending and refining the BMS framework, and to propose a unified language which can express statements of the kind above. The paper is organized as follows. In Section 1, we briefly recall and review the BMS framework. In Section 2, we propose a new definition of event models together with a simple and natural language for them. In Section 3, we propose a generic product update between event models which generalizes the BMS up-

*This paper is identical to the paper published in the proceedings of TARK 2009 except that an appendix containing all proofs has been added.

date product. In Section 4, we propose a general dynamic language that can express statements about the situation as well as the current events occurring in this situation. We then axiomatize it and show that the BMS system can be embedded in our framework if we add common belief operators. Finally, in Section 5 we compare our framework with related works and notably with process logics.

1 The BMS framework

Let Φ be a finite set of propositional letters also called atomic facts and let G be a finite set of agents.

Epistemic models are tuples of the form $M = (W, R, V)$, where W is a non-empty set of possible worlds, $V : \Phi \rightarrow 2^W$ a valuation and $R : G \rightarrow 2^{W \times W}$ assigns an accessibility relation to each agent. We write $R_j = R(j)$ and $R_j(w) = \{w' \in W \mid R_j(w, w')\}$. When we have $v \in R_j(w)$ then in world w agent j considers world v as being possible. The epistemic language for epistemic models is defined as follows:

$$\mathcal{L}^e : \varphi ::= p \mid \neg\varphi \mid \varphi \wedge \varphi \mid B_j\varphi \mid C_G\varphi$$

where p ranges over Φ and j over G . $B_j\varphi$ reads ‘agents j believes φ ’ and $C_G\varphi$ reads ‘it is common belief among the agents G that φ is true’. The degree of a formula without common belief $deg(\varphi)$ is defined inductively as usual.¹ The truth conditions for this language are defined inductively as follows. Let $w \in W$. $M, w \models p$ iff $w \in V(p)$; $M, w \models \neg\varphi$ iff not $M, w \models \varphi$; $M, w \models \varphi \wedge \varphi'$ iff $M, w \models \varphi$ and $M, w \models \varphi'$; $M, w \models B_j\varphi$ iff for all $v \in R_j(w)$ $M, v \models \varphi$; $M, w \models C_G\varphi$ iff for all $v \in \left(\bigcup_{j \in G} R_j\right)^+(w)$ $M, v \models \varphi$.² See [Fagin et al., 1995] for details.

Example 1.1. (‘tub’ example) Assume there are two tubs and two agents Ann and Bob. They both know that at least one tub is *not* full but they do not know which one and this is even common belief. Tub 2 is actually full but tub 1 is not. This situation is depicted in the epistemic model (M^0, w_a^0) of Figure 1. The boxed world w_a^0 represents the actual world. The accessibility relations are represented by arrows indexed by A (standing for Ann) or B (standing for Bob). The propositional letter p^0 (resp. q^0) stands for ‘tub 2 (resp. tub 1) is full’. So we have $M^0, w_a^0 \models C_G(\neg p^0 \vee \neg q^0)$: ‘it is common belief among Ann and Bob that at least one tub is not full’.

Event models are very similar to epistemic models and are of the form $A = (E, R, Pre, Post)$, where E is a finite and non-empty set, $Pre : E \rightarrow \mathcal{L}$, $Post :$

¹ $deg(p) = 0, deg(\neg\varphi) = deg(\varphi), deg(\varphi \wedge \varphi') = \max\{deg(\varphi), deg(\varphi')\}, deg(B_j\varphi) = deg(\varphi) + 1.$

²If R is a relation, we define $R^+(w) = \{v \mid \text{there is } w = w_1, \dots, w_n = v \text{ such that } w_i R w_{i+1}\}.$




Figure 1: ‘tub’ example. (M^0, w_a^0)

$\Phi \times E \rightarrow \mathcal{L}$ and $R : G \rightarrow 2^{W \times W}$ are functions. When we have $b \in R_j(a)$ then the occurrence of a is perceived by agent j as being possibly the occurrence of b . Informally, $Pre(a)$ is the *precondition* that a world must fulfill so that possible event a can take place in this world. For example $Pre(a) = \top$ means that event a can take place in any world. $Post(p, a)$ specifies which conditions a possible world should fulfill so that propositional letter p is true in the resulting world after event a has occurred (this function was originally introduced in [van Benthem et al., 2006, van Ditmarsch et al., 2005]). However, note that unlike epistemic models, there is no valuation and also no (natural) language for event models to describe and talk about events.

Product update. Given $M = (W, R, V)$ and $A = (E, R, Pre, Post)$, their *product update* $M \otimes A = (W', R', V')$ is an epistemic model describing the new situation after the event described by A occurred in the situation described by M . The new set of possible worlds is $W' = \{(w, a) \mid M, w \models Pre(a)\}$, the new valuation is $V'(p) = \{(w, a) \mid M, w \models Post(p, w)\}$, and the new accessibility relation is defined by $(v, b) \in R_j(w, a)$ iff $v \in R_j(w)$ and $b \in R_j(a)$.

The BMS language $\mathcal{L}_{BMS}(A)$ is inspired from the one of Propositional Dynamic Logic (PDL) [Pratt, 1976, Harel et al., 2000] and takes as argument an event model A . It is just the epistemic one enriched with a new modality $[A, a]\varphi$ which reads ‘after any execution of event a , φ is true’. Its truth condition is as follows:

$$M, w \models [A, a]\varphi \text{ iff}$$

$$M, w \models Pre(a) \text{ implies } M \otimes A, (w, a) \models \varphi$$

Note that the event model A , which a priori is a semantic object, is given in the very definition of the syntax of the language.

2 Languages for event models

In this section we are going to restore the symmetry between epistemic and event models.

2.1 Syntax

Let Φ^0, \dots, Φ^N be finite and disjoint sets of propositional letters.

Definition 2.1. Let $i \in \{0, \dots, N\}$. The language \mathcal{L}^i is defined inductively as follows

$$\mathcal{L}^i : \varphi^i ::= p^i \mid \neg\varphi^i \mid \varphi^i \wedge \varphi^i \mid B_j\varphi^i$$

where p^i ranges over Φ^i and j over G . $\langle B_j \rangle \varphi^i$ abbreviates $\neg B_j \neg \varphi^i$. $E\varphi^i$ abbreviates $\bigwedge_{j \in G} B_j \varphi$ and $E^n \varphi^i$ is defined

inductively by $E^0 \varphi^i = \varphi^i$ and $E^{n+1} \varphi^i = E E^n \varphi^i$. We also note $\mathcal{L}_n^i = \{\varphi^i \in \mathcal{L}^i \mid \text{deg}(\varphi^i) \leq n\}$ and by notation, $\varphi^i \in \mathcal{L}^i$ for all $i \in \{0, \dots, N\}$.

The propositional letters $p^i \in \Phi^i$ for $i \geq 1$ are called *atomic events* (of type i) and the propositional letters $p^0 \in \Phi^0$ are called *atomic facts*. ◀

Language \mathcal{L}^0 corresponds to the classical epistemic language \mathcal{L}^e of Section 1 (without common belief). The other languages \mathcal{L}^i for $i \geq 1$ are used to describe (types of) events. Atomic events p^i for $i \geq 1$ describe events, just as atomic facts p^0 describe static properties of the world. For example $p^1 =$ ‘Ann shows her red card to Bob’, $p^2 =$ ‘one truthfully announces that tub 2 is being filled’, $r^3 =$ ‘Claire is observing Ann observing Bob opening the box’... Generally, atomic events are of the form ‘something is happening’, ‘somebody is doing something’ whereas atomic facts are of the form ‘something has this static property’. Besides, the occurrence of these atomic events might change some properties of the world, unlike atomic facts. The negation $\neg p^i$ of an atomic event p^i should be interpreted as ‘the atomic event p^i is not occurring’. However, this does not mean that another ‘opposite’ event is necessarily occurring.

Moreover, these atomic events might have preconditions. For example, the precondition that ‘Ann shows her red card to Bob’ (p^1) is that ‘Ann has the red card’ (r_A): $Pre(p^1) = r_A$. The precondition that ‘one truthfully announces that tub 2 is being filled’ (p^2) is that ‘tub 2 is being filled’ (p^1): $Pre(p^2) = p^1$. The precondition that ‘Claire is observing Ann observing Bob opening the box’ (r^3) is that ‘Ann is observing Bob opening the box’ (r^2) whose precondition is that ‘Bob is opening the box’ (r^1): $Pre(r^3) = r^2$ and $Pre(r^2) = r^1$. Note that in these last two examples the preconditions of (atomic) events are also events. This motivates our introduction of different types of events and this also leads us to introduce a precondition function which assigns to every atomic event p^i a formula of \mathcal{L}^k , for some $k \neq i$.

Definition 2.2. $Pre : \Phi^1 \cup \dots \cup \Phi^N \rightarrow \mathcal{L}^0 \cup \dots \cup \mathcal{L}^N$ is a function such that for all $i \geq 1$, there is a unique $k \neq i$ such that for all $p^i \in \Phi^i$, $Pre(p^i) \in \mathcal{L}^k$.

In that case, we (abusively) write $Pre(i) = k$ or $i \in Pre^{-1}(k)$. So $(\{0, \dots, N\}, Pre^{-1})$ is a directed graph

and we assume in this paper that it is a rooted tree with root 0. ◀

Note that because the atomic events of Φ^i are supposed to describe a particular type of event i , we assume that their preconditions should deal with the same type of event k (or with properties of the world) described by some \mathcal{L}^k . If this is not the case then the set Φ^i should be split up in subsets each dealing with a more specific type of event.

Moreover, the occurrence of atomic events might change the truth value of some atomic facts or of some other atomic events. For instance, the occurrence of the atomic event $q^1 =$ ‘tub 1 is being filled’ affects the atomic fact $q^0 =$ ‘tub 1 is full’: after the occurrence of q^1 , the atomic fact q^0 is true. Likewise, pressing on a button b might trigger the filling of tub 2 (even if tub 1 is already being filled). So after the occurrence of the atomic event $r^2 =$ ‘Ann presses button b ’ the atomic event $p^1 =$ ‘tub 2 is being filled’ is true. This leads us to introduce a postcondition function which specifies some *sufficient* conditions for a propositional letter to be true in case an atomic event occurs.

Definition 2.3. For all $i \in \{1, \dots, N\}$ and $k \in \{0, \dots, N\}$ such that $Pre(i) = k$, we define a function $Post(i, k) : \Phi^k \times \Phi^i \rightarrow \mathcal{L}^k$. $Post(i, k)$ is abusively written $Post$. ◀

$Post(p^k, p^i)$ is a sufficient condition *before* the occurrence of p^i for p^k to be true after the occurrence of p^i . So in the tub example, $Post(q^0, p^1) = \top$ and $Post(p^0, p^1) = p^0$, where we recall that $p^0 =$ ‘tub 2 is full’.

2.2 Semantics

We are now ready to define a semantics for this hierarchy of languages.

Definition 2.4. Let $i \in \{0, \dots, N\}$. A \mathcal{L}^i -model M^i is a triple $M^i = (W^i, R^i, V^i)$ such that

- W^i is a non-empty set of possible worlds;
- $R^i : G \rightarrow 2^{W^i \times W^i}$ assigns an accessibility relation to each agent;
- $V^i : \Phi^i \rightarrow 2^{W^i}$ assigns a set of possible worlds to each propositional letter.

We write $w^i \in M^i$ for $w^i \in W^i$ and (M^i, w^i) is called a *pointed \mathcal{L}^i -model*. ◀

So a \mathcal{L}^i -model is just an epistemic model where the set of propositional letters is Φ^i . The truth conditions are also identical to the ones of epistemic logic:

Definition 2.5. Let $i \in \{0, \dots, N\}$. Let M^i be a \mathcal{L}^i -model, $w^i \in M^i$ and $\varphi^i \in \mathcal{L}^i$. $M^i, w^i \models \varphi^i$ is defined

inductively as follows:

$$\begin{array}{ll}
M^i, w^i \models p^i & \text{iff } w^i \in V(p^i) \\
M^i, w^i \models \neg\varphi^i & \text{iff not } M^i, w^i \models \varphi^i \\
M^i, w^i \models \varphi^i \wedge \psi^i & \text{iff } M^i, w^i \models \varphi^i \text{ and } M^i, w^i \models \psi^i \\
M^i, w^i \models B_j\varphi^i & \text{iff for all } v^i \in R_j(w^i), M^i, v^i \models \varphi^i
\end{array}$$

We write $M^i \models \varphi^i$ when $M^i, w^i \models \varphi^i$ for all $w^i \in M^i$, and $\models^i \varphi^i$ when for all \mathcal{L}^i -model M^i , $M^i \models \varphi^i$. ◀

So the \mathcal{L}^i -models are free of the precondition and postcondition functions Pre and $Post$ that were present in the definition of event models. However, given a \mathcal{L}^i -model M^i and $w^i \in M^i$, we can get back the usual preconditions and postconditions $Pre(w^i)$ and $Post(p, w^i)$ of event models:

Definition 2.6. Let $i \in \{1, \dots, N\}$, $k = Pre(i)$ and $p^k \in \Phi^k$. Let M^i be a \mathcal{L}^i -model and $w^i \in M^i$. $Pre(w^i)$ and $Post(p^k, w^i)$ are defined as follows.

- $Pre(w^i) = \bigwedge \{Pre(p^i) \mid M^i, w^i \models p^i\}$;
- $Post(p^k, w^i) = \begin{cases} \bigvee \{Post(p^k, p^i) \mid M^i, w^i \models p^i\} \\ \text{if } M^i, w^i \models p^i \text{ for some } p^i \in \Phi^i \\ p^k \text{ otherwise.} \end{cases}$

For $Pre(w^i)$, we take the conjunction of the relevant $Pre(p^i)$ s because these are *necessary* conditions for the possible event w^i to take place. On the other hand, for $Post(p^k, w^i)$ we take the disjunction of the relevant $Post(p^k, p^i)$ s because these are *sufficient* conditions for p^k to be true after the occurrence of w^i . Besides, if w^i is the event where nothing happens, i.e. $M^i, w^i \models \neg p^i$ for all $p^i \in \Phi^i$, then the truth values of the p^k s should not change. ◀

Finally we introduce a particular kind of \mathcal{L}^i -model which will be used in Section 4. For $i \in \{1, \dots, N\}$, we define $M^{i,0} = (\{w^{i,0}\}, R^{i,0}, V^{i,0})$ where $V^{i,0}(p^i) = \emptyset$ for all $p^i \in \Phi^i$, and $R_j^{i,0}(w^{i,0}) = \{w^{i,0}\}$ for all $j \in G$. So $M^{i,0}$ represents the event whereby nothing happens and this is common belief among the agents.

2.3 Axiomatization

The axiomatization for the class of \mathcal{L}^i -models is the same as the one for epistemic models.

Definition 2.7. Let $i \in \{0, \dots, N\}$. The logic L^i for the language \mathcal{L}^i is defined by the following axiom schemes and inference rules. We write $\vdash^i \varphi^i$ for $\varphi^i \in L^i$.

- | | |
|------------------------|--|
| Taut | All propositional axiom schemes and inference rules |
| Kⁱ | $\vdash^i B_j(\varphi^i \rightarrow \psi^i) \rightarrow (B_j\varphi^i \rightarrow B_j\psi^i)$
for all $j \in G$ |
| Necⁱ | If $\vdash^i \varphi^i$ then $\vdash^i B_j\varphi^i$ for all $j \in G$ |

Theorem 2.8 ([Fagin et al., 1995]). Let $i \in \{0, \dots, N\}$. For all $\varphi^i \in \mathcal{L}^i$, $\models^i \varphi^i$ iff $\vdash^i \varphi^i$. Besides, L^i is decidable.

2.4 Examples

Example 2.9. ('card' example) This example shows that possible events of event models can be the combination of more elementary atomic events. Assume Ann, Bob and Claire play a card game with three cards: a red one, a green one and a yellow one. They have only one card and they only know the color of their cards. Ann has the red card, Bob the green card and Claire the yellow one. Then Ann and Bob show their card privately to each other in front of Claire who therefore does not know which card they show to each other. We model this example by introducing the atomic facts $\Phi^0 = \{AhR, AhG, AhY, BhR, BhG, BhY\}$ and the atomic events $\Phi^1 = \{AsR, AsG, BsG, BsG\}$. AhR stands for 'Ann has the Red card', AhG for 'Ann has the Green card', ... and so on. AsR stands for 'Ann shows her Red card', BsG stands for 'Bob shows his Green card', ... and so on. $Pre(1) = 0$ and $Pre(AsR) = AhR, Pre(AsG) = AhG, Pre(BsG) = BhG, Pre(BsG) = BhG$. Finally, $Post(p^0, p^1) = p^0$ for all $p^0 \in \Phi^0$ and $p^1 \in \Phi^1$ because these atomic events do not change atomic facts of the world (also called *epistemic events* in [Baltag and Moss, 2004]). The event of Ann and Bob showing privately their card to each other in front of Claire is depicted in Figure 2.




Figure 2: Ann and Bob show their cards to each other privately in front of Claire.

Applying Definition 2.6, we then obtain the usual preconditions and postconditions: $Pre(w_a^1) = Pre(AsR) \wedge Pre(BsG) = AhR \wedge BhG; Pre(v^1) = Pre(AsG) \wedge Pre(BsR) = AhG \wedge BhR; Post(p, w_a^1) = Post(p, v^1) = p$ for all $p \in \Phi^0$. ◀

Example 2.10. ('tub' example) Let $\Phi^0 = \{p^0, q^0\}$, $\Phi^1 = \{p^1, q^1\}$, $\Phi^2 = \{p^2\}$. p^0 stands for 'tub 2 is full' and q^0 for 'tub 1 is full'. p^1 stands for 'tub 2 is being filled' and q^1 for 'tub 1 is being filled'. p^2 stands for 'one truthfully announces that tub 1 is being filled'. $Pre(1) = 0$ and $Pre(2) = 1$. $Pre(p^1) = \neg p^0, Pre(q^1) = \neg q^0$. $Pre(p^2) = q^1$. We have $Post(p^0, p^1) = \top, Post(q^0, q^1) = \top$ and $Post(p^0, q^1) = p^0, Post(q^0, p^1) = q^0$. We also have $Post(p^1, p^2) = p^1$ and $Post(q^1, p^2) = q^1$. In Figure 3 (*up*) is depicted the \mathcal{L}^1 -model (M^1, w_a^1) representing the event whereby tub 1 is being filled but the agents do not know whether it is tub 1 or tub 2 which is being filled: $M^1, w_a^1 \models q^1 \wedge (B_A(q^1 \leftrightarrow \neg p^1) \wedge \langle B_A \rangle p^1 \wedge \langle B_A \rangle q^1) \wedge (B_B(q^1 \leftrightarrow \neg p^1) \wedge \langle B_B \rangle p^1 \wedge \langle B_B \rangle q^1)$. In Fig-




Figure 3: (up) One of the tubs is being filled (M^1, w_a^1); (down left) one privately informs Bob that tub 1 is being filled (M^2, w_a^2) and (down right) one publicly announces that tub 1 is being filled ($M^{2'}, w_a^{2'}$).

Figure 3 (down left) is depicted the \mathcal{L}^2 -model (M^2, w_a^2) representing the event where one privately informs Bob that tub 1 is being filled, Ann suspecting nothing about it. So we have $M^2, w_a^2 \models p^2 \wedge B_B p^2 \wedge B_A \neg p^2$ which somehow defines formally the notion of privacy: something happens and agent B knows it but agent A believes it does not happen. In Figure 3 (down right) is depicted the \mathcal{L}^2 -model ($M^{2'}, w_a^{2'}$) representing the event where one publicly informs Ann and Bob that tub 1 is being filled. So we have $M^{2'}, w_a^{2'} \models p^2 \wedge B_A p^2 \wedge B_B p^2$ which somehow defines formally the notion of publicness: something happens and everybody knows it happens. ◀

3 A generic product update

As we said in the introduction, because the events we consider might be processes, it is quite possible that an event represented by M^k be updated by another event represented by M^i . This gives rise to a generic product update between \mathcal{L}^i -models whose definition is very similar to the BMS one of Section 1.

Definition 3.1. Let $i \in \{1, \dots, N\}$ and $k = \text{Pre}(i)$. Let $M^i = (W^i, R^i, V^i, w_a^i)$ be a pointed \mathcal{L}^i -model and $M^k = (W^k, R^k, V^k, w_a^k)$ be a pointed \mathcal{L}^k -model such that $M^k, w_a^k \models \text{Pre}(w_a^i)$. We define the pointed \mathcal{L}^k -model $(M^k, w_a^k) \otimes (M^i, w_a^i) = (W', R', V', w_a')$ as follows.

1. $W' = \{(w^k, w^i) \mid M^k, w^k \models \text{Pre}(w^i)\}$;
2. $(v^k, v^i) \in R'_j(w^k, w^i)$ iff $v^k \in R_j^k(w^k)$ and $v^i \in R_j^i(w^i)$;
3. $V'(p^k) = \{(w^k, w^i) \mid M^k, w^k \models \text{Post}(p^k, w^i)\}$;
4. $w_a' = (w_a^k, w_a^i)$.

Example 3.2. ('tub' example) In Figure 4 is depicted the product update of the models (M^1, w_a^1) and (M^2, w_a^2) (up) and (M^1, w_a^1) and ($M^{2'}, w_a^{2'}$) (down) of Figure 3. So we have $(M^1, w_a^1) \otimes (M^2, w_a^2) \models (q^1 \wedge B_B q^1) \wedge (B_A(q^1 \leftrightarrow \neg p^1) \wedge \langle B_A \rangle p^1 \wedge \langle B_A \rangle q^1) \wedge B_A(B_B(q^1 \leftrightarrow \neg p^1) \wedge \langle B_B \rangle p^1 \wedge \langle B_B \rangle q^1)$: Bob knows that tub 1 is being filled whereas Ann does not know whether tub 1 or tub 2 is being filled and believes that Bob does not know neither. We also have $(M^1, w_a^1) \otimes (M^{2'}, w_a^{2'}) \models q^1 \wedge B_A q^1 \wedge B_B q^1$: both Ann and Bob know that tub 1 is being filled. ◀




Figure 4: (up) Product update for the private announcement to Bob that tub 1 is being filled. (down) Product update for the public announcement that tub 1 is being filled.

4 A general language

Definition 4.1. The language \mathcal{L} is defined inductively as follows.

$$\mathcal{L} : \varphi ::= \top^k \mid \varphi^k \mid \neg\varphi \mid \varphi \wedge \varphi \mid [i \text{ ends}]\varphi \mid [i \text{ starts}]\varphi$$

where k ranges over $\{0, \dots, N\}$, φ^k over \mathcal{L}^k and i over $\{1, \dots, N\}$. As usual, $\langle i \text{ ends} \rangle \varphi$ abbreviates $\neg[i \text{ ends}]\neg\varphi$ and $\langle i \text{ starts} \rangle \varphi$ abbreviates $\neg[i \text{ starts}]\neg\varphi$. ◀

The language \mathcal{L}^{St} is the language \mathcal{L} without the operators $[i \text{ ends}]$ and $[i \text{ starts}]$. ◀

\top^k reads ‘an event of type k is occurring’, $[i \text{ ends}]\varphi$ reads ‘ φ holds after an event of type i ends’, and $[i \text{ starts}]\varphi$ reads ‘ φ holds when a new event of type i starts’.

We extend the function Pre to $\mathcal{T} = \{\top^k \mid k \in \{0, \dots, N\}\}$ by stating $Pre(\top^i) = \top^k$ when $Pre(i) = k$.

4.1 The ‘static’ part: \mathcal{L}^{St}

4.1.1 Semantics

Definition 4.2. A \mathcal{L}^{St} -model $\mathcal{M} = \{(M^0, w^0), \dots, (M^n, w^n)\}$ is a non-empty set of pointed \mathcal{L}^i -models (M^i, w^i) such that for all pointed \mathcal{L}^i -model $(M^i, w^i) \in \mathcal{M}$ (with $i \geq 1$),

1. there exists a unique pointed \mathcal{L}^k -model $(M^k, w^k) \in \mathcal{M}$ with $k = Pre(i)$ such that $M^k, w^k \models Pre(w^i)$,
2. there is at most one pointed \mathcal{L}^l -model $(M^l, w^l) \in \mathcal{M}$ with $i = Pre(l)$.

By notation, $(M^i, w^i) \in \mathcal{M}$ is supposed to be a pointed \mathcal{L}^i -model. ◀

A \mathcal{L}^{St} -model models the state of the world at a given time t : each \mathcal{L}^i -model (M^i, w^i) of the \mathcal{L}^{St} -model (for $i \geq 1$) models an actual event occurring at time t in the actual world and the static properties of this world are modeled by (M^0, w^0) .

Definition 4.3. Let $\mathcal{M} = \{(M^0, w^0), \dots, (M^n, w^n)\}$ be a \mathcal{L}^{St} -model and $\varphi^{St} \in \mathcal{L}^{St}$. $\mathcal{M} \models \varphi^{St}$ is defined inductively as follows.

$$\begin{aligned} \mathcal{M} \models \top^i & \text{ iff } \text{there is } (M^i, w^i) \in \mathcal{M} \\ \mathcal{M} \models \varphi^i & \text{ iff } \begin{cases} M^i, w^i \models \varphi^i \\ \text{if there is } (M^i, w^i) \in \mathcal{M} \\ M^{i, \emptyset}, w^{i, \emptyset} \models \varphi^i \\ \text{otherwise} \end{cases} \\ \mathcal{M} \models \neg\varphi & \text{ iff } \text{not } \mathcal{M} \models \varphi \\ \mathcal{M} \models \varphi \wedge \varphi' & \text{ iff } \mathcal{M} \models \varphi \text{ and } \mathcal{M} \models \varphi'. \end{aligned}$$

If there is no \mathcal{L}^i -model in \mathcal{M} this means that no event of type i is occurring and the agents all know that, i.e. that the event modeled by the \mathcal{L}^i -model $(M^{i, \emptyset}, w^{i, \emptyset})$ is occurring (defined in Section 2.2). That is why in that case the truth value of a formula $\varphi^i \in \mathcal{L}^i$ is determined by $(M^{i, \emptyset}, w^{i, \emptyset})$. Note that it is quite possible that a \mathcal{L}^i -model in \mathcal{M} is bisimilar to $(M^{i, \emptyset}, w^{i, \emptyset})$ (i.e. contains the same information as $(M^{i, \emptyset}, w^{i, \emptyset})$). In that case we still have that $\mathcal{M} \models \top^i$ although no genuine event of type i is occurring. But because this is a very marginal case, we prefer to keep the intuitive reading of \top^i as ‘an event of type i is occurring’.

Example 4.4. (‘tub’ example) In Figure 5 is depicted the \mathcal{L}^{St} -model $\mathcal{M} = \{(M^0, w_a^0), (M^1, w_a^1), (M^2, w_a^2)\}$. So we have $\mathcal{M} \models [\neg q^0 \wedge \neg B_A q^0 \wedge \neg B_B q^0] \wedge [q^1 \wedge B_A(q^1 \leftrightarrow \neg p^1) \wedge \langle B_A \rangle p^1 \wedge \langle B_A \rangle q^1 \wedge B_B(q^1 \leftrightarrow \neg p^1) \wedge \langle B_B \rangle p^1 \wedge \langle B_B \rangle q^1] \wedge (p^2 \wedge B_A \neg p^2)$: tub 1 is not full but Ann and Bob do not know it, and tub 1 is being filled but Ann and Bob do not know whether tub 1 or tub 2 is being filled, and one informs Bob that tub 1 is being filled but Ann believes that nothing happens. So our language allows us to express at the same time statements about static properties of the world and about events occurring in this world. ◀




Figure 5: A \mathcal{L} -model: tub 2 is full, tub 1 is being filled and one privately informs Bob that this happens.

Some notations. Let $\mathcal{M} = \{(M^0, w^0), \dots, (M^n, w^n)\}$ be a \mathcal{L}^{St} -model and let $(M^i, w^i) \in \mathcal{M}$ (with $i \geq 1$). $Pre_{\mathcal{M}}(M^i, w^i)$ is the unique \mathcal{L}^k -model $(M^k, w^k) \in \mathcal{M}$ such that $k = Pre(i)$. Finally for $i \in \{0, \dots, N\}$, we define $last(i) = \top^i \wedge \bigwedge_{l \in Pre^{-1}(i)} \neg \top^l$. So we have

$\mathcal{M} \models last(i)$ iff there is $(M^i, w^i) \in \mathcal{M}$ and there is no $(M^l, w^l) \in \mathcal{M}$ such that $Pre_{\mathcal{M}}(M^l, w^l) = (M^i, w^i)$. $last(i)$ for $i \geq 1$ reads ‘the last event which occurred and which is still occurring is of type i ’. $last(0)$ reads ‘no event is occurring’.

Definition 4.5. Let $\mathcal{M} = \{(M^0, w^0), \dots, (M^n, w^n)\}$ be a \mathcal{L}^{St} -model such that $\mathcal{M} \models last(n)$. We define $\otimes(\mathcal{M})$ by $\otimes(\mathcal{M}) = \mathcal{M}$ if $n = 0$ and $\otimes(\mathcal{M}) = \{(M^0, w^0), \dots, Pre_{\mathcal{M}}(M^n, w^n) \otimes (M^n, w^n)\}$ otherwise. ◀

So $\otimes(\mathcal{M})$ is just \mathcal{M} updated by the most recent event when this one ends.

Example 4.6. (‘tub’ example) If we take up the \mathcal{L} -model \mathcal{M} of Example 4.4 then $\otimes(\mathcal{M}) = \{(M^0, w_a^0), (M^1, w_a^1) \otimes (M^2, w_a^2)\}$ where $(M^1, w_a^1) \otimes (M^2, w_a^2)$ is depicted in Figure 4. ◀

However, because the product update might change truth values of atomic events, the preconditions of the possible events might change during an update. So even if \mathcal{M} is a \mathcal{L}^{St} model, $\otimes(\mathcal{M})$ is not necessarily a \mathcal{L}^{St} -model. This leads us to define the notion of \mathcal{L} -model.

Definition 4.7. A \mathcal{L} -model is a \mathcal{L}^{St} -model which is stable under \otimes , i.e. a \mathcal{L}^{St} -model \mathcal{M} such that $\otimes(\mathcal{M})$ is a \mathcal{L} -model. ◀

We are now going to determine under which conditions a \mathcal{L}^{St} model is a \mathcal{L} -model.

Definition 4.8. Let $p^i \in \Phi^0 \cup \dots \cup \Phi^N$. $Post(p^i)$ is defined inductively as follows.

- $Post(p^0) = \top$;
- $Post(p^i) = \bigwedge_{p^k \in \Phi^k} (Post(p^k, p^i) \rightarrow (Pre(p^k) \wedge Post(p^k)))$ if $i \geq 1$ and $k = Pre(i)$.

Then $Post^i$ is defined inductively as follows.

- $Post^0 = \top$;
- $Post^i = \bigwedge_{p^i \in \Phi^i} (p^i \rightarrow Post(p^i)) \wedge (\bigwedge_{p^i \in \Phi^i} \neg p^i \rightarrow Post^k)$ if $i \geq 1$ and $k = Pre(i)$.

Finally we define $Post$ and Pre .

- $Post = \bigwedge_{i \in \{0, \dots, N\}} (last(i) \rightarrow Post^i)$;
- $Pre = \bigwedge_{p \in \Phi^0 \cup \dots \cup \Phi^N \cup \mathcal{T}} (p \rightarrow Pre(p))$.

Pre characterizes condition 1 of Definition 4.2. $Post(p^i)$ is a necessary condition for a \mathcal{L}^{St} -model \mathcal{M} to be a \mathcal{L} -model in case $\mathcal{M} \models p^i \wedge last(i)$.

Proposition 4.9. Let \mathcal{M} be a \mathcal{L}^{St} -model. \mathcal{M} is a \mathcal{L} -model iff $\mathcal{M} \models Post$.

4.1.2 Axiomatization

Let $\varphi \in \mathcal{L}^{St}$. We write $\models \varphi$ when for all \mathcal{L} -model \mathcal{M} , $\mathcal{M} \models \varphi$.

Definition 4.10. The logic L^{St} for the language \mathcal{L}^{St} is defined by the following axiom schemes and inference rules.

We write $\vdash^{St} \varphi$ for $\varphi \in L^{St}$.

- L^i All axiom schemas and inference rules of L^i for all $i \in \{0, \dots, N\}$
- A_1 $\vdash^{St} \neg last(0) \rightarrow \bigvee_{i \in \{1, \dots, N\}} last(i)$
- A_2 $\vdash^{St} last(i) \rightarrow \neg last(i')$ for all $i \neq i'$
- A_3 $\vdash^{St} \neg \top^i \rightarrow E^n (\neg p^i \wedge \langle B_j \rangle \neg p^i)$ for all $n \in \mathbb{N}$
- A_4 $\vdash^{St} Pre \wedge Post$

Axiom A_1 expresses that if at least one event is occurring then one of these events is the most recent. Axiom schema A_2 characterizes condition 2 of Definition 4.2 and expresses that there is a unique most recent event. Axiom schema A_3 characterizes the special event of type i ($M^{i, \emptyset}, w^{i, \emptyset}$) where nothing happens and this is common knowledge.

Theorem 4.11. For all $\varphi^{St} \in \mathcal{L}^{St}$, $\models \varphi^{St}$ iff $\vdash^{St} \varphi^{St}$.

Theorem 4.12. L^{St} is decidable.

4.2 Adding dynamics: \mathcal{L}

4.2.1 Semantics

Definition 4.13. Let $i \in \{1, \dots, N\}$. The relations R_{ends}^i and R_{starts}^i on \mathcal{L} -models are defined as follows. Let \mathcal{M} and \mathcal{M}' be two \mathcal{L} -models.

- $\mathcal{M}' \in R_{ends}^i(\mathcal{M})$ iff there is $(M^i, w^i) \in \mathcal{M}$ such that

$$\begin{cases} \mathcal{M}' = \otimes(\mathcal{M}) \\ \text{if } \mathcal{M} \models last(i); \\ \mathcal{M}' \in R_{ends}^l \circ R_{ends}^i(\mathcal{M}) \\ \text{where } Pre_{\mathcal{M}}(M^l, w^l) = (M^i, w^i), \text{ otherwise.} \end{cases}$$
- $\mathcal{M}' \in R_{starts}^i(\mathcal{M})$ iff there is a pointed \mathcal{L}^i -model (M^i, w^i) such that $\mathcal{M}' = \mathcal{M} \cup \{(M^i, w^i)\}$.

Let $\varphi \in \mathcal{L}$. $\mathcal{M} \models \varphi$ is defined inductively as follows. The boolean cases are as in Definition 4.3.

- $\mathcal{M} \models [i \text{ ends}] \varphi$ iff for all $\mathcal{M}' \in R_{ends}^i(\mathcal{M})$, $\mathcal{M}' \models \varphi$
- $\mathcal{M} \models [i \text{ starts}] \varphi$ iff for all $\mathcal{M}' \in R_{starts}^i(\mathcal{M})$, $\mathcal{M}' \models \varphi$

We write $\models \varphi$ when for all \mathcal{L} -model \mathcal{M} , $\mathcal{M} \models \varphi$. ◀

If an event of type l presupposes an event of type i , i.e. if $Pre(l) = i$, then if the event of type i ends then the event of type l also ends. For example, if ‘Bob is opening a box to look at a coin’ (p^1) and ‘Ann is observing Bob opening the box’ (p^2) then $Pre(p^2) = p^1$. So if Bob stops opening the box to look at the coin ($\neg p^1$), Ann stops observing Bob opening the box ($\neg p^2$). This explains the inductive definition of R_{ends}^i .

$$\begin{array}{c}
\{(M^0, w^0), \dots, (M^k, w^k), (M^i, w^i), \dots, (M^n, w^n)\} \\
\downarrow R_{ends}^i \\
\{(M^0, w^0), \dots, \underbrace{(M^k, w^k) \otimes \dots \otimes ((M^{n-1}, w^{n-1}) \otimes (M^n, w^n))}_{\text{pointed } L^k\text{-model}}\} \\
\downarrow R_{starts}^{n+1} \\
\{(M^0, w^0), \dots, (M^n, w^n), (M^{n+1}, w^{n+1})\}
\end{array}$$

Note that the above figures (where $k = Pre(i)$) also explain our reading of $last(i)$ introduced in Section 4.1.1.

Example 4.14. ('tub' example) If we take up Example 4.4 then $\mathcal{M} \models [2\ ends](q^1 \wedge B_B q^1 \wedge B_A(q^1 \leftrightarrow \neg p^1) \wedge \langle B_A \rangle p^1 \wedge \langle B_A \rangle q^1)$: after the event of type 2 ends (i.e. after the private announcement to Bob that tub 1 is being filled) Bob knows that tub 1 is being filled while Ann still does not know whether tub 1 or 2 is being filled. We also have $\models [2\ starts](p^2 \wedge B_A p^2 \wedge B_B p^2 \rightarrow [2\ ends](q^1 \wedge B_A q^1 \wedge B_B q^1))$: after any event where one publicly announces that tub 1 is being filled everybody knows that tub 1 is being filled. ◀

4.2.2 Axiomatization

In the BMS axiomatization one needs to refer to the modal structure of the event model, introducing it henceforth directly into the language. In our axiomatization we will also need to refer to it. However, we will do so thanks to our languages \mathcal{L}^i and more particularly thanks to formulas δ_n , originally introduced in [Balbiani and Herzig, 2007]. These formulas can completely characterize the modal structure of a \mathcal{L}^i -model up to modal depth n [Balbiani and Herzig, 2007].

Definition 4.15. [Balbiani and Herzig, 2007] Let $i \in \{0, \dots, N\}$. We define inductively the sets E_n^i as follows.

- $E_0^i = \{ \bigwedge_{p^i \in S_0} p^i \wedge \bigwedge_{p^i \notin S_0} \neg p^i \mid S_0 \subseteq \Phi^i \};$
- $E_{n+1}^i = \{ \delta_0 \wedge \bigwedge_{j \in G} \left(\bigwedge_{\delta_n \in S_n^j} \langle B_j \rangle \delta_n \wedge B_j \bigvee_{\delta_n \in S_n^j} \delta_n \right) \mid \delta_0 \in E_0^i, S_n^j \subseteq E_n^i \}.$

Let $\delta_{n+1} \in E_{n+1}^i$. δ_{n+1} can be written under the form

$$\delta_{n+1} = \delta_0 \wedge \bigwedge_{j \in G} \left(\bigwedge_{\delta_n \in S_n^j} \langle B_j \rangle \delta_n \wedge B_j \bigvee_{\delta_n \in S_n^j} \delta_n \right).$$

For all $j \in G$, we note $R_j(\delta_{n+1}) = S_n^j$ and $R_0(\delta_{n+1}) = \{p^i \in \Phi^i \mid \vdash^i \delta_0 \rightarrow p^i\}$ ◀

Thanks to these formulas δ_n , we can now express what is true in $M^k \otimes M^i, (w^k, w^i)$ on the basis of what is true in (M^k, w^k) and (M^i, w^i) . Intuitively, $Pre^{\delta_n}(\varphi)$ in the next definition is the formula that (M^k, w^k) must satisfy so that φ be true in $(M^k, w^k) \otimes (M^i, w^i)$, in case $M^i, w^i \models \delta_n$.

Definition 4.16. For all $i, k \in \{0, \dots, N\}$ such that $k = Pre(i)$ we define for all $n \in \mathbb{N}$ the function $Pre : E_n^i \times \mathcal{L}_n^k \rightarrow \mathcal{L}_n^k$ inductively as follows:

- $Pre^{\delta_n}(p^k) = \begin{cases} \bigvee \{ Post(p^k, p^i) \mid p^i \in R_0(\delta_n) \} \\ \text{if } R_0(\delta_n) \neq \emptyset \\ p^k \text{ otherwise;} \end{cases}$
- $Pre^{\delta_n}(\varphi \wedge \varphi') = Pre^{\delta_n}(\varphi) \wedge Pre^{\delta_n}(\varphi');$
- $Pre^{\delta_n}(\neg \varphi) = \neg Pre^{\delta_n}(\varphi);$
- $Pre^{\delta_n}(B_j \varphi) = \bigwedge_{\delta_{n-1} \in R_j(\delta_n)} B_j \left(\bigwedge_{p^i \in R_0(\delta_{n-1})} Pre(p^i) \right) \rightarrow Pre^{\delta_{n-1}}(\varphi)$

Proposition 4.17. Let $\varphi^k \in \mathcal{L}_n^k$. Let (M^k, w^k) be a pointed \mathcal{L}^k -model and (M^i, w^i) be a pointed \mathcal{L}^i -model such that $M^k, w^k \models Pre(w^i)$. Let $\delta_n \in E_n^i$.

If $M^i, w^i \models \delta_n$ then

$$M^k, w^k \models Pre^{\delta_n}(\varphi^k) \text{ iff } (M^k, w^k) \otimes (M^i, w^i) \models \varphi^k.$$

We are now ready to axiomatize the full language \mathcal{L} .

Definition 4.18. The logic L for the language \mathcal{L} is defined by the following axiom schemes and inference rules. We write $\vdash \varphi$ for $\varphi \in L$. For all $i, k \in \{0, \dots, N\}$ such that $Pre(i) = k$:

- L^{St} All axiom schemas and inference rules of L^{St}
- A_5 $\vdash [i\ ends](last(k))$
- A_6 $\vdash [i\ ends]\varphi \leftrightarrow \bigwedge \{ last(i_n) \rightarrow [i_n\ ends] \dots [i_1\ ends][i\ ends]\varphi \mid i = i_0, \dots, i_n \text{ and } Pre(i_{l+1}) = i_l \}$
- A_7 $\vdash last(i) \rightarrow ((i\ ends)\varphi \leftrightarrow [i\ ends]\varphi)$
- A_8 $\vdash last(i) \rightarrow ([i\ ends]\varphi^n \leftrightarrow \varphi^n)$
for all $n \neq i, k$
- A_9 $\vdash last(i) \rightarrow \left([i\ ends]\varphi^k \leftrightarrow \bigwedge_{\delta_n \in E_n^i} (\delta_n \rightarrow Pre^{\delta_n}(\varphi^k)) \right)$
for all $\varphi^k \in \mathcal{L}_n^k$ and $n \in \mathbb{N}$
- A_{10} $\vdash [i\ starts]last(i)$
- A_{11} $\vdash \neg last(k) \leftrightarrow [i\ starts]\perp$
- A_{12} $\vdash [i\ starts](t \vee \varphi^0 \vee \dots \vee \varphi^N) \leftrightarrow (([i\ starts]t) \vee \varphi^0 \vee \dots \vee ([i\ starts]\varphi^i) \vee \dots \vee \varphi^N)$
where t is a boolean combination of elements of \mathcal{T}
- A_{13} $\vdash last(k) \rightarrow ((i\ starts)\varphi^i \leftrightarrow \bigwedge_{\{p^i \in \Phi^i \mid \vdash^{St} \varphi^i \rightarrow p^i\}} Post(p^i) \wedge Pre(p^i))$
for all $\varphi^i \in \mathcal{L}^i$ such that $\neg \varphi^i \notin L^{St}$
- A_{14} $\vdash [i\ ends](\varphi \rightarrow \psi) \rightarrow ([i\ ends]\varphi \rightarrow [i\ ends]\psi)$

$A_{15} \quad \vdash [i \text{ starts}](\varphi \rightarrow \psi) \rightarrow ([i \text{ starts}]\varphi \rightarrow [i \text{ starts}]\psi)$
 $R_1 \quad \text{If } \vdash \varphi \text{ then } \vdash [i \text{ starts}]\varphi \text{ and } \vdash [i \text{ ends}]\varphi$

◀

Axiom A_{10} expresses that when a new event of type i starts to occur then this event is the most recent one, and similarly for Axiom A_5 . Axiom A_{11} expresses that an event of type i can occur if and only if an event of type k is already occurring (and this event is the most recent one). Axiom A_6 captures the fact that when an event ends then this implies that all the other events that depended on this event also end (see Definition 4.13). Axiom A_8 captures the fact that only what is true about an event of type i and about its preconditions are affected when this one ends; and similarly for axiom A_{12} . Axiom A_9 captures Proposition 4.17. Axiom A_{13} expresses that an event satisfying φ^i can occur if and only if the necessary preconditions and postconditions associated to φ^i are fulfilled.

Proposition 4.19. *Let $\varphi \in \mathcal{L}$. Then there is $\varphi^{St} \in \mathcal{L}^{St}$ such that $\vdash \varphi \leftrightarrow \varphi^{St}$.*

Theorem 4.20. *For all $\varphi \in \mathcal{L}$, $\models \varphi \text{ iff } \vdash \varphi$.*

Theorem 4.21. *L is decidable.*

4.3 Embedding of the BMS framework

We add a common belief operator to our languages \mathcal{L}^i and we assume as in BMS that the \mathcal{L}^i -models are finite (for $i \geq 1$). Let $A = (E, R, Pre, Post)$ be an event model with $E = \{a_1, \dots, a_n\}$. We define the set of atomic events $\Phi^1 = \{p_1^1, \dots, p_n^1\}$, where $Pre(p_i^1) = Pre(a_i)$ and $Post(p_i^1) = Post(a_i)$. We define the pointed \mathcal{L}^1 -model $t(A, a) = (W^1, R^1, V^1, a)$ by $W^1 = E, R^1 = R$ and $V^1(p_i^1) = \{a_i\}$ for all $i \in \{1, \dots, n\}$. $t(A, a)$ can be characterized³ by a single formula $\chi(t(A, a))$ (thanks to the common belief operator). We also define the operator t from $\mathcal{L}_{BMS}(A)$ to \mathcal{L} by $t(p^0) = p^0, t(\neg\varphi) = \neg t(\varphi), t(\varphi \wedge \varphi') = t(\varphi) \wedge t(\varphi'), t(B_j\varphi) = B_j t(\varphi), t(C_G\varphi) = C_G t(\varphi)$ and $t([A, a]\varphi) = [1 \text{ starts}](\chi(t(A, a)) \rightarrow [1 \text{ ends}]t(\varphi))$.

Theorem 4.22. *Let A be an event model and $\varphi \in \mathcal{L}_{BMS}(A)$. For all pointed epistemic model (M^0, w^0) ,*

$$M^0, w^0 \models_{BMS} \varphi \text{ iff } \{(M^0, w^0)\} \models t(\varphi).$$

However, note that the $*$ operator of the BMS language cannot be expressed in our framework.

5 Related work

Other languages for event models have been proposed but none of them allows to express statements describing

³A formula χ characterizes a finite and pointed \mathcal{L}^i -model (M^i, w^i) iff $M^i, w^i \models \chi$ and for all finite and pointed \mathcal{L}^i -model $(M^{i'}, w^{i'})$, if $M^{i'}, w^{i'} \models \chi$ then (M^i, w^i) is bisimilar to $(M^{i'}, w^{i'})$.

events as such. In [Baltag et al., 1999], the event language is the same as the epistemic language \mathcal{L}^e and one sets $A, a \models p$ when $Pre(a) = p$. In [Rodenhäuser, 2001], labels are introduced that refer to the possible events of the event model, as in hybrid logic. New operators are also introduced: $A, a \models_{\downarrow_1} \varphi$ means ‘any state reachable with a makes φ true’ and $A, a \models_{\downarrow_2} \varphi$ means ‘any state that makes φ true can be reached with a ’.

At the outset of PDL [Pratt, 1976], a number of logical frameworks called process logics were proposed to express what happens *during* the computation of programs. As in PDL, the semantics of these frameworks all consider a set of states (possible worlds) as given, and the primitive programs at stake are represented by accessibility relations (transitions) between states. All these logics are propositional based and do not consider a set of agents. In [Pratt, 1979], the language of PDL is augmented with two additional operators \perp and $[$. If a is a path (i.e. a sequence of primitive programs) and φ a propositional formula then $a \perp \varphi$ is true in w if at least one of the states of any computation of a starting from w satisfies φ . $a[\varphi$ is true in w if in any computation starting from w , if φ is true in some state then it remains true until the end of the computation. One can show that our logic is more expressive than Pratt’s process logic (yet without the $*$ operator). In [Harel et al., 1982] the language of PDL is augmented with two additional operators $f\varphi$ and $\varphi \text{ suf } \psi$: $f\varphi$ is true on a path if φ is true at the initial state of this path, and the operator suf corresponds to the until operator of temporal logic [Pnuelli, 1977]. Their process logic is more expressive than Pratt’s process logic [Pratt, 1979], Parikh’s SOAPL [Parikh, 1978], Nishimura’s process logic [Nishimura, 1980] and Pnuelli’s Temporal Logic [Pnuelli, 1977]. This logic is refined in [Harel and Peleg, 1985] where f and suf are replaced by chop and slice yielding a strictly more expressive logic yet still decidable. Another process logic is defined in [Harel and Singerman, 1999] in the spirit of [Harel and Peleg, 1985] which also models concurrency and infinite computations. All these process logics have in common to evaluate truth of formulas on paths (a state being a path of length 0). This makes it difficult to compare them formally with our framework since our \mathcal{L} -models model what is true at a certain time and not throughout a history of programs (a path). In that respect they cannot express as we can that a primitive program is currently running but only express what is true at each step of a sequence of primitive programs.

6 Conclusion

We have proposed a logical framework that really exploits the power of the BMS notions of event model and product update. We showed that our framework embeds the BMS one and is still decidable (yet without common be-

lief). Unlike any other logical framework it can express statements about ongoing events (together with some static properties about the world). From a conceptual point of view, its formal structure reveals new aspects on the notion of event and belief dynamics. Firstly, as we saw, our beliefs about an event occurring can also be updated due to other events. Secondly, the set of all events has an internal logical structure and the classical Manichaeian distinction between event and fact is not fine enough to account for the dynamics of beliefs.

A final remark on future work. In Definition 4.2, for simplicity and technical reasons we assumed that there is *at most* one pointed \mathcal{L}^l -model with $i = Pre(l)$ (condition 2). We can perfectly remove this assumption but then other kinds of product update should also be introduced. Indeed, assume that while tub 1 is being filled one publicly informs the agents that tub 2 is actually full. The preconditions of both events (the tub 1 being filled and the public announcement) are of type 0. However, after this public announcement, the agents know that tub 2 is full so they should update their beliefs and infer that tub 1 is currently being filled. Formally, this calls for the introduction of a ‘reverse’ update product which takes as argument a \mathcal{L}^k -model and a \mathcal{L}^i -model with $Pre(i) = k$ and yields a new \mathcal{L}^i -model. We leave the investigation of this new kind of update product for future work.

Acknowledgements

This paper originates from a discussion with Johan van Benthem during my master’s thesis where he suggested that event languages might be defined similarly to epistemic languages. I thank him for that and also indirectly for the long journey it sparked. I also thank Emil Weydert for comments on this paper.

References

- [Balbiani and Herzig, 2007] Balbiani, P. and Herzig, A. (2007). Talkin’bout Kripke models. In Braüner, T. and Villadsen, J., editors, *International Workshop on Hybrid Logic 2007 (Hylo 2007)*, Dublin.
- [Baltag and Moss, 2004] Baltag, A. and Moss, L. (2004). Logic for epistemic programs. *Synthese*, 139(2):165–224.
- [Baltag et al., 1998] Baltag, A., Moss, L., and Solecki, S. (1998). The logic of common knowledge, public announcement, and private suspicions. In Gilboa, I., editor, *Proceedings of the 7th conference on theoretical aspects of rationality and knowledge (TARK98)*, pages 43–56.
- [Baltag et al., 1999] Baltag, A., Moss, L., and Solecki, S. (1999). The logic of public announcements, common knowledge and private suspicions. Technical report, Indiana University.
- [Fagin et al., 1995] Fagin, R., Halpern, J., Moses, Y., and Vardi, M. (1995). *Reasoning about knowledge*. MIT Press.
- [Harel et al., 1982] Harel, D., Kozen, D., and Parikh, R. (1982). Process logic: Expressiveness, decidability and completeness. *Journal of Computer and System Sciences*, 25(2).
- [Harel et al., 2000] Harel, D., Kozen, D., and Tiuryn, J. (2000). *Dynamic Logic*. MIT Press.
- [Harel and Peleg, 1985] Harel, D. and Peleg, D. (1985). Process logic with regular formulas. *Theoretical Computer Science*, 38:307–322.
- [Harel and Singerman, 1999] Harel, D. and Singerman, E. (1999). Computation paths logic: An expressive, yet elementary, process logic. *Annals of pure and applied logic*, 96:167–186.
- [Nishimura, 1980] Nishimura, H. (1980). Descriptively complete process logic. *Acta Informatica*, 14(4):359–369.
- [Parikh, 1978] Parikh, R. (1978). A decidability result for second order process logic. In *Proceedings of 19th FOCS*, pages 177–183.
- [Pnuelli, 1977] Pnuelli, A. (1977). The temporal logic of programs. In *Proceedings of 18th FOCS*, pages 46–57.
- [Pratt, 1976] Pratt, V. (1976). Semantical considerations on floyd-hoare logic. In *Proceedings of the 17th IEEE Symposium on the Foundations of Computer Science*, pages 109–121.
- [Pratt, 1979] Pratt, V. R. (1979). Process logic. In *Proceedings of the 6th ACM symposium on Principles of Programming Languages*, San Antonio.
- [Rodenhäuser, 2001] Rodenhäuser, B. (2001). Updating epistemic uncertainty: an essay in the logic of information. Master’s thesis, ILLC, University of Amsterdam.
- [van Benthem et al., 2006] van Benthem, J., van Eijck, J., and Kooi, B. (2006). Logics of communication and change. *Information and Computation*, 204(11):1620–1662.
- [van Ditmarsch et al., 2005] van Ditmarsch, H., van der Hoek, W., and Kooi, B. (2005). Dynamic epistemic logic with assignment. In Dignum, F., Dignum, V., Koenig, S., Kraus, S., Singh, M., and Wooldridge, M., editors, *Autonomous Agents and Multi-agent Systems (AAMAS 2005)*, pages 141–148. ACM.
- [van Ditmarsch et al., 2007] van Ditmarsch, H., van der Hoek, W., and Kooi, B. (2007). *Dynamic Epistemic Logic*, volume 337 of *Synthese library*. Springer.

A Proof of Proposition 4.9

Lemma A.1. *Let \mathcal{M} be a \mathcal{L}^{St} -model. Then*

$$\mathcal{M} \models Post \text{ iff } \otimes \mathcal{M} \models Pre \wedge Post.$$

Proof. 1. Assume \mathcal{M} is a \mathcal{L}^{St} -model such that $\mathcal{M} \models Post$. Assume w.l.o.g. that $\mathcal{M} \models last(i)$. Then $\mathcal{M} \models Post^i$. Assume that $\mathcal{M} \models \bigwedge_{p^i \in \Phi^i} \neg p^i$. Then $\mathcal{M} \models Post^k$

where $k = Pre(i)$. But $\mathcal{M} \models Post^k$ iff $\otimes \mathcal{M} \models Post^k$ because $\mathcal{M} \models \bigwedge_{p^i \in \Phi^i} \neg p^i$. So $\otimes \mathcal{M} \models Post^k$. However

$\otimes \mathcal{M} \models last(k)$ because $\mathcal{M} \models last(i)$. So $\otimes \mathcal{M} \models Post$. Besides, $\mathcal{M} \models Pre$ because \mathcal{M} is a \mathcal{L}^{St} -model. So $\otimes \mathcal{M} \models Pre$ because $\mathcal{M} \models p^k$ iff $\otimes \mathcal{M} \models p^k$ for all $p^k \in \Phi^k$. Finally, $\otimes \mathcal{M} \models Pre \wedge Post$.

2. Assume \mathcal{M} is a \mathcal{L}^{St} -model such that $\otimes \mathcal{M} \models Pre \wedge Post$ and $\mathcal{M} \not\models Post$. Assume w.l.o.g. that $\mathcal{M} \models last(i) \wedge \neg Post^i$. Then $\otimes \mathcal{M} \models last(k)$. But because $\otimes \mathcal{M} \models Post$, we have $\otimes \mathcal{M} \models Post^k$. Now, $\mathcal{M} \not\models Post^i$ iff

$$\mathcal{M} \models \bigvee_{p^i \in \Phi^i} (p^i \wedge \neg Post(p^i)) \vee \left(\bigwedge_{p^i \in \Phi^i} \neg p^i \wedge \neg Post^k \right).$$

2.1. If $\mathcal{M} \models \bigwedge_{p^i \in \Phi^i} \neg p^i \wedge \neg Post^k$ then $\otimes \mathcal{M} \models \neg Post^k$ which is impossible.

2.2. If $\mathcal{M} \models p^i \wedge \neg Post(p^i)$ for some $p^i \in \Phi^i$ then $\mathcal{M} \models p^i \wedge \bigvee_{p^k \in \Phi^k} (Post(p^k, p^i) \wedge (\neg Pre(p^k) \vee \neg Post(p^k)))$.

Assume that for some $p^k \in \Phi^k$ $\mathcal{M} \models p^i \wedge Post(p^k, p^i) \wedge \neg Pre(p^k)$. Then $\otimes \mathcal{M} \models p^k \wedge \neg Pre(p^k)$. So $\otimes \mathcal{M} \not\models Pre$ which is impossible.

Assume that for some $p^k \in \Phi^k$ $\mathcal{M} \models p^i \wedge Post(p^k, p^i) \wedge \neg Post(p^k)$. Then $\otimes \mathcal{M} \models p^k \wedge \neg Post(p^k)$. Then $\otimes \mathcal{M} \models \neg Post^k$. But $\otimes \mathcal{M} \models last(k)$. So $\otimes \mathcal{M} \not\models Post$ which is impossible.

So in any case we get to a contradiction. QED

Proposition A.2 (Proposition 4.9). *Let \mathcal{M} be a \mathcal{L}^{St} -model. \mathcal{M} is a \mathcal{L} -model iff $\mathcal{M} \models Post$.*

Proof. By induction on the number n of \mathcal{L}^i -models in \mathcal{M} .

1. $n = 1$ clearly works.

2. Assume the result holds for n \mathcal{L}^i -models. Let \mathcal{M} be a \mathcal{L} -model with $n + 1$ \mathcal{L}^i -models. Then $\otimes \mathcal{M}$ is an \mathcal{L} -model by definition of a \mathcal{L} -model and $\otimes \mathcal{M}$ has n \mathcal{L}^i -models. So $\otimes \mathcal{M} \models Post$ by induction hypothesis. Besides $\otimes \mathcal{M} \models Pre$ because $\otimes \mathcal{M}$ is a \mathcal{L} -model. So $\mathcal{M} \models Post$ by Lemma A.1.

Assume that \mathcal{M} is a \mathcal{L}^{St} -model such that $\mathcal{M} \models Post$. Then $\otimes \mathcal{M} \models Pre \wedge Post$ by Lemma A.1. So $\otimes \mathcal{M}$ is a \mathcal{L}^{St} -model and $\otimes \mathcal{M} \models Post$. So $\otimes \mathcal{M}$ is a \mathcal{L} -model by induction hypothesis. Therefore \mathcal{M} is a \mathcal{L} -model. QED

B Proof of Theorem 4.11 and Theorem 4.12

Lemma B.1. *Let $i \in \{0, \dots, N\}$.*

$$\vdash^{St} last(i) \leftrightarrow \left(\bigwedge_{l \in I} \top^l \wedge \bigwedge_{l \notin I} \neg \top^l \right)$$

where $I = \{i_0 = i, \dots, i_n = 0\}$ such that $Pre(i_k) = i_{k+1}$.

Proof. By Axiom A_4 (Pre), $\vdash^{St} last(i) \rightarrow \bigwedge_{l \in I} \top^l$.

Now assume that for some $l \in I$ there is $l_1 \notin I$ such that $Pre(l_1) = l$ and $\not\vdash^{St} last(i) \rightarrow \neg \top^{l_1}$, i.e. $\not\vdash^{St} \neg(last(i) \wedge \top^{l_1})$.

But by Axiom A_4 , we have that

$$\not\vdash^{St} \neg(last(i) \wedge \top^{l_1} \wedge \neg last(l_1)), \text{ i.e.}$$

$$\not\vdash^{St} \neg \left(last(i) \wedge \top^{l_1} \wedge \left(\top^{l_1} \rightarrow \bigvee_{l_2 \in Pre^{-1}(l_1)} \top^{l_2} \right) \right)$$

So $\not\vdash^{St} \neg(last(i) \wedge \top^{l_1} \wedge \top^{l_2})$ for some $l_2 \in Pre^{-1}(l_1)$.

Then there are $l_1, l_2, \dots, l_m \notin I$ such that $Pre(l_{i+1}) = l_i$ and $Pre^{-1}(l_m) = \emptyset$ because $(\{0, \dots, N\}, Pre^{-1})$ is a rooted tree with root 0.

$$\text{So } \not\vdash^{St} \neg(last(i) \wedge \top^1 \wedge \dots \wedge \top^{l_m}).$$

Then by Axiom A_2 $\not\vdash^{St} \neg(last(i) \wedge \top^m \wedge \neg last(m))$

$$\text{i.e. } \not\vdash^{St} \neg \left(last(i) \wedge \top^{l_m} \wedge \bigvee_{l'_m \in Pre^{-1}(l_m)} \top^{l'_m} \right).$$

But $Pre^{-1}(l_m) = \emptyset$. So $\vdash^{St} \neg \left(\bigvee_{l'_m \in Pre^{-1}(l_m)} \top^{l'_m} \right)$.

Therefore we get to a contradiction.

So for all $l \in I$, for all $l' \notin I$ such that $Pre(l') = l$, $\vdash^{St} last(i) \rightarrow \neg \top^{l'}$.

However, because of Axiom A_4 (Pre) and the fact that $(\{0, \dots, N\}, Pre^{-1})$ is a tree, we get that for all $l \notin I$, $\vdash^{St} last(i) \rightarrow \neg \top^l$.

Finally, $\vdash^{St} last(i) \leftrightarrow \left(\bigwedge_{l \in I} \top^l \wedge \bigwedge_{l \notin I} \neg \top^l \right)$ where $I = \{i_0 = i, \dots, i_n = 0\}$ such that $Pre(i_k) = i_{k+1}$.

QED

Lemma B.2. *Let $\varphi^i \in \mathcal{L}^i$. Then $\vdash^{St} \neg \top^i \rightarrow \varphi^i$ or $\vdash^{St} \neg \top^i \rightarrow \neg \varphi^i$.*

Proof. We define for all $n \geq 0$ the formulas $\delta_n^{-\top^i} \in E_n^i$ (see Definition 4.15) as follows.

$$\bullet \delta_0^{-\top^i} = \bigwedge_{p^i \in \Phi^i} \neg p^i.$$

- $\delta_n^{\neg \top^i} = \delta_0^{\neg \top^i} \wedge \bigwedge_{j \in G} (\langle B_j \rangle \delta_{n-1}^{\neg \top^i} \wedge B_j \delta_{n-1}^{\neg \top^i})$ for all $n \geq 1$.

Then one can easily show that for all $n \in \mathbb{N}$, \models^i
 $\left(\bigwedge_{j \in G} \bigwedge_{p^i \in \Phi^i} \bigwedge_{m \leq n} E^m (\neg p^i \wedge \langle B_j \rangle \neg p^i) \right) \rightarrow \delta_n^{\neg \top^i}$.

So $\vdash^i \left(\bigwedge_{j \in G} \bigwedge_{p^i \in \Phi^i} \bigwedge_{m \leq n} E^m (\neg p^i \wedge \langle B_j \rangle \neg p^i) \right) \rightarrow \delta_n^{\neg \top^i}$.

Then $\vdash^{St} \left(\bigwedge_{j \in G} \bigwedge_{p^i \in \Phi^i} \bigwedge_{m \leq n} E^m (\neg p^i \wedge \langle B_j \rangle \neg p^i) \right) \rightarrow \delta_n^{\neg \top^i}$

because of L^i , and so for all $n \geq 1$.

Therefore for all $n \geq 1$,

$$\vdash^{St} \neg \top^i \rightarrow \delta_n^{\neg \top^i} \quad (1)$$

But [Balbiani and Herzig, 2007] shows that for all $\varphi^i \in \mathcal{L}^i$ such that $\text{deg}(\varphi^i) \leq n$,

$$\vdash^i \delta_n^{\neg \top^i} \rightarrow \varphi^i \text{ or } \vdash^i \delta_n^{\neg \top^i} \rightarrow \neg \varphi^i$$

So for all $\varphi^i \in \mathcal{L}^i$ such that $\text{deg}(\varphi^i) \leq n$,

$$\vdash^{St} \delta_n^{\neg \top^i} \rightarrow \varphi^i \text{ or } \vdash^{St} \delta_n^{\neg \top^i} \rightarrow \neg \varphi^i \quad (2)$$

Finally, for all $\varphi^i \in \mathcal{L}^i$,

$$\vdash^{St} \neg \top^i \rightarrow \varphi^i \text{ or } \vdash^{St} \neg \top^i \rightarrow \neg \varphi^i$$

because of (1) and (2). QED

Theorem B.3 (Theorem 4.11). *For all $\varphi^{St} \in \mathcal{L}^{St}$, $\models \varphi^{St}$ iff $\vdash^{St} \varphi^{St}$.*

Proof. Soundness is clear. For completeness, assume there is $\varphi^0 \in \mathcal{L}^0, \dots, \varphi^N \in \mathcal{L}^N$ and t a boolean combination of \top^i such that

$$\not\models^{St} \neg(\varphi^0 \wedge \dots \wedge \varphi^N \wedge t)$$

$$\text{i.e. } \not\models^{St} \neg \left(\left(\bigvee_{i \in \{0, \dots, N\}} \text{last}(i) \right) \wedge \varphi^0 \wedge \dots \wedge \varphi^N \wedge t \right)$$

by Axiom A_1

$$\text{i.e. } \not\models^{St} \neg (\text{last}(0) \wedge \varphi^0 \wedge \dots \wedge \varphi^N \wedge t) \text{ or } \dots \text{ or } \not\models^{St} \neg (\text{last}(N) \wedge \varphi^0 \wedge \dots \wedge \varphi^N \wedge t)$$

Assume w.l.o.g. that

$$\not\models^{St} \neg (\text{last}(i) \wedge \varphi^0 \wedge \dots \wedge \varphi^N \wedge t) \quad (*)$$

By Lemma B.1,

$$\vdash^{St} \text{last}(i) \leftrightarrow \left(\bigwedge_{l \in I} \top^l \wedge \bigwedge_{l \notin I} \neg \top^l \right)$$

where $I = \{i_0 = i, \dots, i_n = 0\}$ such that $\text{Pre}(i_k) = i_{k+1}$. So (*) iff

$$\not\models \neg \left(\bigwedge_{l \in I} \top^l \wedge \bigwedge_{l \notin I} \neg \top^l \wedge \varphi^0 \wedge \dots \wedge \varphi^N \wedge t \right).$$

We now define the sets $S_i^{i_k}$ of \mathcal{L}^{i_k} -formulas inductively as follows.

- $S_i^{i_0} = \{\varphi^{i_0}\} \cup \{p^{i_0} \mid \varphi^{i_0} \vdash^{i_0} p^{i_0}\};$

- $S_i^{i_1} = S_0^{i_1} \cup \{p^{i_1} \mid S_0^{i_1} \vdash^{i_1} p^{i_1}\} \cup \{Post(p^{i_1}, p^{i_0}) \mid S_0^{i_1} \vdash^{i_1} Post(p^{i_1}, p^{i_0}), p^{i_0} \in S_i^{i_0}\}$

where $S_0^{i_1} = \{\varphi^{i_1}\} \cup \{Pre(p^{i_0}) \mid p^{i_0} \in S_i^{i_0}\}$

- $S_i^{i_2} = S_0^{i_2} \cup \{p^{i_2} \mid S_0^{i_2} \vdash^{i_2} p^{i_2}\} \cup \{Post(p^{i_2}, p^{i_1}) \mid S_0^{i_2} \vdash^{i_2} Post(p^{i_2}, p^{i_1}), p^{i_1} \in S_i^{i_1}\}$

where $S_0^{i_2} = \{\varphi^{i_2}\} \cup \{Pre(p^{i_1}) \mid p^{i_1} \in S_i^{i_1} \text{ or } Post(p^{i_1}, p^{i_0}) \in S_i^{i_1} \text{ for some } p^{i_0}\}$

- $S_i^{i_{k+1}} = S_0^{i_{k+1}} \cup \{p^{i_{k+1}} \mid S_0^{i_{k+1}} \vdash^{i_{k+1}} p^{i_{k+1}}\} \cup \{Post(p^{i_{k+1}}, p^{i_k}) \mid S_0^{i_{k+1}} \vdash^{i_{k+1}} Post(p^{i_{k+1}}, p^{i_k}), p^{i_k} \in S_i^{i_k}\}$

where $S_0^{i_{k+1}} = \{\varphi^{i_{k+1}}\} \cup \{Pre(p^{i_k}) \mid p^{i_k} \in S_i^{i_k} \text{ or } Post(p^{i_k}, p^{i_{k-1}}) \in S_i^{i_k} \text{ for some } p^{i_{k-1}}\}$.

Then by completion we define the sets S^{i_k} as follows:

$$S^{i_k} = S_i^{i_k} \cup \{\neg p^{i_k} \mid p^{i_k} \notin S_i^{i_k}\} \cup \{\neg Post(p^{i_k}, p^{i_{k+1}}) \mid Post(p^{i_k}, p^{i_{k-1}}) \in S_i^{i_k}\}.$$

So, because in the construction of the S^{i_k} , we used axiom A_4 , $S^{i_0} \cup \dots \cup S^{i_n}$ is L^{St} -consistent.

So for all i_k , S^{i_k} is L^{i_k} -consistent. Then by Theorem 2.8, there is a finite and pointed \mathcal{L}^{i_k} -model (M^{i_k}, w^{i_k}) such that $M^{i_k}, w^{i_k} \models S^{i_k}$.

So $\{(M^{i_n}, w^{i_n}), \dots, (M^{i_0}, w^{i_0})\} \models S^{i_0} \cup \dots \cup S^{i_n}$. But by construction of the S^{i_k} , $\{(M^{i_n}, w^{i_n}), \dots, (M^{i_0}, w^{i_0})\} \models Pre \wedge Post$.

So $\mathcal{M} = \{(M^{i_n}, w^{i_n}), \dots, (M^{i_0}, w^{i_0})\}$ is a \mathcal{L} -model and $\mathcal{M} \models \bigwedge_{l \in I} \varphi^l \wedge \bigwedge_{l \notin I} \neg \top^l$.

But by Lemma B.2 $\vdash^{St} \neg \top^l \rightarrow \varphi^l$ for all $l \notin I$. So by soundness $\models \neg \top^l \rightarrow \varphi^l$. Likewise $\vdash \bigwedge_{l \in I} \top^l \wedge \bigwedge_{l \notin I} \neg \top^l \rightarrow t$.

So finally $\mathcal{M} \models \varphi^0 \wedge \dots \wedge \varphi^N \wedge t$. QED

Theorem B.4 (Theorem 4.12). *L^{St} is decidable.*

Proof. Decidability of L^{St} comes from the fact that the satisfiability problem in L^{St} can be reduced to the satisfiability problem in L^i for each $i \in \{0, \dots, N\}$ as the completeness proof of Theorem 4.11 shows. In fact L^{St} has even the strong finite model property. QED

C Proof of Proposition 4.17

Lemma C.1. Let $n \in \mathbb{N}^*$, $\delta_n \in E_n^i$ and $\delta_{n-1} \in E_{n-1}^i$. If $M^i, w^i \models \delta_n$ then for all $v^i \in R_j(w^i)$, $M^i, v^i \models \delta_{n-1}$ iff $\delta_{n-1} \in R_j(\delta_n)$.

Proof. Due to the definition of δ_n .

QED

Proposition C.2 (Proposition 4.17). Let $\varphi^k \in \mathcal{L}_n^k$. Let (M^k, w^k) be a pointed \mathcal{L}^k -model and (M^i, w^i) be a pointed \mathcal{L}^i -model such that $M^k, w^k \models \text{Pre}(w^i)$. Let $\delta_n \in E_n^i$.

If $M^i, w^i \models \delta_n$ then

$$M^k, w^k \models \text{Pre}^{\delta_n}(\varphi^k) \text{ iff } (M^k, w^k) \otimes (M^i, w^i) \models \varphi^k.$$

Proof. By induction on φ^k .

1. $\varphi^k = p^k$ works by Definition 2.6.
2. $\varphi^k = \varphi \wedge \varphi'$ and $\varphi^k = \neg\varphi$ work by induction hypothesis.
3. Assume $\text{deg}(\varphi) = n$ and $M^i, w^i \models \delta_{n+1}$ for some $\delta_{n+1} \in E_{n+1}^i$.

$$M^k, w^k \models \text{Pre}^{\delta_{n+1}}(B_j\varphi)$$

$$\text{iff } M^k, w^k \models \bigwedge_{\delta_n \in R_j(\delta_{n+1})} B_j \left(\bigwedge_{p^i \in R_0(\delta_n)} \text{Pre}(p^i) \right) \rightarrow \text{Pre}^{\delta_n}(\varphi)$$

iff for all $\delta_n \in R_j(\delta_{n+1})$

$$M^k, w^k \models B_j \left(\left(\bigwedge_{p^i \in R_0(\delta_n)} \text{Pre}(p^i) \right) \rightarrow \text{Pre}^{\delta_n}(\varphi) \right)$$

iff for all $\delta_n \in E_n^i$, for all $v^i \in R_j(w^i)$, if $M^i, v^i \models \delta_n$ then $M^k, w^k \models B_j \left(\left(\bigwedge_{p^i \in R_0(\delta_n)} \text{Pre}(p^i) \right) \rightarrow \text{Pre}^{\delta_n}(\varphi) \right)$ by Lemma C.1

iff for all $\delta_n \in E_n^i$, for all $v^i \in R_j(w^i)$, if $M^i, v^i \models \delta_n$ then for all $v^k \in R_j(w^k)$ $M^k, v^k \models \left(\bigwedge_{p^i \in R_0(\delta_n)} \text{Pre}(p^i) \right) \rightarrow \text{Pre}^{\delta_n}(\varphi)$.

iff for all $\delta_n \in E_n^i$, for all $v^i \in R_j(w^i)$ such that $M^i, v^i \models \delta_n$, for all $v^k \in R_j(w^k)$ such that $M^k, v^k \models \text{Pre}(v^i)$, $M^k, v^k \models \text{Pre}^{\delta_n}(\varphi)$

iff for all $(v^k, v^i) \in R_j(w^k, w^i)$ $M^k \otimes M^i, (v^k, v^i) \models \varphi$ by induction hypothesis

iff $M^k \otimes M^i, (w^k, w^i) \models B_j\varphi$.

QED

D Proof of Proposition 4.19

Lemma D.1. Let t be a boolean combination of \top^l . Let $i \in \{0, \dots, N\}$. Then $\vdash \text{last}(i) \rightarrow t$ or $\vdash \text{last}(i) \rightarrow \neg t$.

Proof. Because of axioms A_1 and A_2 , one can prove that

$$\vdash \text{last}(i) \rightarrow \bigwedge_{k \in \text{PRE}(i)} \top^{i_k} \wedge \bigwedge_{l \notin \text{PRE}(i)} \neg \top^{i_l}$$

where $\text{PRE}(i) = \{i_0, \dots, i_i = i \mid \text{Pre}(i_{k+1}) = i_k\}$. The lemma then follows. QED

Proposition D.2 (Proposition 4.19). Let $\varphi \in \mathcal{L}$. Then there is $\varphi^{St} \in \mathcal{L}^{St}$ such that $\vdash \varphi \leftrightarrow \varphi^{St}$.

Proof. Let $\varphi \in \mathcal{L}$. Because of axioms A_5 and A_6 , there is $\varphi^* \in \mathcal{L}$ such that $\vdash \varphi^* \leftrightarrow \varphi$ and such that every occurrence of $[i \text{ ends}]\psi$ can be equivalently replaced by $\text{last}(i) \wedge [i \text{ ends}]\psi$.

Now we are going to show by induction on the number of occurrences of operators $[i \text{ starts}]$ and $[i \text{ ends}]$ that for any formula of the form of φ^* described above there is $\varphi^{St} \in \mathcal{L}^{St}$ such that $\vdash \varphi^* \leftrightarrow \varphi^{St}$.

1. If there is no occurrences of $[i \text{ starts}]$ or $[i \text{ ends}]$ then the result is clear.

2. Assume there is $n + 1$ occurrences of $[i \text{ starts}]$ or $[i \text{ ends}]$. We pick the innermost occurrence which is of the form $[i \text{ starts}]\psi^{St}$ or $[i \text{ ends}]\psi^{St}$ where $\psi^{St} \in \mathcal{L}^{St}$.

2.1. Assume it is of the form $[i \text{ ends}]\psi^{St}$.

Then by definition of φ^* , $[i \text{ ends}]\psi^{St}$ can be equivalently replaced by $\text{last}(i) \wedge [i \text{ ends}]\psi^{St}$ in φ^* .

Now ψ^{St} can be written equivalently under the form

$$\psi^{St} \equiv (t_0 \vee \varphi_0^0 \vee \dots \vee \varphi_0^N) \wedge \dots \wedge (t_n \vee \varphi_n^0 \vee \dots \vee \varphi_n^N)$$

where $\varphi_i^j \in \mathcal{L}^i$ and the t_l are boolean combinations of \top^l .

Assume w.l.o.g. that ψ^{St} is of the form $t \vee \varphi^0 \vee \dots \vee \varphi^N$. Then by axiom A_7 $\vdash \text{last}(i) \wedge [i \text{ ends}]\psi^{St} \leftrightarrow \text{last}(i) \wedge ([i \text{ ends}]t \vee [i \text{ ends}]\varphi^0 \vee \dots \vee [i \text{ ends}]\varphi^N)$. Now by axiom A_5 and Lemma D.1, we have $\vdash [i \text{ ends}]t$ or $\vdash [i \text{ ends}]\neg t$. Then by axiom A_7 , one can show that $\vdash \text{last}(i) \rightarrow \neg [i \text{ ends}]t$ or $\vdash \text{last}(i) \rightarrow [i \text{ ends}]t$.

$$\text{So } \vdash \text{last}(i) \wedge [i \text{ ends}]\psi^{St} \leftrightarrow \text{last}(i) \wedge ([i \text{ ends}]\varphi^0 \vee \dots \vee [i \text{ ends}]\varphi^N) \quad (1)$$

$$\text{or } \vdash \text{last}(i) \wedge [i \text{ ends}]\psi^{St}. \quad (2)$$

In case of (1), $\vdash \text{last}(i) \wedge [i \text{ ends}]\psi^{St} \leftrightarrow (\text{last}(i) \wedge \varphi^0) \vee \dots \vee (\text{last}(i) \wedge [i \text{ ends}]\varphi^k) \vee (\text{last}(i) \wedge [i \text{ ends}]\varphi^i) \vee \dots \vee (\text{last}(i) \wedge \varphi^N)$ by axiom A_8 .

Now by axiom A_9 there is $\chi^{St} \in \mathcal{L}^{St}$ such that $\vdash \text{last}(i) \wedge [i \text{ ends}]\varphi^k \leftrightarrow \chi^{St}$. Besides, by axiom A_5 , $\vdash [i \text{ ends}]\neg \top^i$. But by lemma B.2 $\vdash \neg \top^i \rightarrow \varphi^i$ or $\vdash \neg \top^i \rightarrow \neg \varphi^i$. So $\vdash [i \text{ ends}]\varphi^i$ or $\vdash [i \text{ ends}]\neg \varphi^i$ and by axiom A_7 , $\vdash \text{last}(i) \rightarrow$

$[i \text{ ends}] \varphi^i$ or $\vdash \text{last}(i) \rightarrow \neg[i \text{ ends}] \varphi^i$. So in both cases there is $\chi^{St} \in \mathcal{L}^{St}$ such that $\vdash \text{last}(i) \wedge [i \text{ ends}] \varphi^i \leftrightarrow \chi^{St}$.

So in case of (1) there is $\varphi^{St} \in \mathcal{L}^{St}$ such that $\vdash \text{last}(i) \wedge [i \text{ ends}] \psi^{St} \leftrightarrow \varphi^{St}$. So eventually in both cases (1) and (2), there is $\varphi^{St} \in \mathcal{L}^{St}$ such that $\vdash \text{last}(i) \wedge [i \text{ ends}] \psi^{St} \leftrightarrow \varphi^{St}$.

So we can replace $[i \text{ ends}] \psi^{St}$ by φ^{St} in φ^* and the resulting equivalent formula has therefore one modality of the form $[i \text{ ends}]$ or $[i \text{ starts}]$ less.

2.2. Assume it is of the form $[i \text{ starts}] \psi^{St}$.

We can assume w.l.o.g. that ψ^{St} is of the form $\psi^{St} \equiv t \vee \varphi^0 \vee \dots \vee \varphi^N$. Then $\vdash [i \text{ starts}] \psi^{St} \leftrightarrow (([i \text{ starts}] t) \vee \varphi^0 \vee \dots \vee ([i \text{ starts}] \varphi^i) \vee \dots \vee \varphi^N)$ by axiom **A**₁₂. But $\vdash [i \text{ starts}] \text{last}(i)$ by axiom **A**₁₀ and $\vdash \text{last}(i) \rightarrow t$ or $\vdash \text{last}(i) \rightarrow \neg t$ by Lemma D.1. So $\vdash [i \text{ starts}] t$ (1) or $\vdash [i \text{ starts}] \neg t$ (2).

If (1) then $\vdash [i \text{ starts}] \psi^{St}$.

If (2) then $\vdash [i \text{ starts}] \psi^{St} \leftrightarrow (([i \text{ starts}] \neg t) \wedge ([i \text{ starts}] \neg t) \vee \varphi^0 \vee \dots \vee ([i \text{ starts}] \varphi^i) \vee \dots \vee \varphi^N)$

i.e. $\vdash [i \text{ starts}] \psi^{St} \leftrightarrow (([i \text{ starts}] \perp) \vee \varphi^0 \vee \dots \vee ([i \text{ starts}] \varphi^i) \vee \dots \vee \varphi^N)$

i.e. $\vdash [i \text{ starts}] \psi^{St} \leftrightarrow (\text{last}(k) \rightarrow (\varphi^0 \vee \dots \vee [i \text{ starts}] \varphi^i \vee \dots \vee \varphi^N))$ by axiom **A**₁₁.

If $\vdash^{St} \varphi^i$ then $\vdash \varphi^i$ so $\vdash [i \text{ starts}] \varphi^i$ by **R**₁. So there is $\varphi^{St} \in \mathcal{L}^{St}$ such that $\vdash [i \text{ starts}] \psi^{St} \leftrightarrow \varphi^{St}$.

If $\not\vdash^{St} \varphi^i$ then there is $\chi^{St} \in \mathcal{L}^{St}$ such that $\vdash [i \text{ starts}] \psi^{St} \leftrightarrow (\text{last}(k) \rightarrow (\varphi^0 \vee \dots \vee \chi^{St} \vee \dots \vee \varphi^N))$ by axiom scheme **A**₁₃.

So in any case there is $\varphi^{St} \in \mathcal{L}^{St}$ such that $\vdash [i \text{ starts}] \psi^{St} \leftrightarrow \varphi^{St}$.

So in any cases 2.1. and 2.2. there is a formula $\varphi_1^* \in \mathcal{L}$ of the form expected such that $\vdash \varphi \leftrightarrow \varphi_1^*$ and φ_1^* has n occurrences of modalities $[i \text{ starts}]$ or $[i \text{ ends}]$. We can then apply the induction hypothesis. QED

Remark D.3. In the proof, we used the disjunction of cases $\vdash^{St} \varphi^i$ and $\not\vdash^{St} \varphi^i$. Besides, in the axiomatization axiom scheme **A**₁₃ is quantified on formulas φ^i such that $\neg \varphi^i \notin \mathcal{L}^{St}$. This way of defining a proof system makes sense because \mathcal{L}^{St} is decidable. ◀

E Proof of Theorem 4.20

Theorem E.1 (Theorem 4.20). *For all $\varphi \in \mathcal{L}$, $\models \varphi$ iff $\vdash \varphi$.*

Proof. We only prove the soundness of **A**₉, **A**₁₂ and **A**₁₃.

A₉. Soundness of **A**₉ comes from Proposition 4.17.

A₁₂. Let \mathcal{M} be a \mathcal{L} -model.

1. If $\mathcal{M} \models \neg \text{last}(k)$ then the result trivially holds.

2. If $\mathcal{M} \models \text{last}(k)$ then

$$\mathcal{M} \models [i \text{ ends}] (t \vee \varphi^0 \vee \dots \vee \varphi^N)$$

iff for all $\mathcal{M}' \in R_{\text{starts}}^i(\mathcal{M})$, $\mathcal{M}' \models t \vee \varphi^0 \vee \dots \vee \varphi^N$

iff for all $\mathcal{M}' \in R_{\text{starts}}^i(\mathcal{M})$, $\mathcal{M}' \models t$ or $\mathcal{M}' \models \varphi^0$ or \dots or $\mathcal{M}' \models \varphi^i$ or \dots or $\mathcal{M}' \models \varphi^N$

iff for all $\mathcal{M}' \in R_{\text{starts}}^i(\mathcal{M})$, $\mathcal{M}' \models t$ or $\mathcal{M} \models \varphi^0$ or \dots or $\mathcal{M}' \models \varphi^i$ or \dots or $\mathcal{M} \models \varphi^N$ because $\mathcal{M} \models \varphi^l$ iff $\mathcal{M}' \models \varphi^l$ for all $l \neq i$

iff $\mathcal{M} \models \varphi^0$ or \dots or $\mathcal{M} \models [i \text{ starts}] (t \vee \varphi^i)$ or \dots or $\mathcal{M} \models \varphi^N$

iff $\mathcal{M} \models [i \text{ starts}] t$ or $\mathcal{M} \models \varphi^0$ or \dots or $\mathcal{M} \models [i \text{ starts}] \varphi^i$ or \dots or $\mathcal{M} \models \varphi^N$ because $\mathcal{M} \models [i \text{ starts}] (t \vee \varphi)$ iff $\mathcal{M} \models ([i \text{ starts}] t) \vee ([i \text{ starts}] \varphi^i)$

iff $\mathcal{M} \models ([i \text{ starts}] t) \vee \varphi^0 \vee \dots \vee ([i \text{ starts}] \varphi^i) \vee \dots \vee \varphi^N$.

A₁₃. Assume $\neg \varphi^i \notin \mathcal{L}^{St}$. Then $\neg \varphi^i \notin \mathcal{L}^i$. So by Theorem 2.8 there is a pointed \mathcal{L}^i -model (M^i, w^i) such that

$$M^i, w^i \models \varphi^i \wedge \bigwedge_{p^i \in S(\varphi^i)} p^i \wedge \bigwedge_{p^i \notin S(\varphi^i)} \neg p^i$$

where $S(\varphi^i) = \{p^i \in \Phi^i \mid \vdash^{St} \varphi^i \rightarrow p^i\}$.

Let \mathcal{M} be a \mathcal{L} -model such that $\mathcal{M} \models \text{last}(k)$.

1. Assume that $\mathcal{M} \models \langle i \text{ starts} \rangle \varphi^i$.

Then there is a \mathcal{L} -model $\mathcal{M}' \in R_{\text{starts}}^i(\mathcal{M})$ such that $\mathcal{M}' \models \varphi^i$. So $\mathcal{M}' \models S(\varphi^i)$. But $\mathcal{M}' \models \text{Post} \wedge \text{Pre}$. So $\mathcal{M}' \models \bigwedge_{p^i \in S(\varphi^i)} \text{Post}(p^i) \wedge \text{Pre}(p^i)$ by definition of

Post and Pre and because $\mathcal{M}' \models \text{last}(i)$. Then $\mathcal{M} \models \bigwedge_{p^i \in S(\varphi^i)} \text{Post}(p^i) \wedge \text{Pre}(p^i)$.

2. Assume that $\mathcal{M} \models \bigwedge_{p^i \in S(\varphi^i)} \text{Post}(p^i) \wedge \text{Pre}(p^i)$.

Then $\mathcal{M} \cup \{(M^i, w^i)\} \models \text{Post} \wedge \text{Pre} \wedge \varphi^i$. So $\mathcal{M}' = \mathcal{M} \cup \{(M^i, w^i)\}$ is a \mathcal{L} -model such that $\mathcal{M}' \in R_{\text{starts}}^i(\mathcal{M})$ and $\mathcal{M}' \models \varphi^i$. Therefore $\mathcal{M} \models \langle i \text{ start} \rangle \varphi^i$. QED

F Proof of Theorem 4.22

Lemma F.1. *Let (A, a) be a pointed event model and (M^1, w^1) be a pointed \mathcal{L}^1 -model such that $M^1, w^1 \rightleftharpoons t(A, a)$. Then for all pointed \mathcal{L}^0 -model (M^0, w^0) such that $M^0, w^0 \models \text{Pre}(w^1)$,*

$$M^0 \otimes M^1, (w^0, w^1) \rightleftharpoons M^0 \otimes A, (w^0, a).$$

Proof. Let $Z^1 : M^1, w^1 \rightleftharpoons t(A, a)$. We then define $Z : M^0 \otimes M^1, (w^0, w^1) \rightleftharpoons M^0, A, (w^0, a)$ as follows:

$$\begin{aligned}
& M^0 \otimes M^1, (v^0, v^1) Z M^0 \otimes A, (u^0, b) \\
& \text{iff} \\
& v^0 = u^0 \text{ and } M^1, v^1 Z^1 t(A, b).
\end{aligned}$$

One can then easily show that Z is a bisimulation. QED

Theorem F.2 (Theorem 4.22). *Let A be an event model and $\varphi \in \mathcal{L}_{BMS}(A)$. For all pointed epistemic model (M^0, w^0) ,*

$$M^0, w^0 \models_{BMS} \varphi \text{ iff } \{(M^0, w^0)\} \models t(\varphi).$$

Proof. By induction on φ .

1. $\varphi = p^0$ clearly works. $\varphi = \varphi_1 \wedge \varphi_2, \neg\psi$ work by induction hypothesis.

2. $\varphi = B_j\psi$.

$$M^0, w^0 \models B_j\psi$$

iff for all $v^0 \in R_j(w^0)$, $M^0, v^0 \models \psi$

iff for all $v^0 \in R_j(w^0)$, $\{(M^0, w^0)\} \models t(\psi)$

iff $\{(M^0, w^0)\} \models t(B_j\psi)$.

3. $\varphi = C_G\psi$. Similar to $B_j\psi$.

4. $\varphi = [A, a]\psi$.

$$\{(M^0, w^0)\} \models t([A, a]\varphi)$$

iff $\{(M^0, w^0)\} \models [1 \text{ starts}](\chi(t(A, a)) \rightarrow [1 \text{ ends}]t(\varphi))$

iff for all finite and pointed \mathcal{L}^1 -model (M^1, w^1) such that $\{(M^0, w^0), (M^1, w^1)\}$ is a \mathcal{L} -model, $\{(M^0, w^0), (M^1, w^1)\} \models \chi(t(A, a)) \rightarrow [1 \text{ ends}]t(\varphi)$

iff for all finite and pointed \mathcal{L}^1 -model (M^1, w^1) such that $M^0, w^0 \models \text{Pre}(w^1)$, if $M^1, w^1 \models \chi(t(A, a))$ then $\{(M^0 \otimes M^1, (w^0, w^1))\} \models t(\varphi)$

iff for all finite and pointed \mathcal{L}^1 -model (M^1, w^1) such that $M^0, w^0 \models \text{Pre}(w^1)$ and $M^1, w^1 \models t(A, a)$, $\{(M^0 \otimes M^1, (w^0, w^1))\} \models t(\varphi)$

iff for all finite and pointed \mathcal{L}^1 -model (M^1, w^1) such that $M^0, w^0 \models \text{Pre}(w^1)$ and $M^1, w^1 \models t(A, a)$, $\{(M^0 \otimes A, (w^0, a))\} \models t(\varphi)$ by Lemma F.1

iff if $M^0, w^0 \models \text{Pre}(a)$ then $M^0 \otimes A, (w^0, a) \models \varphi$ by induction hypothesis

iff $M^0, w^0 \models [A, a]\varphi$.

QED