

A Block ILU Preconditioner for Computational Electromagnetics Applications

Jose Marin, Rafael Bru, Natalia Malla

► **To cite this version:**

Jose Marin, Rafael Bru, Natalia Malla. A Block ILU Preconditioner for Computational Electromagnetics Applications. International Conference On Preconditioning Techniques For Scientific And Industrial Applications, Preconditioning 2011, May 2011, Bordeaux, France. <inria-00581308>

HAL Id: inria-00581308

<https://hal.inria.fr/inria-00581308>

Submitted on 30 Mar 2011

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

A Block ILU Preconditioner for Computational Electromagnetics Applications

List of authors:

J. Marín¹

R. Bru² N. Malla³

In this work we consider the solution of the linear systems arising from electromagnetism applications by preconditioned Krylov subspace methods [4]. Simulation of electromagnetic wave propagation phenomena requires the numerical solution of Maxwell's equations which it is often done by means of integral equation methods. The discretization of the integral equations with the boundary element method results in dense linear systems of the form,

$$Ax = b \tag{1}$$

where A has complex entries and it is quite challenging to solve. Sparse approximate inverse preconditioners based on Frobenius norm minimization [3] are quite effective for this type of problems. In [2] a number of preconditioners are compared and it is shown that the SPAI preconditioner performs the best. It is also shown that ILU-type preconditioners fail to produce good convergence results. In this work we experiment with ILU-type preconditioners. Following the work presented in [1], we use graph partitioning techniques in order to split the adjacency graph of a sparsified matrix \hat{A} in several parts of almost equal size and with the number of edge cuts as small as possible. The matrix \hat{A} is obtained from A after discarding small entries which correspond to far field interactions. Nodes which are connected with cut edges are removed from the subgraphs and put in a separator set. By numbering the nodes by subgraphs and taking the separator set last, the matrix is permuted into block form,

$$P^T \hat{A} P = \begin{pmatrix} \hat{A}_1 & & & \hat{B}_1 \\ & \hat{A}_2 & & \hat{B}_2 \\ & & \ddots & \vdots \\ & & & \hat{A}_p & \hat{B}_p \\ \hat{C}_1 & \hat{C}_2 & \dots & \hat{C}_p & \hat{A}_S \end{pmatrix}$$

This permuted matrix can be decomposed as,

$$P^T \hat{A} P = \begin{pmatrix} \hat{A}_1 & & & \hat{B}_1 \\ & \hat{A}_2 & & \hat{B}_2 \\ & & \ddots & \vdots \\ & & & \hat{A}_p & \hat{B}_p \\ \hat{C}_1 & \hat{C}_2 & \dots & \hat{C}_p & \hat{A}_S \end{pmatrix} = \begin{pmatrix} \hat{L}_1 & & & & \\ & \hat{L}_2 & & & \\ & & \ddots & & \\ & & & \hat{L}_p & \\ \hat{F}_1 & \hat{F}_2 & \dots & \hat{F}_p & \hat{L}_S \end{pmatrix} \begin{pmatrix} \hat{U}_1 & & & \hat{E}_1 \\ & \hat{U}_2 & & \hat{E}_2 \\ & & \ddots & \vdots \\ & & & \hat{U}_p & \hat{E}_p \\ \dots & & & & \hat{U}_S \end{pmatrix}$$

¹Institut de Matemàtica Multidisciplinar, Universitat Politècnica de València

²Institut de Matemàtica Multidisciplinar, Universitat Politècnica de València

³Institut de Matemàtica Multidisciplinar, Universitat Politècnica de València

where $\hat{A}_i = \hat{L}_i \hat{U}_i$, $\hat{E}_i = \hat{L}_i^{-1} \hat{B}_i$, $\hat{F}_i = \hat{C}_i \hat{U}_i^{-1}$ and \hat{L}_S, \hat{U}_S are the triangular factors of the Schur complement matrix

$$\hat{S} = \hat{A}_S - \sum_{i=1}^p \hat{C}_i \hat{A}_i^{-1} \hat{B}_i.$$

By computing approximate LU factors for the matrices \hat{A}_i and \hat{S} with an appropriate ILU technique, a two-level ILU preconditioner for the system (1) is obtained. The results of the numerical experiments show that the block ILU preconditioner proposed is competitive.

References

- [1] M. Benzi, J. Marín, M. Tuma. A two-level parallel preconditioner based on sparse approximate inverses. *Iterative methods in Scientific Computation IV*, David R. Kincaid et al. (eds), 167–177, 1999.
- [2] B. Carpentieri. Sparse preconditioners for dense linear systems, from electromagnetics applications *PhD thesis, l'Institut National Polytechnique de Toulouse, CERFACS*, 2002.
- [3] M. Grote and T. Huckle. Parallel preconditioning with sparse approximate inverses. *SIAM Journal on Scientific Computing*, 18(3):838–853, 1997.
- [4] Y. Saad. *Iterative Methods for Sparse Linear Systems*. PWS Publishing Company, Boston, 1996.