

Anti-sparse coding for approximate nearest neighbor search

Hervé Jégou, Teddy Furon, Jean-Jacques Fuchs

► **To cite this version:**

Hervé Jégou, Teddy Furon, Jean-Jacques Fuchs. Anti-sparse coding for approximate nearest neighbor search. [Research Report] RR-7771, INRIA. 2011. <inria-00633193v2>

HAL Id: inria-00633193

<https://hal.inria.fr/inria-00633193v2>

Submitted on 24 Oct 2011

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



INSTITUT NATIONAL DE RECHERCHE EN INFORMATIQUE ET EN AUTOMATIQUE

*Anti-sparse coding
for approximate nearest neighbor search*

Hervé Jégou — Teddy Furon — Jean-Jacques Fuchs

N° 7771

October 2011

— Perception, Cognition, Interaction —

*R*apport
de recherche

Anti-sparse coding for approximate nearest neighbor search

Hervé Jégou , Teddy Furon , Jean-Jacques Fuchs

Domain : Perception, Cognition, Interaction
Équipe-Projet Texmex

Rapport de recherche n° 7771 — October 2011 — 13 pages

Abstract: This paper proposes a binarization scheme for vectors of high dimension based on the recent concept of *anti-sparse* coding, and shows its excellent performance for approximate nearest neighbor search. Unlike other binarization schemes, this framework allows, up to a scaling factor, the *explicit* reconstruction from the binary representation of the original vector. The paper also shows that random projections which are used in Locality Sensitive Hashing algorithms, are significantly outperformed by regular frames for both synthetic and real data if the number of bits exceeds the vector dimensionality, i.e., when high precision is required.

Key-words: sparse coding, spread representations, approximate neighbors search, Hamming embedding

This work was realized as part of the Quaero Project, funded by OSEO, French State agency for innovation.

Codage anti-parcimonieux pour la recherche approximative de plus proches voisins

Résumé : Cet article propose une technique de binarisation qui s'appuie sur le concept récent de *codage anti-parcimonieux*, et montre ses excellentes performances dans un contexte de recherche approximative de plus proches voisins. Contrairement aux méthodes concurrentes, le cadre proposé permet, à un facteur d'échelle près, la reconstruction *explicite* du vecteur encodé à partir de sa représentation binaire. L'article montre également que les projections aléatoires qui sont communément utilisées dans les méthodes de hachage multi-dimensionnel peuvent être avantageusement remplacées par des frames régulières lorsque le nombre de bits excède la dimension originale du descripteur.

Mots-clés : codage parcimonieux, représentations étalées, recherche approximative de plus proches voisins, binarisation

1 Introduction

This paper addresses the problem of approximate nearest neighbor (ANN) search in high dimensional spaces. Given a query vector, the objective is to find, in a collection of vectors, those which are the closest to the query with respect to a given distance function. We focus on the Euclidean distance in this paper. This problem has a very high practical interest, since matching the descriptors representing the media is the most consuming operation of most state-of-the-art audio [1], image [2] and video [3] indexing techniques. There is a large body of literature on techniques whose aim is the optimization of the trade-off between retrieval time and complexity.

We are interested by the techniques that regard the memory usage of the index as a major criterion. This is compulsory when considering large datasets including dozen millions to billions of vectors [4, 5, 2, 6], because the indexed representation must fit in memory to avoid costly hard-drive accesses. One popular way is to use a Hamming Embedding function that maps the real vectors into binary vectors [4, 5, 2]: Binary vectors are compact, and searching the Hamming space is efficient (XOR operation and bit count) even if the comparison is exhaustive between the binary query and the database vectors. An extension to these techniques is the asymmetric scheme [7, 8] which limits the approximation done on the query, leading to better results for a slightly higher complexity.

We propose to address the ANN search problem with an *anti-sparse* solution based on the design of *spread* representations recently proposed by Fuchs [9]. Sparse coding has received in the last decade a huge attention from both theoretical and practical points of view. Its objective is to represent a vector in a higher dimensional space with a very limited number of non-zeros components. Anti-sparse coding has the opposite properties. It offers a robust representation of a vector in a higher dimensional space with all the components sharing evenly the information.

Sparse and anti-sparse coding admits a common formulation. The algorithm proposed by Fuchs [9] is indeed similar to path-following methods based on continuation techniques like [10]. The anti-sparse problem considers a ℓ_∞ penalization term where the sparse problem usually considers the ℓ_1 norm. The penalization in $\|\mathbf{x}\|_\infty$ limits the range of the coefficients which in turn tend to 'stick' their value to $\pm\|\mathbf{x}\|_\infty$ [9]. As a result, the anti-sparse approximation offers a natural binarization method.

Most importantly and in contrast to other Hamming Embedding techniques, the binarized vector allows an explicit and reliable reconstruction of the original database vector. This reconstruction is very useful to refine the search. First, the comparison of the Hamming distances between the binary representations identifies some potential nearest neighbors. Second, this list is refined by computing the Euclidean distances between the query and the reconstructions of the database vectors.

We provide a Matlab package to reproduce the analysis comparisons reported in this paper (for the tests on synthetic data), see <http://www.irisa.fr/texmex/people/jegou/src.php>. The paper is organized as follows. Section 2 introduces the anti-sparse coding framework. Section 3 describes the corresponding ANN search method which is evaluated in Section 4 on both synthetic and real data.

2 Spread representations

This section briefly describes the anti-sparse coding of [9]. We first introduce the objective function and provide the guidelines of the algorithm giving the spread representation of a given input real vector.

Let $A = [\mathbf{a}_1 | \dots | \mathbf{a}_m]$ be a $d \times m$ ($d < m$) full rank matrix. For any $\mathbf{y} \in \mathbb{R}^d$, the system $A\mathbf{x} = \mathbf{y}$ admits an infinite number of solutions. To single out a unique solution, one add a constraint as for instance seeking a minimal norm solution. Whereas the case of the Euclidean norm is trivial, and the case of the ℓ_1 -norm stems in the vast literature of sparse representation, Fuchs recently studied the case of the ℓ_∞ -norm. Formally, the problem is:

$$\mathbf{x}^* = \min_{\mathbf{x}: A\mathbf{x}=\mathbf{y}} \|\mathbf{x}\|_\infty, \quad (1)$$

with $\|\mathbf{x}\|_\infty = \max_{i \in \{1, \dots, m\}} |x_i|$. Interestingly, he proved that by minimizing the range of the components, $m - d + 1$ of them are stuck to the limit, ie. $x_i = \pm \|\mathbf{x}\|_\infty$. Fuchs also exhibits an efficient way to solve (1). He proposes to solve the series of simpler problems

$$\mathbf{x}_h^* = \min_{\mathbf{x} \in \mathbb{R}^m} J_h(\mathbf{x}) \quad (2)$$

with

$$J_h(\mathbf{x}) = \|A\mathbf{x} - \mathbf{y}\|_2^2/2 + h\|\mathbf{x}\|_\infty \quad (3)$$

for some decreasing values of h . As $h \rightarrow 0$, $\mathbf{x}_h^* \rightarrow \mathbf{x}^*$.

2.1 The sub-differential set

For a fixed h , J_h is not differentiable due to $\|\cdot\|_\infty$. Therefore, we need to work with sub-differential sets. The sub-differential set $\partial f(\mathbf{x})$ of function f at \mathbf{x} is the set of gradients \mathbf{v} s.t. $f(\mathbf{x}') - f(\mathbf{x}) \geq \mathbf{v}^\top(\mathbf{x}' - \mathbf{x})$, $\forall \mathbf{x}' \in \mathbb{R}^m$. For $f \equiv \|\cdot\|_\infty$, we have:

$$\partial f(\mathbf{0}) = \{\mathbf{v} \in \mathbb{R}^m : \|\mathbf{v}\|_1 \leq 1\}, \quad (4)$$

$$\begin{aligned} \partial f(\mathbf{x}) &= \{\mathbf{v} \in \mathbb{R}^m : \|\mathbf{v}\|_1 = 1, \\ &\quad v_i x_i \geq 0 \text{ if } |x_i| = \|\mathbf{x}\|_\infty, \\ &\quad v_i = 0 \text{ else}\}, \text{ for } \mathbf{x} \neq \mathbf{0} \end{aligned} \quad (5)$$

Since J_h is convex, \mathbf{x}_h^* is solution iff $\mathbf{0}$ belongs to the sub-differential set $\partial J_h(\mathbf{x}_h^*)$, i.e. iff there exist $\mathbf{v} \in \partial f(\mathbf{x}_h^*)$ s.t.

$$A^\top(A\mathbf{x}_h^* - \mathbf{y}) + h\mathbf{v} = \mathbf{0} \quad (6)$$

2.2 Initialization and first iteration

For h_0 large enough, $J_{h_0}(\mathbf{x})$ is dominated by $\|\mathbf{x}\|_\infty$, and the solution writes $\mathbf{x}_{h_0}^* = \mathbf{0}$ and $\mathbf{v} = h_0^{-1}A^\top\mathbf{y} \in \partial f(\mathbf{0})$. (4) shows that this solution no longer holds for $h < h_1$ with $h_1 = \|A^\top\mathbf{y}\|_1$.

For $\|\mathbf{x}\|_\infty$ small enough, $J_h(\mathbf{x})$ is dominated by $\|\mathbf{y}\|^2 - \mathbf{x}^\top A^\top\mathbf{y} + h\|\mathbf{x}\|_\infty$ whose minimizer is $\mathbf{x}_h^* = \|\mathbf{x}\|_\infty \text{sign}(A^\top\mathbf{y})$. In this case, $\partial f(\mathbf{x})$ is the set of

vectors \mathbf{v} s.t. $\text{sign}(\mathbf{v}) = \text{sign}(\mathbf{x})$ and $\|\mathbf{v}\|_1 = 1$. Multiplying (6) by $\text{sign}(\mathbf{v})^\top$ on the left, we have

$$h = h_1 - \|\text{Asign}(A^\top \mathbf{y})\|^2 \|\mathbf{x}\|_\infty. \quad (7)$$

This shows that i) \mathbf{x}_h^* can be a solution for $h < h_1$, and ii) $\|\mathbf{x}\|_\infty$ increases as h decreases. Yet, Equation (6) also imposes that $\mathbf{v} = \boldsymbol{\nu}_1 - \boldsymbol{\mu}_1 \|\mathbf{x}\|_\infty$, with

$$\boldsymbol{\nu}_1 \triangleq h^{-1} A^\top \mathbf{y} \quad \text{and} \quad \boldsymbol{\mu}_1 \triangleq h^{-1} A^\top \text{Asign}(A^\top \mathbf{y}). \quad (8)$$

But, the condition $\text{sign}(\mathbf{v}) = \text{sign}(\mathbf{x})$ from (5) must hold. This limits $\|\mathbf{x}\|_\infty$ by ρ_{i_2} where $\rho_i = \nu_i / \mu_i$ and $i_2 = \arg \min_{i: \rho_i > 0} (\rho_i)$, which in turn translates to a lower bound h_2 on h via (7).

2.3 Index partition

For the sake of simplicity, we introduce $\mathcal{I} \triangleq \{1, \dots, m\}$, and the index partition $\bar{\mathcal{I}} \triangleq \{i : |x_i| = \|\mathbf{x}\|_\infty\}$ and $\check{\mathcal{I}} \triangleq \mathcal{I} \setminus \bar{\mathcal{I}}$. The restriction of vectors and matrices to $\bar{\mathcal{I}}$ (resp. $\check{\mathcal{I}}$) are denoted alike $\bar{\mathbf{x}}$ (resp. $\check{\mathbf{x}}$). For instance, Equation (5) translates in $\text{sign}(\bar{\mathbf{v}}) = \text{sign}(\bar{\mathbf{x}})$, $\|\bar{\mathbf{v}}\|_1 = 1$ and $\check{\mathbf{v}} = \mathbf{0}$. The index partition splits (6) into two parts:

$$\check{A}^\top (\check{A}\check{\mathbf{x}} + \bar{A}\text{sign}(\bar{\mathbf{v}})\|\mathbf{x}\|_\infty) = \check{A}^\top \mathbf{y} \quad (9)$$

$$\bar{A}^\top (\check{A}\check{\mathbf{x}} + \bar{A}\text{sign}(\bar{\mathbf{v}})\|\mathbf{x}\|_\infty - \mathbf{y}) = -h\bar{\mathbf{v}} \quad (10)$$

For $h_2 \leq h < h_1$, we've seen that $\bar{\mathbf{x}} = \mathbf{x}$, $\bar{\mathbf{v}} = \mathbf{v}$, and $\bar{A} = A$. Their 'tilde' versions are empty. For $h < h_2$, the index partition $\bar{\mathcal{I}} = \mathcal{I}$ and $\check{\mathcal{I}} = \emptyset$ can no longer hold. Indeed, when v_{i_2} is null at $h = h_2$, the i_2 -th column of A moves from \bar{A} to \check{A} s.t. now, $\check{A} = [\mathbf{a}_{i_2}]$.

2.4 General iteration

The general iteration consists in determining on which interval $[h_{k+1}, h_k]$ an index partition holds, giving the expression of the solution \mathbf{x}_h^* and proposing a new index partition to the next iteration.

Provided \check{A} is full rank, (9) gives

$$\check{\mathbf{x}} = \boldsymbol{\xi}_k + \boldsymbol{\zeta}_k \|\mathbf{x}\|_\infty, \quad (11)$$

with

$$\boldsymbol{\xi}_k = (\check{A}^\top \check{A})^{-1} \check{A}^\top \mathbf{y} \quad (12)$$

and

$$\boldsymbol{\zeta}_k = -(\check{A}^\top \check{A})^{-1} \bar{A} \text{sign}(\bar{\mathbf{v}}). \quad (13)$$

Equation 10 gives:

$$\bar{\mathbf{v}} = \boldsymbol{\nu}_k - \boldsymbol{\mu}_k \|\mathbf{x}\|_\infty, \quad (14)$$

with

$$\boldsymbol{\mu}_k = \bar{A}^\top (I - \bar{A}^\top \check{A} (\check{A}^\top \check{A})^{-1}) \bar{A} \text{sign}(\bar{\mathbf{v}}) / h \quad (15)$$

and

$$\boldsymbol{\nu}_k = (\check{A}^\top \mathbf{y} - \boldsymbol{\xi}_k) / h. \quad (16)$$

Left multiplying (10) by $\text{sign}(\bar{\mathbf{v}})$, we get:

$$h = \eta_k - v_k \|\mathbf{x}\|_\infty \quad (17)$$

with

$$v_k = (\bar{A}\text{sign}(\bar{\mathbf{v}}))^\top \left(I - \check{A}(\check{A}^\top \check{A})^{-1} \check{A}^\top \right) \bar{A}\text{sign}(\bar{\mathbf{v}}), \quad (18)$$

and

$$\eta_k = -\text{sign}(\bar{\mathbf{v}})^\top \bar{A}^\top (\check{A}\check{\mathbf{x}} - \mathbf{y}). \quad (19)$$

Note that $v_k > 0$ so that $\|\mathbf{x}\|_\infty$ increases when h decreases.

These equations extend a solution \mathbf{x}_h^* to the neighborhood of h . However, we must check that this index partition is still valid as we decrease h and $\|\mathbf{x}\|_\infty$ increases. Two events can break the validity:

- Like in the first iteration, a component of $\bar{\mathbf{v}}$ given in (14) becomes null. This index moves from $\check{\mathcal{I}}$ to $\check{\mathcal{L}}$.
- A component of $\check{\mathbf{x}}$ given in (11) sees its amplitude equalling $\pm\|\mathbf{x}\|_\infty$. This index moves from $\check{\mathcal{I}}$ to $\check{\mathcal{L}}$, and the sign of this component will be the sign of the new component of $\bar{\mathbf{x}}$.

The value of $\|\mathbf{x}\|_\infty$ for which one of these two events first happens is translated in h_{k+1} thanks to (17).

2.5 Stopping condition and output

If the goal is to minimize $J_{h_t}(\mathbf{x})$ for a specific target h_t , then the algorithm stops when $h_{k+1} < h_t$. The real value of $\|\mathbf{x}_{h_t}^*\|_\infty$ is given by (17), and the components not stuck to $\pm\|\mathbf{x}_{h_t}^*\|_\infty$ by (11).

We obtain the spread representation \mathbf{x} of the input vector \mathbf{y} . The vector \mathbf{x} has many of its components equal to $\pm\|\mathbf{x}\|_\infty$. An approximation of the original vector \mathbf{y} is obtained by

$$\hat{\mathbf{y}} = A\mathbf{x}. \quad (20)$$

3 Indexing and search mechanisms

This section describes how Hamming Embedding functions are used for approximate search, and in particular how the anti-sparse coding framework described in Section 2 is exploited.

3.1 Problem statement

Let \mathcal{Y} be a dataset of n real vectors, $\mathcal{Y} = \{\mathbf{y}_1, \dots, \mathbf{y}_n\}$, where $\mathbf{y}_i \in \mathbb{R}^d$, and consider a query vector $\mathbf{q} \in \mathbb{R}^d$. We aim at finding the k vectors in \mathcal{Y} that are closest to the query, with respect to the Euclidean distance. For the sake of exposure, we consider without loss of generality the nearest neighbor problem, i.e., the case $k = 1$. The nearest neighbor of \mathbf{q} in \mathcal{Y} is defined as

$$\text{NN}(\mathbf{q}) = \arg \min_{\mathbf{y} \in \mathcal{Y}} \|\mathbf{q} - \mathbf{y}\|^2. \quad (21)$$

The goal of approximate search is to find this nearest neighbor with high probability and using as less resources as possible. The performance criteria are the following:

- The quality of the search, i.e., to which extent the algorithm is able to return the true nearest neighbor ;
- The search efficiency, typically measured by the query time ;
- The memory usage, i.e., the number of bytes used to index a vector \mathbf{y}_i of the database.

In our paper, we assess the search quality by the recall@R measure: over a set of queries, we compute the proportion for which the system returns the true nearest neighbor in the first R positions.

3.2 Approximate search with binary embeddings

A class of ANN methods is based on embedding [4, 5, 2]. The idea is to map the input vectors to a space where the representation is compact and the comparison is efficient. The Hamming space offers these two desirable properties. The key problem is the design of the embedding function $e : \mathbb{R}^d \rightarrow \mathbb{B}^m$ mapping the input vector \mathbf{y} to $\mathbf{b} = e(\mathbf{y})$ in the m -dimensional Hamming space \mathbb{B}^m , here defined as $\{-1, 1\}^m$ for the sake of exposure.

Once this function is defined, all the database vectors are mapped to \mathbb{B}^m , and the search problem is translated into the Hamming space based on the Hamming distance, or, equivalently:

$$\text{NN}_b(e(\mathbf{q})) = \arg \max_{\mathbf{y} \in \mathcal{Y}} e(\mathbf{q})^\top e(\mathbf{y}). \quad (22)$$

$\text{NN}_b(e(\mathbf{q}))$ is returned as the approximate $\text{NN}(\mathbf{q})$.

Binarization with anti-sparse coding. Given an input vector \mathbf{y} , the anti-sparse coding of Section 2 produces \mathbf{x} with many components equal to $\pm\|\mathbf{x}\|_\infty$. We consider a “pre-binarized” version $\hat{x}(\mathbf{y}) = \mathbf{x}/\|\mathbf{x}\|_\infty$, and the binarized version $e(\mathbf{y}) = \text{sign}(\mathbf{x})$.

3.3 Hash function design

The locality sensitive hashing (LSH) algorithm is mainly based on random projection, though different kinds of hash functions have been proposed for the Euclidean space [11]. Let $A = [\mathbf{a}_1 | \dots | \mathbf{a}_m]$ be a $d \times m$ matrix storing the m projection vectors. The most simple way is to take the sign of the projections: $\mathbf{b} = \text{sign}(A^\top \mathbf{y})$. Note that this corresponds to the first iteration of our algorithm (see Section 2.2).

We also try A as an uniform frame. A possible construction of such a frame consists in performing a QR decomposition on a $m \times m$ matrix. The matrix A is then composed of the d first rows of the Q matrix, ensuring that $A \times A^\top = \mathbb{I}_d$. Section 4 shows that such frames significantly improve the results compared with random projections, for both LSH and anti-sparse coding embedding methods.

3.4 Asymmetric schemes

As recently suggested in the literature, a better search quality is obtained by avoiding the binarization of the query vector. Several variants are possible.

We consider the simplest one derived from (22), where the query is not binarized in the inner product. For our anti-sparse coding scheme, this amounts to performing the search based on the following maximization:

$$\text{NN}_a(e(\mathbf{q})) = \arg \max_{\mathbf{y} \in \mathcal{Y}} \hat{x}(\mathbf{q})^\top e(\mathbf{y}). \quad (23)$$

The estimate NN_a is better than NN_b . The memory usage is the same because the vectors in the database $\{e(\mathbf{y}_i)\}$ are all binarized. However, this asymmetric scheme is a bit slower than the pure bit-based comparison. For better efficiency, the search (23) is done using look-up tables computed for the query and prior to the comparisons [8]. This is slightly slower than computing the Hamming distances in (22). This asymmetric scheme is interesting for any binarization scheme (LSH or anti-sparse coding) and any definition of A (either random projections or a frame).

3.5 Explicit reconstruction

The anti-sparse binarization scheme explicitly minimizes the reconstruction error, which is traded in (1) with the ℓ_∞ regularization term. Equation (20) gives an explicit approximation of the database vector \mathbf{y} up to a scaling factor: $\hat{\mathbf{y}} \propto \frac{A\mathbf{b}}{\|A\mathbf{b}\|_2}$. The approximate nearest neighbors NN_e are obtained by computing the exact Euclidean distances $\|\mathbf{q} - \hat{\mathbf{y}}_i\|_2$. This is slow compared to the Hamming distance computation. That is why, it is used to operate, like in [6], a re-ranking of the first hypotheses returned based on the Hamming distance (on the asymmetric scheme described in Section 3.4). The main difference with [6] is that no extra-code has to be retrieved: the reconstruction $\hat{\mathbf{y}}$ solely relies on \mathbf{b} .

4 Simulations and experiments

This section evaluates the search quality on synthetic and real data. In particular, we measure the impact of:

- The Hamming embedding technique: LSH and binarization based on anti-sparse coding. We also compare to the spectral hashing method of [5], using the code available online.
- The choice of matrix A : random projections or frame for LSH. For the anti-sparse coding, we always assume a frame.
- The search method: 1) NN_b of (22) 2) NN_a of (23) and 3) NN_e as described in Section 3.5.

Our comparison focuses on the case $m \geq d$. In the anti-sparse coding method, the regularization term h controls the trade-off between the robustness of the Hamming embedding and the quality of the reconstruction. Small values of h favors the quality of the reconstruction (without any binarization). Bigger values of h gives more components stuck to $\|\mathbf{x}\|_\infty$, which improves the approximation search with binary embedding. Optimally, this parameter should be adjusted to give a reasonable trade-off between the efficiency of the first stage (methods NN_b or NN_a) and the re-ranking stage (NN_e). Note however that,




Figure 1: Anti-sparse coding *vs* LSH on synthetic data. Search quality (recall@10 in a vector set of 10,000 vectors) as a function of the number of bits of the representation.

thanks to the algorithm described in Section 2, the parameter is stable, i.e., a slight modification of this parameter only affects a few components. We set $h = 1$ in all our experiments. Two datasets are considered for the evaluation:

- A database of 10,000 16-dimensional vectors uniformly drawn on the Euclidean unit sphere (normalized Gaussian vectors) and a set of 1,000 query vectors.
- A database of SIFT [12] descriptors available online¹, comprising 1 million database and 10,000 query vectors of dimensionality 128. Similar to [5], we first reduce the vector dimensionality to 48 components using principal component analysis (PCA). The vectors are not normalized after PCA.

The comparison of LSH and anti-sparse. Figures 1 and 2 show the performance of Hamming embeddings for synthetic data. On Fig. 1, the quality measure is the recall@10 (proportion of true NN ranked in first 10 positions) plotted as a function of the number of bits m . For LSH, observe the much better performance obtained by the proposed frame construction compared with random projections. The same conclusion holds for anti-sparse binarization.

The anti-sparse coding offers similar search quality as LSH for $m = d$ when the comparison is performed using NN_b of (22). The improvement gets significant as m increases. The spectral hashing technique [5] exhibits poor performance on this synthetic dataset.

The asymmetric comparison NN_a leads a significant improvement, as already observed in [7, 8]. The interest of anti-sparse coding becomes obvious

¹<http://corpus-texmex.irisa.fr>




Figure 2: Anti-sparse coding *vs* LSH on synthetic data ($m = 48$, 10,000 vectors in dataset).

by considering the performance of the comparison NN_e based on the explicit reconstruction of the database vectors from their binary-coded representations. For a fixed number of bits, the improvement is huge compared to LSH. It is worth using this technique to re-rank the first hypotheses obtained by NN_b or NN_a .

Experiments on SIFT descriptors. As shown by Figure 3, LSH is slightly better than anti-sparse on real data when using the binary representation only (here $m = 128$), which might be solved by tuning h , since the first iteration of anti-sparse leads to the binarization as LSH. However, the interest of the explicit reconstruction offered by NN_e is again obvious. The final search quality is significantly better than that obtained by spectral hashing [5]. Since we do not specifically handle the fact that our descriptors are not normalized after PCA, our results could probably be improved by taking care of the ℓ_2 norm.

5 Conclusion and open issues

In this paper, we have proposed anti-sparse coding as an effective Hamming embedding, which, unlike concurrent techniques, offers an explicit reconstruction of the database vectors. To our knowledge, it outperforms all other search techniques based on binarization. There are still two open issues to take the best of the method. First, the computational cost is still a bit high for high dimensional vectors. Second, if the proposed codebook construction is better than random projections, it is not yet specifically adapted to real data.




Figure 3: Approximate search in a SIFT vector set of 1 million vectors.

References

- [1] M. A. Casey, R. Veltkamp, M. Goto, M. Leman, C. Rhodes, and M. Slaney, “Content-based music information retrieval: Current directions and future challenges,” *Proc. of the IEEE*, April 2008.
- [2] H. Jégou, M. Douze, and C. Schmid, “Improving bag-of-features for large scale image search,” *IJCV*, February 2010.
- [3] J. Law-To, L. Chen, A. Joly, I. Laptev, O. Buisson, V. Gouet-Brunet, N. Boujemaa, and F. Stentiford, “Video copy detection: a comparative study,” in *CIVR*, July 2007.
- [4] A. Torralba, R. Fergus, and Y. Weiss, “Small codes and large databases for recognition,” in *CVPR*, June 2008.
- [5] Y. Weiss, A. Torralba, and R. Fergus, “Spectral hashing,” in *NIPS*, 2008.
- [6] H. Jégou, R. Tavenard, M. Douze, and L. Amsaleg, “Searching in one billion vectors: re-rank with source coding,” in *ICASSP*, May 2011.
- [7] W. Dong, M. Charikar, and K. Li, “Asymmetric distance estimation with sketches for similarity search in high-dimensional spaces,” in *SIGIR*, July 2008.
- [8] H. Jégou, M. Douze, and C. Schmid, “Product quantization for nearest neighbor search,” *IEEE Trans. PAMI*, January 2011.
- [9] J-J. Fuchs, “Spread representations,” in *ASLOMAR Conference on Signals, Systems, and Computers*, November 2011.

- [10] B. Efron, T. Hastie, I. Johnstone, and R. Tibshirani, "Least angle regression," *Ann. Statist.*, vol. 32, no. 2, pp. 407–499, 2004.
- [11] A. Andoni and P. Indyk, "Near-optimal hashing algorithms for near neighbor problem in high dimensions," in *Proc. of the Symposium on the Foundations of Computer Science*, 2006.
- [12] D. Lowe, "Distinctive image features from scale-invariant keypoints," *IJCV*, vol. 60, no. 2, 2004.

Contents

1	Introduction	3
2	Spread representations	4
2.1	The sub-differential set	4
2.2	Initialization and first iteration	4
2.3	Index partition	5
2.4	General iteration	5
2.5	Stopping condition and output	6
3	Indexing and search mechanisms	6
3.1	Problem statement	6
3.2	Approximate search with binary embeddings	7
3.3	Hash function design	7
3.4	Asymmetric schemes	7
3.5	Explicit reconstruction	8
4	Simulations and experiments	8
5	Conclusion and open issues	10



Centre de recherche INRIA Rennes – Bretagne Atlantique
IRISA, Campus universitaire de Beaulieu - 35042 Rennes Cedex (France)

Centre de recherche INRIA Bordeaux – Sud Ouest : Domaine Universitaire - 351, cours de la Libération - 33405 Talence Cedex
Centre de recherche INRIA Grenoble – Rhône-Alpes : 655, avenue de l'Europe - 38334 Montbonnot Saint-Ismier
Centre de recherche INRIA Lille – Nord Europe : Parc Scientifique de la Haute Borne - 40, avenue Halley - 59650 Villeneuve d'Ascq
Centre de recherche INRIA Nancy – Grand Est : LORIA, Technopôle de Nancy-Brabois - Campus scientifique
615, rue du Jardin Botanique - BP 101 - 54602 Villers-lès-Nancy Cedex
Centre de recherche INRIA Paris – Rocquencourt : Domaine de Voluceau - Rocquencourt - BP 105 - 78153 Le Chesnay Cedex
Centre de recherche INRIA Saclay – Île-de-France : Parc Orsay Université - ZAC des Vignes : 4, rue Jacques Monod - 91893 Orsay Cedex
Centre de recherche INRIA Sophia Antipolis – Méditerranée : 2004, route des Lucioles - BP 93 - 06902 Sophia Antipolis Cedex

Éditeur
INRIA - Domaine de Voluceau - Rocquencourt, BP 105 - 78153 Le Chesnay Cedex (France)
<http://www.inria.fr>
ISSN 0249-6399