

A spectral clustering approach of vegetation components for describing plant topology and geometry from terrestrial waveform LiDAR data

Dobrina Boltcheva, Eric Casella, Rémy Cumont, Franck Hétroy

► To cite this version:

Dobrina Boltcheva, Eric Casella, Rémy Cumont, Franck Hétroy. A spectral clustering approach of vegetation components for describing plant topology and geometry from terrestrial waveform LiDAR data. Anna Lintunen. FSPM2013 - 7th International Conference on Functional-Structural Plant Models, Jun 2013, Saariselkä, Finland. 2013. <hal-00817508>

HAL Id: hal-00817508

<https://hal.inria.fr/hal-00817508>

Submitted on 6 Jun 2013

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

A spectral clustering approach of vegetation components for describing plant topology and geometry from terrestrial waveform LiDAR data

Dobrina Boltcheva¹, Eric Casella², Rémy Cumont³ and Franck Hétyroy³

¹Université de Nancy & Inria, LORIA, 54506 Nancy, France, ²Forest Research, Centre for Forestry and Climate Change, Farnham, Surrey, GU10 4LH, UK, ³Université de Grenoble & Inria, Laboratoire Jean Kuntzmann, 38334 Grenoble, France

Correspondence: Franck.Hetroy@grenoble-inp.fr

Computer models that treat plant architectures as a collection of interconnected elementary units (internode, petiole, leaf lamina), which are spatially distributed within the above- and/or the below-ground space, have become increasingly popular in the FSPM scientific community (DeJong *et al.* 2011). The core of such 3-D plant architecture models deal with contrasting reconstruction methods generally based on stochastic, fractal or L-system approaches, or by describing accurately the geometry of each plant component *in situ* using 3-D digitizing technology. These methods can approximate the geometry of many species for understanding and integrating plant development and ecophysiology, but have generally been applied at a small scale.

High-resolution terrestrial Light Detection And Ranging (tLiDAR), a 3-D remote sensing technique, has recently been applied for measuring the 3-D characteristics of vegetation from grass to forest plant species (Dassot *et al.* 2011). The resulting data are known as a point cloud which shows the 3-D position of all the hits by the laser beam giving a raw sketch of the spatial distribution of plant elements in 3-D, but without explicit information on their geometry and connectivity.

In this study we propose a new approach based on a delineation algorithm (Fig. 1) that clusters a point cloud into elementary plant units. The algorithm creates a graph (points + edges) to recover plausible neighbouring relationships between the points and embed this graph in a spectral space in order to segment the point-cloud into meaningful elementary plant units (Fig. 2). Our approach is robust to inherent geometric outliers and/or noisy points and only considers the x, y, z coordinate tLiDAR data as an input.




Fig. 1. Pipeline of the segmentation method proposed in this study.




Fig. 2. Comparison of raw (a, c) and segmented (b, d) point clouds for a 0.4 m height poplar seedling (a, b) and a 3.7 m height eucalyptus tree.

Dassot M, Constant T, Fournier M. 2011. The use of terrestrial LiDAR technology in forest science: application fields, benefits and challenges. *Annals of Forest Science* **68**: 959-974.

DeJong TM, Da Silva D, Vos J, Escobar-Gutiérrez AJ. 2011. Using functional-structural plant models to study, understand and integrate plant development and ecophysiology. *Annals of Botany* **108**: 987-989.