

Interactive Tabu Search vs. Interactive Genetic Algorithm

Tatsuya Hirokata, Masataka Tokumaru, Noriaki Muranaka

► **To cite this version:**

Tatsuya Hirokata, Masataka Tokumaru, Noriaki Muranaka. Interactive Tabu Search vs. Interactive Genetic Algorithm. Hyun Seung Yang; Rainer Malaka; Junichi Hoshino; Jung Hyun Han. 9th International Conference on Entertainment Computing (ICEC), Sep 2010, Seoul, South Korea. Springer, Lecture Notes in Computer Science, LNCS-6243, pp.505-507, 2010, Entertainment Computing - ICEC 2010. <10.1007/978-3-642-15399-0_74>. <hal-01055586>

HAL Id: hal-01055586

<https://hal.inria.fr/hal-01055586>

Submitted on 13 Aug 2014

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Interactive Tabu Search vs. Interactive Genetic Algorithm

Tatsuya Hirokata¹, Masataka Tokumaru², Noriaki Muranaka²,

¹Graduate School of Kansai University, 3-3-35, Yamatre-cho, Suita-shi, Osaka, Japan.

² Kansai University, 3-3-35, Yamatre-cho, Suita-shi, Osaka, Japan.
{k875239, toku, muranaka}@kansai-u.ac.jp

Abstract. We propose an interactive tabu search (ITS) to be used for the development support of a product that fits a human's feeling. Interactive evolutionary computation (IEC) is one of the technologies used in the development support of products that fit a human's feeling using a computer and person undergoing a communication. The interactive genetic algorithm (IGA) is generally used in the IEC. A major problem with the use of the IEC is the increased burden on the IEC user to evaluate multiple solution candidates. Using the ITS instead of the IGA may reduce this burden, because the ITS user chooses only his most favorite solution candidate among multiple solution candidates. We performed a comparison of the search performance using simulations with the ITS and IGA. As a result of this simulation, the search performance of the ITS exceeded that of the IGA by a range from 2% to 10%.

Keywords: Tabu search, Interactive evolutionary computation,

1 Introduction

Interactive evolutionary computation (IEC) is a technique used in the development support of a product that fits a human's feeling using a computer.

A major problem with the use of the IEC is the increased evaluation burden of the IEC user. One of the methods that can be used to reduce the evaluation burden of the IEC user is an improvement to the evaluation interface [1]. A general evaluation interface of IEC is an n -stage evaluation method of all of the individuals that the IEC system shows. However, if many individuals are shown immediately, the result is a large evaluation burden for the IEC user.

The burden of the IEC user is caused as follows. First, the user should evaluate the same individual repeatedly during a single search. Second, the user must give each individual a gradual evaluation point. To solve these problems, an algorithm that can maintain evolution performance by a simple evaluation interface is desirable. However, this is difficult to achieve when using a generic algorithm (GA).

Therefore, we use a tabu search (TS) instead of a GA. The ITS aims to reduce the evaluation burden of the IEC user.

The evaluation value is the number of bits that a number accords with it. If the length of the bit string is longer than 10 bits, the evaluation value is converted so that the maximum length becomes 10.

Figure 2 shows a result of the simulation. As a result of this simulation, the search performance of the ITS exceeded the performance of the IGA by approximately 2% with the 20th generation of 10 bits. In addition, the search performance of the ITS exceeded that of the IGA by approximately 10% with the 20th generation of 50 bits. The ITS achieves the same evaluation value with half the generation number of the IGA. The ITS can be figured to be algorithm that can maintain search performance by a simple evaluation interface. So we consider that the ITS be expected to reduce the evaluation burden of the IEC user.




Fig. 2. Search performance of ITS and IGA

5 Summary

We propose the use of an ITS to reduce the burden of users. The utility of the ITS was proved by simulation. In the future, we will inspect the evaluation burden of the user who is used as a subject.

References

1. Hideyuki Takagi: Interactive Evolutionary Computation: Fusion of the Capabilities of EC Optimization and Human Evaluation. Proceedings of the IEEE. vol.8, no.9, pp.1275-1296(2001).