Benchmarking the NEWUOA on the BBOB-2009 Function Testbed

Raymond Ros
Univ. Paris-Sud, LRI
UMR 8623 / INRIA Saclay, projet TAO
F-91405 Orsay, France
raymond.ros@lri.fr

ABSTRACT

The NEWUOA which belongs to the class of Derivative-Free optimization algorithms is benchmarked on the BBOB-2009 noise-free testbed. A multistart strategy is applied with a maximum number of function evaluations of up to 10^5 times the search space dimension resulting in the algorithm solving 11 functions in 20-D. The results of the algorithm using the recommended number of interpolation points for the underlying model and the full model are shown and discussed.

Categories and Subject Descriptors

G.1.6 [Numerical Analysis]: Optimization—*global optimization, unconstrained optimization*; F.2.1 [Analysis of Algorithms and Problem Complexity]: Numerical Algorithms and Problems

General Terms

Algorithms

Keywords

Benchmarking, Black-box optimization, Derivative-free optimization

1. ALGORITHM PRESENTATION

The NEWUOA (New Unconstrained Optimization Algorithm) [4] is a Derivative-Free Optimization (DFO) algorithm using the trust region paradigm. NEWUOA computes a quadratic interpolation of the objective function in the current trust region and performs a truncated conjugate gradient minimization of the surrogate model in the trust region. It then updates either the current best point or the radius of the trust region, based on the a posteriori interpolation error. The time complexity of the algorithm is $\mathcal{O}(m^2n)$ in the worst case but in practice closer to $\mathcal{O}(mn)$, where m is the number of interpolation points used for the determination of the quadratic model and n is the dimension

of the search space. The number of interpolation points is a parameter of the algorithm and needs to be chosen in the range $[n+2, \frac{(n+1)(n+2)}{2}]$. Other parameters of the algorithm are the initial and final radii of the trust region, respectively governing the initial ‘granularity’ and the precision of the search. A simple stochastic independent restart procedure (as advised in [2]) was added to improve the probability of the algorithm reaching a target function value.

2. EXPERIMENTAL PROCEDURE

The implementation used for our experiments is the one provided by Matthieu Guibert¹ which delivers Powell’s original Fortran source code of the algorithm. This Fortran code has been adapted to the BBOB experimental paradigm. In this paper, we will test two numbers of interpolation points: $2n+1$ which is recommended in [4] and $\frac{(n+1)(n+2)}{2}$ which is the full model. An intermediate model using a number of interpolation points that is the integer closer to $\sqrt{(n+1/2)(n+1)(n+2)}$ was also tested with results that were in-between those of the two models we are considering. The initial radius ρ_{beg} of the search region has been set to 10, the range of the search space. Preliminary experiments show very few dependencies on this parameter, given it is not too small (ie. by many orders of magnitude) for the problem considered. A final radius $\rho_{\text{end}} = 10^{-16}$ was chosen close to the limit being the machine precision to prevent numerical errors. The starting point x_0 is chosen uniformly in $[-5, 5]^n$. The multistart strategy was used with at most 100 restarts to reduce the duration of an experiment. For the same reason, the maximum number of function evaluations is $10^5 \times n$ for $m = 2n+1$, $10^4 \times n$ otherwise. An example of the algorithm used is presented in Figure 1. No parameter tuning was done, the CrE [2] is computed to zero.

3. RESULTS AND DISCUSSION

Results from experiments according to [2] on the benchmark functions given in [1, 3] are presented in Figures 2 and 3 and in Table 1 for $m = 2n+1$. The algorithm performs well on the convex quadratic functions f_1 . It solves f_2 and f_{11} . The algorithm performs well on functions with low or moderate conditioning.

On multimodal functions, the algorithm fails or only solves 2, 3 and/or 5-D, though it does well on the Gallagher functions. As we can see in Figures 4 and 5 and in Table 2 for the full model, these results cannot be improved by using more

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

GECCO’09, July 8–12, 2009, Montréal Québec, Canada.

Copyright 2009 ACM 978-1-60558-505-5/09/07 ...\$5.00.

¹<http://www.inrialpes.fr/bipop/people/guilbert/newuoa/newuoa.html>

f1 in 5-D, N=15, mFE=139						f1 in 20-D, N=15, mFE=471						f2 in 5-D, N=15, mFE=62427						f2 in 20-D, N=15, mFE=315319					
Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc	Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc		
10	15	1.2e1	1.2e1	1.2e1	1.2e1	15	4.3e1	4.3e1	4.3e1	4.3e1	10	15	4.8e2	3.1e2	6.6e2	4.8e2	15	7.0e3	6.2e3	7.8e3	7.0e3		
1	15	1.2e1	1.2e1	1.2e1	1.2e1	15	4.3e1	4.3e1	4.4e1	4.3e1	1	15	1.9e3	1.5e3	2.3e3	1.9e3	15	1.6e4	1.4e4	1.8e4	1.6e4		
1e-1	15	1.2e1	1.2e1	1.2e1	1.2e1	15	4.3e1	4.3e1	4.4e1	4.3e1	1e-1	15	4.0e3	3.4e3	4.6e3	4.0e3	15	2.7e4	2.5e4	3.0e4	2.7e4		
1e-3	15	1.2e1	1.2e1	1.2e1	1.2e1	15	4.4e1	4.3e1	4.4e1	4.4e1	1e-3	15	7.6e3	6.8e3	8.4e3	7.6e3	15	4.9e4	4.5e4	5.3e4	4.9e4		
1e-5	15	1.2e1	1.2e1	1.2e1	1.2e1	15	4.4e1	4.3e1	4.4e1	4.4e1	1e-5	15	1.2e4	1.1e4	1.3e4	1.2e4	15	6.8e4	6.4e4	7.3e4	6.8e4		
1e-8	15	1.2e1	1.2e1	1.2e1	1.2e1	15	4.4e1	4.3e1	4.4e1	4.4e1	1e-8	15	2.6e4	2.1e4	3.2e4	2.6e4	15	1.2e5	1.0e5	1.5e5	1.2e5		
f3 in 5-D, N=15, mFE=25753						f3 in 20-D, N=15, mFE=133533						f4 in 5-D, N=15, mFE=36591						f4 in 20-D, N=15, mFE=255640					
Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc	Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc		
10	15	4.3e3	2.9e3	5.9e3	4.3e3	0	13e+1	11e+1	16e+1	6.3e4	10	12	2.1e4	1.6e4	2.8e4	1.7e4	0	17e+1	13e+1	22e+1	8.9e4		
1	1	3.7e5	1.8e5	>4e5	2.5e4	.	.	.	.	.	1	1	5.0e5	2.4e5	>5e5	3.5e4	.	.	.	.	.		
1e-1	0	40e-1	30e-1	80e-1	1.3e4	.	.	.	.	.	1e-1	0	60e-1	20e-1	11e+0	2.0e4	.	.	.	.	.		
1e-3	.	.	.	.	.	.	.	.	.	.	1e-3	.	.	.	.	.	.	.	.	.	.		
1e-5	.	.	.	.	.	.	.	.	.	.	1e-5	.	.	.	.	.	.	.	.	.	.		
1e-8	.	.	.	.	.	.	.	.	.	.	1e-8	.	.	.	.	.	.	.	.	.	.		
f5 in 5-D, N=15, mFE=207						f5 in 20-D, N=15, mFE=806						f6 in 5-D, N=15, mFE=10778						f6 in 20-D, N=15, mFE=25866					
Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc	Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc		
10	15	1.3e1	1.2e1	1.3e1	1.3e1	15	5.0e1	4.8e1	5.2e1	5.0e1	10	15	2.0e2	1.6e2	2.4e2	2.0e2	15	1.3e3	1.1e3	1.5e3	1.3e3		
1	15	1.5e1	1.4e1	1.5e1	1.5e1	15	5.9e1	5.5e1	6.3e1	5.9e1	1	15	5.0e2	4.0e2	6.2e2	5.0e2	15	2.3e3	2.1e3	2.6e3	2.3e3		
1e-1	15	1.5e1	1.4e1	1.6e1	1.5e1	15	6.5e1	6.1e1	7.0e1	6.5e1	1e-1	15	1.0e3	7.9e2	1.2e3	1.0e3	15	3.4e3	3.0e3	3.9e3	3.4e3		
1e-3	15	1.5e1	1.5e1	1.6e1	1.5e1	15	6.5e1	6.1e1	7.0e1	6.5e1	1e-3	15	1.9e3	1.6e3	2.2e3	1.9e3	15	5.8e3	4.9e3	6.6e3	5.8e3		
1e-5	15	1.5e1	1.5e1	1.6e1	1.5e1	15	6.5e1	6.1e1	7.1e1	6.5e1	1e-5	15	2.8e3	2.4e3	3.3e3	2.8e3	15	8.4e3	7.1e3	9.7e3	8.4e3		
1e-8	15	1.5e1	1.5e1	1.6e1	1.5e1	15	6.5e1	6.1e1	7.0e1	6.5e1	1e-8	15	4.3e3	3.8e3	4.9e3	4.3e3	15	1.1e4	9.9e3	1.3e4	1.1e4		
f7 in 5-D, N=15, mFE=78650						f7 in 20-D, N=15, mFE=2.00e6						f8 in 5-D, N=15, mFE=1485						f8 in 20-D, N=15, mFE=10852					
Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc	Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc		
10	15	2.3e2	1.3e2	3.4e2	2.3e2	0	18e+0	15e+0	22e+0	1.3e5	10	15	7.3e1	5.9e1	8.9e1	7.3e1	15	2.0e3	1.9e3	2.2e3	2.0e3		
1	15	4.1e3	2.6e3	5.6e3	4.1e3	.	.	.	.	.	1	15	3.0e2	2.2e2	4.0e2	3.0e2	15	3.9e3	3.2e3	4.6e3	3.9e3		
1e-1	6	7.1e4	4.7e4	1.3e5	2.7e4	.	.	.	.	.	1e-1	15	3.9e2	3.2e2	4.8e2	3.9e2	15	4.0e3	3.3e3	4.8e3	4.0e3		
1e-3	0	32e-2	21e-3	47e-2	7.9e3	.	.	.	.	.	1e-3	15	4.5e2	3.8e2	5.4e2	4.5e2	15	4.2e3	3.5e3	4.9e3	4.2e3		
1e-5	.	.	.	.	.	.	.	.	.	.	1e-5	15	4.9e2	4.1e2	5.7e2	4.9e2	15	4.4e3	3.7e3	5.1e3	4.4e3		
1e-8	.	.	.	.	.	.	.	.	.	.	1e-8	15	5.2e2	4.4e2	6.0e2	5.2e2	15	4.5e3	3.8e3	5.3e3	4.5e3		
f9 in 5-D, N=15, mFE=1843						f9 in 20-D, N=15, mFE=10808						f10 in 5-D, N=15, mFE=76895						f10 in 20-D, N=15, mFE=773382					
Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc	Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc		
10	15	6.3e1	5.7e1	6.9e1	6.3e1	15	1.8e3	1.7e3	1.8e3	1.8e3	10	15	1.1e3	7.3e2	1.5e3	1.1e3	15	1.3e4	1.2e4	1.4e4	1.3e4		
1	15	4.6e2	3.3e2	5.9e2	4.6e2	15	3.1e3	2.5e3	3.8e3	3.1e3	1	15	2.7e3	2.0e3	3.5e3	2.7e3	15	2.3e4	2.1e4	2.5e4	2.3e4		
1e-1	15	5.3e2	4.1e2	6.5e2	5.3e2	15	3.3e3	2.7e3	4.0e3	3.3e3	1e-1	15	4.6e3	3.7e3	5.6e3	4.6e3	15	3.6e4	3.3e4	3.9e4	3.6e4		
1e-3	15	5.8e2	4.7e2	7.1e2	5.8e2	15	3.5e3	2.8e3	4.2e3	3.5e3	1e-3	15	9.0e3	7.7e3	1.0e4	9.0e3	15	6.0e4	5.6e4	6.3e4	6.0e4		
1e-5	15	6.3e2	5.0e2	7.4e2	6.3e2	15	3.6e3	2.9e3	4.3e3	3.6e3	1e-5	15	1.3e4	1.2e4	1.5e4	1.3e4	15	8.1e4	7.7e4	8.4e4	8.1e4		
1e-8	15	6.5e2	5.3e2	7.8e2	6.5e2	15	3.8e3	3.2e3	4.5e3	3.8e3	1e-8	15	3.0e4	2.4e4	3.7e4	3.0e4	15	2.3e5	1.7e5	3.0e5	2.3e5		
f11 in 5-D, N=15, mFE=8585						f11 in 20-D, N=15, mFE=131357						f12 in 5-D, N=15, mFE=4396						f12 in 20-D, N=15, mFE=28383					
Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc	Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc		
10	15	5.0e2	4.4e2	5.6e2	5.0e2	15	1.5e4	1.4e4	1.5e4	1.5e4	10	15	3.7e2	2.6e2	5.1e2	3.7e2	15	3.1e3	2.2e3	4.1e3	3.1e3		
1	15	9.5e2	8.3e2	1.1e3	9.5e2	15	2.9e4	2.8e4	3.0e4	2.9e4	1	15	6.9e2	5.0e2	8.9e2	6.9e2	15	5.9e3	4.4e3	7.3e3	5.9e3		
1e-1	15	1.4e3	1.3e3	1.5e3	1.4e3	15	3.6e4	3.5e4	3.7e4	3.6e4	1e-1	15	9.2e2	6.9e2	1.2e3	9.2e2	15	8.3e3	6.9e3	9.7e3	8.3e3		
1e-3	15	2.1e3	2.0e3	2.2e3	2.1e3	15	6.0e4	5.9e4	6.1e4	6.0e4	1e-3	15	1.2e3	9.2e2	1.5e3	1.2e3	15	1.0e4	9.1e3	1.2e4	1.0e4		
1e-5	15	2.9e3	2.8e3	3.0e3	2.9e3	15	8.1e4	8.0e4	8.2e4	8.1e4	1e-5	15	1.5e3	1.1e3	1.8e3	1.5e3	15	1.2e4	1.1e4	1.4e4	1.2e4		
1e-8	15	4.7e3	4.2e3	5.2e3	4.7e3	15	1.1e5	1.1e5	1.1e5	1.1e5	1e-8	15	1.8e3	1.4e3	2.2e3	1.8e3	15	1.5e4	1.3e4	1.6e4	1.5e4		
f13 in 5-D, N=15, mFE=42403						f13 in 20-D, N=15, mFE=186688						f14 in 5-D, N=15, mFE=500000						f14 in 20-D, N=15, mFE=2.00e6					
Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc	Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc		
10	15	4.2e2	2.8e2	5.6e2	4.2e2	15	6.5e2	2.9e2	1.0e3	6.5e2	10	15	1.6e1	1.5e1	1.8e1	1.6e1	15	1.1e2	9.8e1	1.3e2	1.1e2		
1	15	1.8e3	1.3e3	2.4e3	1.8e3	15	6.2e3	3.8e3	8.6e3	6.2e3	1	15	4.1e1	3.7e1	4.4e1	4.1e1	15	2.4e2	2.1e2	2.6e2	2.4e2		
1e-1	15	8.7e3	6.3e3	1.1e4	8.7e3	15	2.6e4	1.8e4	3.4e4	2.6e4	1e-1	15	5.8e1	5.4e1	6.2e1	5.8e1	15	3.0e2	2.8e2	3.3e2	3.0e2		
1e-3	7	7.0e4	5.0e4	1.1e5	2.9e4	6	3.5e5	2.3e5	6.0e5	1.3e5	1e-3	15	1.7e2	1.6e2	1.8e2	1.7e2	15	9.3e2	8.9e2	9.7e2	9.3e2		
1e-5	1	5.9e5	2.9e5	>6e5	4.0e4	0	43e-4	23e-5	21e-3	8.9e4	1e-5	15	1.4e3	1.3e3	1.5e3	1.4e3	15	1.5e4	1.4e4	1.5e4	1.5e4		
1e-8	0	17e-4	18e-6	51e-4	2.0e4	.	.	.	.	.	1e-8	0	12e-8	74e-9	17e-8	2.0e5	0	40e-9	31e-9	98e-9	1.4e6		
f15 in 5-D, N=15, mFE=25959						f15 in 20-D, N=15, mFE=134552						f16 in 5-D, N=15, mFE=36861						f16 in 20-D, N=15, mFE=233591					
Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc	Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc		
10	15	2.9e3	2.2e3	3.7e3	2.9e3	0	12e+1	11e+1	15e+1	5.0e4	10	15	2.6e2	1.2e2	4.0e2	2.6e2	15	2.2e4	1.4e4	3.1e4	2.2e4		
1	1	3.8e5	1.9e5	>4e5	2.5e4	.	.	.	.	.	1	14	1.8e4	1.3e4	2.3e4	1.5e4	0	53e-1	40e-1	63e-1	1.0e5		
1e-1	0	30e-1	20e-1	40e-1	8.9e3	.	.	.	.	.	1e-1	0	50e-2	23e-2	81e-2	2.0e4	.	.	.	.	.		
1e-3	.	.	.	.	.	.	.	.	.	.	1e-3	.	.	.	.	.	.	.	.	.	.		
1e-5	.	.	.	.	.	.	.	.	.	.	1e-5	.	.	.	.	.	.	.	.	.	.		
1e-8	.	.	.	.	.	.	.	.	.	.	1e-8	.	.	.	.	.	.	.	.	.	.		
f17 in 5-D, N=15, mFE=76530						f17 in 20-D, N=15, mFE=2.00e6						f18 in 5-D, N=15, mFE=500000						f18 in 20-D, N=15, mFE=2.00e6					
Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc	Δf	#	ERT	10%	90%	RTsucc	#	ERT	10%	90%	RTsucc		
10	15	1.2e1	9.9																				

f1 in 5-D, N=15, mFE=22						f1 in 20-D, N=15, mFE=236						f2 in 5-D, N=15, mFE=50000						f2 in 20-D, N=15, mFE=200000					
Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}	Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}		
10	15	2.1e1	2.0e1	2.2e1	2.1e1	15	2.3e2	2.3e2	2.3e2	2.3e2	10	15	5.8e2	4.2e2	6.9e2	5.8e2	12	1.7e5	1.6e5	1.9e5	1.3e5		
1	15	2.2e1	2.2e1	2.2e1	2.2e1	15	2.3e2	2.3e2	2.3e2	2.3e2	1	15	1.6e3	1.3e3	2.0e3	1.6e3	2	1.5e6	1.4e6	1.5e6	1.7e5		
1e-1	15	2.2e1	2.2e1	2.2e1	2.2e1	15	2.3e2	2.3e2	2.4e2	2.3e2	1e-1	15	3.2e3	2.6e3	3.8e3	3.2e3	0	47e-1	58e-2	22e+0	2.0e5		
1e-3	15	2.2e1	2.2e1	2.2e1	2.2e1	15	2.3e2	2.3e2	2.3e2	2.3e2	1e-3	15	6.2e3	5.8e3	6.7e3	6.2e3							
1e-5	15	2.2e1	2.2e1	2.2e1	2.2e1	15	2.3e2	2.3e2	2.3e2	2.3e2	1e-5	15	9.5e3	9.3e3	1.0e4	9.5e3							
1e-8	15	2.2e1	2.2e1	2.2e1	2.2e1	15	2.3e2	2.3e2	2.3e2	2.3e2	1e-8	14	2.3e4	2.1e4	2.8e4	2.2e4							
f3 in 5-D, N=15, mFE=37504						f3 in 20-D, N=15, mFE=200000						f4 in 5-D, N=15, mFE=50000						f4 in 20-D, N=15, mFE=200000					
Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}	Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}		
10	15	3.0e3	2.4e3	3.6e3	3.0e3	0	88e+0	71e+0	11e+1	8.9e4	10	15	1.0e4	7.9e3	1.2e4	1.0e4	0	13e+1	10e+1	16e+1	1.0e5		
1	2	2.7e5	2.6e5	2.8e5	3.4e4						1	0	30e-1	20e-1	60e-1	2.2e4							
1e-1	0	20e-1	99e-2	30e-1	1.8e4						1e-1												
1e-3											1e-3												
1e-5											1e-5												
1e-8											1e-8												
f5 in 5-D, N=15, mFE=32						f5 in 20-D, N=15, mFE=313						f6 in 5-D, N=15, mFE=8034						f6 in 20-D, N=15, mFE=11418					
Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}	Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}		
10	15	2.2e1	2.1e1	2.3e1	2.2e1	15	2.5e2	2.5e2	2.6e2	2.5e2	10	15	1.3e2	1.1e2	1.7e2	1.3e2	15	1.9e3	1.8e3	1.9e3	1.9e3		
1	15	2.4e1	2.4e1	2.5e1	2.4e1	15	2.6e2	2.5e2	2.7e2	2.6e2	1	15	2.1e2	2.0e2	3.0e2	2.1e2	15	2.5e3	2.4e3	2.6e3	2.5e3		
1e-1	15	2.4e1	2.3e1	2.5e1	2.4e1	15	2.7e2	2.6e2	2.8e2	2.7e2	1e-1	15	2.8e2	2.2e2	3.2e2	2.8e2	15	3.5e3	3.3e3	3.7e3	3.5e3		
1e-3	15	2.4e1	2.3e1	2.5e1	2.4e1	15	2.7e2	2.6e2	2.7e2	2.7e2	1e-3	15	5.8e2	4.7e2	6.7e2	5.8e2	15	5.2e3	5.0e3	5.4e3	5.2e3		
1e-5	15	2.4e1	2.3e1	2.5e1	2.4e1	15	2.7e2	2.6e2	2.8e2	2.7e2	1e-5	15	1.0e3	7.2e2	1.3e3	1.0e3	15	6.7e3	6.5e3	6.8e3	6.7e3		
1e-8	15	2.4e1	2.4e1	2.5e1	2.4e1	15	2.7e2	2.6e2	2.7e2	2.7e2	1e-8	15	2.2e3	1.5e3	3.3e3	2.2e3	15	9.4e3	9.1e3	9.6e3	9.4e3		
f7 in 5-D, N=15, mFE=43917						f7 in 20-D, N=15, mFE=200000						f8 in 5-D, N=15, mFE=1514						f8 in 20-D, N=15, mFE=15124					
Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}	Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}		
10	15	2.4e1	2.3e1	2.4e1	2.4e1	15	6.3e3	5.1e3	7.9e3	6.3e3	10	15	1.2e2	8.6e1	1.3e2	1.2e2	15	2.8e3	2.7e3	3.0e3	2.8e3		
1	15	3.7e2	3.0e2	5.0e2	3.7e2	1	3.0e6	3.0e6	3.0e6	2.0e5	1	15	2.7e2	1.9e2	4.6e2	2.7e2	15	6.0e3	4.3e3	7.0e3	6.0e3		
1e-1	15	4.7e3	2.9e3	6.2e3	4.7e3	0	27e-1	15e-1	33e-1	7.1e4	1e-1	15	3.4e2	2.5e2	5.1e2	3.4e2	15	6.7e3	5.2e3	8.4e3	6.7e3		
1e-3	11	3.7e4	3.3e4	4.3e4	2.7e4						1e-3	15	3.9e2	2.7e2	4.6e2	3.9e2	15	7.2e3	6.1e3	8.5e3	7.2e3		
1e-5	11	3.7e4	3.4e4	4.2e4	2.7e4						1e-5	15	4.1e2	3.1e2	4.9e2	4.1e2	15	7.4e3	6.1e3	8.9e3	7.4e3		
1e-8	11	3.7e4	3.1e4	4.2e4	2.7e4						1e-8	15	4.2e2	3.3e2	5.8e2	4.2e2	15	7.5e3	6.1e3	8.6e3	7.5e3		
f9 in 5-D, N=15, mFE=1278						f9 in 20-D, N=15, mFE=15428						f10 in 5-D, N=15, mFE=50000						f10 in 20-D, N=15, mFE=200000					
Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}	Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}		
10	15	9.1e1	7.2e1	1.0e2	9.1e1	15	3.2e3	2.9e3	3.5e3	3.2e3	10	15	1.2e3	1.0e3	1.5e3	1.2e3	10	2.5e5	2.4e5	2.7e5	1.6e5		
1	15	3.4e2	2.8e2	4.0e2	3.4e2	15	6.9e3	6.1e3	9.0e3	6.9e3	1	15	3.1e3	2.8e3	3.3e3	3.1e3	0	67e-1	38e-1	60e+0	2.0e5		
1e-1	15	4.1e2	3.4e2	5.3e2	4.1e2	15	7.6e3	7.0e3	9.3e3	7.6e3	1e-1	15	5.0e3	4.7e3	5.4e3	5.0e3							
1e-3	15	4.6e2	3.4e2	4.9e2	4.6e2	15	8.1e3	6.9e3	9.0e3	8.1e3	1e-3	15	8.2e3	7.8e3	8.8e3	8.2e3							
1e-5	15	4.8e2	3.7e2	5.5e2	4.8e2	15	8.3e3	7.4e3	9.3e3	8.3e3	1e-5	15	1.1e4	1.1e4	1.2e4	1.1e4							
1e-8	15	4.9e2	4.4e2	5.6e2	4.9e2	15	8.4e3	7.1e3	9.9e3	8.4e3	1e-8	12	3.5e4	2.7e4	3.9e4	2.6e4							
f11 in 5-D, N=15, mFE=50000						f11 in 20-D, N=15, mFE=200000						f12 in 5-D, N=15, mFE=6362						f12 in 20-D, N=15, mFE=200000					
Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}	Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}		
10	15	1.5e3	1.3e3	1.6e3	1.5e3	15	5.8e4	5.5e4	6.6e4	5.8e4	10	15	4.0e2	2.0e2	7.9e2	4.0e2	15	1.1e4	8.2e3	1.5e4	1.1e4		
1	15	2.9e3	2.6e3	3.0e3	2.9e3	15	1.0e5	9.3e4	1.1e5	1.0e5	1	15	7.0e2	4.6e2	9.4e2	7.0e2	15	2.9e4	2.5e4	3.7e4	2.9e4		
1e-1	15	4.2e3	3.8e3	4.6e3	4.2e3	15	1.3e5	1.3e5	1.4e5	1.3e5	1e-1	15	1.0e3	6.2e2	1.3e3	1.0e3	14	7.2e4	5.5e4	8.8e4	6.9e4		
1e-3	15	6.3e3	6.0e3	6.7e3	6.3e3	8	3.5e5	3.5e5	3.6e5	1.8e5	1e-3	15	1.5e3	1.3e3	2.1e3	1.5e3	12	1.6e5	1.4e5	1.9e5	1.3e5		
1e-5	15	8.6e3	7.9e3	8.9e3	8.6e3	0	75e-5	32e-6	36e-4	2.0e5	1e-5	15	2.1e3	1.7e3	2.7e3	2.1e3	6	4.4e5	4.2e5	4.7e5	1.8e5		
1e-8	13	2.2e4	1.8e4	2.9e4	1.8e4						1e-8	15	2.8e3	2.0e3	3.4e3	2.8e3	0	42e-6	10e-9	19e-4	1.4e5		
f13 in 5-D, N=15, mFE=50000						f13 in 20-D, N=15, mFE=200000						f14 in 5-D, N=15, mFE=50000						f14 in 20-D, N=15, mFE=200000					
Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}	Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}		
10	15	2.4e2	1.3e2	3.3e2	2.4e2	15	1.2e3	1.1e3	1.2e3	1.2e3	10	15	2.7e1	2.5e1	2.9e1	2.7e1	15	4.4e2	4.1e2	4.6e2	4.4e2		
1	15	1.3e3	7.7e2	1.8e3	1.3e3	15	1.2e4	9.1e3	1.6e4	1.2e4	1	15	4.3e1	4.0e1	4.6e1	4.3e1	15	7.2e2	6.9e2	7.5e2	7.2e2		
1e-1	15	5.6e3	4.0e3	8.7e3	5.6e3	15	5.1e4	4.1e4	7.1e4	5.1e4	1e-1	15	6.5e1	6.3e1	6.7e1	6.5e1	15	1.1e3	1.1e3	1.1e3	1.1e3		
1e-3	5	1.3e5	1.1e5	1.4e5	4.7e4	5	4.8e5	4.1e5	5.2e5	2.0e5	1e-3	15	1.4e2	1.3e2	1.5e2	1.4e2	15	2.4e3	2.3e3	2.5e3	2.4e3		
1e-5	0	19e-4	16e-5	11e-3	2.5e4	1	2.8e6	2.7e6	3.0e6	2.0e5	1e-5	15	8.1e2	7.5e2	8.9e2	8.1e2	15	3.2e4	3.2e4	3.4e4	3.2e4		
1e-8						0	30e-4	68e-6	31e-3	1.4e5	1e-8	0	48e-9	38e-9	59e-9	3.2e4	0	12e-7	11e-7	12e-7	2.0e5		
f15 in 5-D, N=15, mFE=35310						f15 in 20-D, N=15, mFE=200000						f16 in 5-D, N=15, mFE=48848						f16 in 20-D, N=15, mFE=200000					
Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}	Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}		
10	15	3.2e3	2.1e3	4.0e3	3.2e3	0	77e+0	66e+0	11e+1	1.4e5	10	15	3.2e2	1.8e2	3.8e2	3.2e2	15	6.4e3	2.7e3	8.4e3	6.4e3		
1	1	5.1e5	5.0e5	5.2e5	3.4e4						1	15	7.1e3	5.6e3	9.1e3	7.1e3	1	2.9e6	2.8e6	3.0e6	2.0e5		
1e-1	0	50e-1	20e-1	70e-1	1.1e4						1e-1	7	7.7e4	6.4e4	8.9e4	3.5e4	0	25e-1	12e-1	44e-1	3.2e4		
1e-3											1e-3	0	12e-2	35e-4	62e-2	2.5e4							
1e-5											1e-5												
1e-8											1e-8												
f17 in 5-D, N=15, mFE=50000						f17 in 20-D, N=15, mFE=200000						f18 in 5-D, N=15, mFE=50000						f18 in 20-D, N=15, mFE=200000					
Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}	Δf	#	ERT	10%	90%	RT _{succ}	#	ERT	10%	90%	RT _{succ}		

Figure 1: Multistart NEWUOA, the number of interpolation points is two times the dimension plus one.

```

#include <stdlib.h>
#include <math.h>
#include <stdio.h>
#include "bbobStructures.h"

/* Call to the Fortran function */
extern void newuoa_(unsigned int* n, int* m, double* x0, double* rhobeg,
                  double* rhoend, int* verbose, int* maxfun,
                  double* W, double* ftarget);

/* The Multistart NEWUOA */
void newuoa(unsigned int dim, unsigned int maxfunevals, double ftarget)
{
    int m, iprint = 0, curmaxfun;
    double * x = malloc(sizeof(double) * dim);
    unsigned int iter = 0, i;
    double rhobeg = 10, rhoend = 1e-16;
    /* internal variable of NEWUOA */
    double * w = malloc(1000000 * sizeof(double));

    m = 2 * dim + 1;

    curmaxfun = maxfunevals - fgeneric_evaluations();
    while (curmaxfun > 0 && fgeneric_best() > ftarget && iter < 100)
    {
        /* Generate a starting point */
        for (i = 0; i < dim; i++)
            x[i] = 10. * ((double)rand() / RAND_MAX) - 5.;
        /* Call NEWUOA */
        newuoa_(&dim, &npt, x, &rhobeg, &rhoend, &iprint, &curmaxfun, w, &ftarget);
        /* Update */
        curmaxfun = maxfunevals - fgeneric_evaluations();
        iter++;
    }
    free(x);
    free(w);
}

```

points on the interpolation of the model. To the contrary, the performances only seem to scale only worse resulting in failures in larger dimensions, for instance on f_2 or f_{12} with the exception of f_7 which the full model NEWUOA solves in 5-D.

4. CPU TIMING EXPERIMENT

The proposed algorithm was run on f_8 and restarted until at least 30 seconds have passed. The experiments were conducted with an Intel Core 2 6700 processor (2.66GHz) on Linux 2.6.24.7. The results were 130, 73, 45, 18, 2.2, 26 for $m = 2n + 1$ and 200, 86, 45, 7.9, 3.7, 36×10^{-3} seconds per function evaluations for the full model in dimension 2, 3, 5, 10, 20 and 40 respectively.

Acknowledgments

The first author would like to acknowledge the support, help, and work of the BBOB team with particular kudos to Anne Auger, Steffen Finck and Nikolaus Hansen.

5. REFERENCES

- [1] S. Finck, N. Hansen, R. Ros, and A. Auger. Real-parameter black-box optimization benchmarking 2009: Presentation of the noiseless functions. Technical Report 2009/20, Research Center PPE, 2009.
- [2] N. Hansen, A. Auger, S. Finck, and R. Ros. Real-parameter black-box optimization benchmarking 2009: Experimental setup. Technical Report RR-6828, INRIA, 2009.
- [3] N. Hansen, S. Finck, R. Ros, and A. Auger. Real-parameter black-box optimization benchmarking 2009: Noiseless functions definitions. Technical Report RR-6829, INRIA, 2009.
- [4] M. J. D. Powell. The NEWUOA software for unconstrained optimization without derivatives. *Large Scale Nonlinear Optimization*, pages 255–297, 2006.

Figure 2: NEWUOA, $2n + 1$ interpolation points. Expected Running Time (ERT, $\bullet$) to reach $f_{\text{opt}} + \Delta f$ and median number of function evaluations of successful trials (+), shown for $\Delta f = 10, 1, 10^{-1}, 10^{-2}, 10^{-3}, 10^{-5}, 10^{-8}$ (the exponent is given in the legend of f_1 and f_{24}) versus dimension in log-log presentation. The ERT(Δf) equals to $\#FEs(\Delta f)$ divided by the number of successful trials, where a trial is successful if $f_{\text{opt}} + \Delta f$ was surpassed during the trial. The $\#FEs(\Delta f)$ are the total number of function evaluations while $f_{\text{opt}} + \Delta f$ was not surpassed during the trial from all respective trials (successful and unsuccessful), and f_{opt} denotes the optimal function value. Crosses (x) indicate the total number of function evaluations $\#FEs(-\infty)$. Numbers above ERT-symbols indicate the number of successful trials. Annotated numbers on the ordinate are decimal logarithms. Additional grid lines show linear and quadratic scaling.

Figure 3: NEWUOA, $2n + 1$ interpolation points. Empirical cumulative distribution functions (ECDFs), plotting the fraction of trials versus running time (left subplots) or versus Δf (right subplots). The thick red line represents the best achieved results. Left subplots: ECDF of the running time (number of function evaluations), divided by search space dimension D , to fall below $f_{\text{opt}} + \Delta f$ with $\Delta f = 10^k$, where k is the first value in the legend. Right subplots: ECDF of the best achieved Δf divided by 10^k (upper left lines in continuation of the left subplot), and best achieved Δf divided by 10^{-8} for running times of $D, 10D, 100D \dots$ function evaluations (from right to left cycling black-cyan-magenta). Top row: all results from all functions; second row: separable functions; third row: misc. moderate functions; fourth row: ill-conditioned functions; fifth row: multi-modal functions with adequate structure; last row: multi-modal functions with weak structure. The legends indicate the number of functions that were solved in at least one trial. FVals denotes number of function evaluations, D and DIM denote search space dimension, and Δf and Df denote the difference to the optimal function value.

Figure 4: NEWUOA, full model. Expected Running Time (ERT, ●) to reach $f_{\text{opt}} + \Delta f$ and median number of function evaluations of successful trials (÷), shown for $\Delta f = 10, 1, 10^{-1}, 10^{-2}, 10^{-3}, 10^{-5}, 10^{-8}$ (the exponent is given in the legend of f_1 and f_{24}) versus dimension in log-log presentation. The ERT(Δf) equals to $\#FES(\Delta f)$ divided by the number of successful trials, where a trial is successful if $f_{\text{opt}} + \Delta f$ was surpassed during the trial. The $\#FES(\Delta f)$ are the total number of function evaluations while $f_{\text{opt}} + \Delta f$ was not surpassed during the trial from all respective trials (successful and unsuccessful), and f_{opt} denotes the optimal function value. Crosses (×) indicate the total number of function evaluations $\#FES(-\infty)$. Numbers above ERT-symbols indicate the number of successful trials. Annotated numbers on the ordinate are decimal logarithms. Additional grid lines show linear and quadratic scaling.

Figure 5: NEWUOA, full model. Empirical cumulative distribution functions (ECDFs), plotting the fraction of trials versus running time (left subplots) or versus Δf (right subplots). The thick red line represents the best achieved results. Left subplots: ECDF of the running time (number of function evaluations), divided by search space dimension D , to fall below $f_{\text{opt}} + \Delta f$ with $\Delta f = 10^k$, where k is the first value in the legend. Right subplots: ECDF of the best achieved Δf divided by 10^{-8} (upper left lines in continuation of the left subplot), and best achieved Δf divided by 10^{-8} for running times of $D, 10D, 100D \dots$ function evaluations (from right to left cycling black-cyan-magenta). Top row: all results from all functions; second row: separable functions; third row: misc. moderate functions; fourth row: ill-conditioned functions; fifth row: multi-modal functions with adequate structure; last row: multi-modal functions with weak structure. The legends indicate the number of functions that were solved in at least one trial. FEvals denotes number of function evaluations, D and DIM denote search space dimension, and Δf and Df denote the difference to the optimal function value.